# Package 'AQuality'

July 25, 2024

Type Package

Title Water and Measurements Quality
Version 1.1
<b>Date</b> 2024-07-24
Author Maela Lupo [aut, cre], Andrea Porpatto [aut], Alfredo Rigalli [aut]
Maintainer Maela Lupo <maela.lupo@gmail.com></maela.lupo@gmail.com>
<b>Description</b> The functions proposed in this package allows to graphically evaluate the process of measurement of the chemical components of water. TSSS() and ICHS functions are useful to control the quality of measurements of chemical components of a sample of water. If one or more measurements include an error, the generated graph will indicate it with a position of the point that represents the sample outside the confidence interval.
License GPL-2
NeedsCompilation no
<b>Depends</b> R (>= 3.5.0)
Repository CRAN
<b>Date/Publication</b> 2024-07-25 08:00:01 UTC
Contents
AQuality-package 2 dataICHS 2 dataTSSS 3 ICHS 4 TSSS 5
Index 8

2 dataICHS

AQuality-package Water of

Water and Measurements Quality

## **Description**

The package allows you tu evaluate graphically the quality of measurements of water components

#### **Details**

The package includes two functions: TSSS() and ICHS(). The TSSS()function allows evaluating the quality of a set of measurement of water components, which correlate with total soluble solids. On the other hand, the ICHS() function allows evaluating the quality of a set of measurement of water components, which correlate with conductivity

## Author(s)

Maela Lupo [aut, cre], Andrea Porpatto [aut], Alfredo Rigalli [aut] Maintainer: Maela Lupo email: maela.lupo@gmail.com

dataICHS

Data Sets

## **Description**

Data.frame with data for testing the ICHS() (Ionic Charge Summation) function. Column 1: sample identification code. Column 2: measurement of water conductivity. Column3 onwards: measurement of ionic chemical components of water expressed in milliequivalent per litre.

### **Usage**

```
data("dataICHS")
```

## Format

A data frame with 411 observations on the following 14 variables.

codigo a character vector
conductividad a numeric vector
cargacloruro a numeric vector
cargacarbonato a numeric vector
cargabicarbonato a numeric vector
cargafosfato a numeric vector
carganitrato a numeric vector
carganitrito a numeric vector

dataTSSS 3

```
cargafloruro a numeric vector
cargaarcenico a numeric vector
cargaamonio a numeric vector
cargasulfato a numeric vector
cargasodio a numeric vector
cargacalcio a numeric vector
```

## **Examples**

```
# Including data.frame: data in workspace.
data("dataICHS")
# Column names of data.frame: data
names(dataICHS)
# Data set type of columns of data.frame: data.
str(dataICHS)
# Visualization of sample A45
#The following code should display a graphic with all samples in green dots and sample
# A45 as red big dot
ICHS("A45",dataICHS)
```

dataTSSS

Data Sets~~

## **Description**

Data.frame with data for testing the TSSS() (total soluble solids summation) function. Column 1: sample identification code. Column 2: measurement of total soluble solids. Column3 onwards: measurement of chemical components of water expressed in the same units as column 2.

### Usage

```
data("dataTSSS")
```

## **Format**

A data frame with 411 observations on the following 16 variables.

codigo a character vector
solidostotales a numeric vector
cloruro a numeric vector
carbonato a numeric vector
bicarbonato a numeric vector
fosfato a numeric vector
nitrato a numeric vector
nitrito a numeric vector

4 ICHS

fluoruro a numeric vector arsenico a numeric vector amonio a numeric vector sulfato a numeric vector sodio a numeric vector tkn a numeric vector calcio a numeric vector magnesio a numeric vector

## **Examples**

```
# Including data.frame: data in workspace.
data("dataTSSS")
# Column names of data.frame: data
names(dataTSSS)
# Data set type of columns of data.frame: data.
str(dataTSSS)
# Visualization of sample A45
#The following code should display a graphic with all samples in green dots and sample
# A45 as red big dot
TSSS("A45",dataTSSS)
```

ICHS

Ionic Charge Summation

## Description

Plots ionic charge summation as a function of conductivity.

## Usage

```
ICHS(sample, data, conflevel = 0.95, pchdata = 19, coldata = "green", cexdata = 0.5,
pchsample = 19, colsample = "red", cexsample = 3, xaxis = "CONDUCTIVITY",
yaxis = "IONIC CHARGE SUMMATION", title = paste("Sample ", as.character(sample)),
linetyprediction = 2, linewidthprediction = 1, linecolorprediction = 5)
```

## **Arguments**

sample	Code of the sample whose quality you want to know.
data	Data.frame containing code of the database samples, conductivity, measurements of ionic water components.
conflevel	Significance level used in the predict function.
pchdata	Symbol used to graph all the data in the data.frame.
coldata	Color of the symbols of all the data in the data.frame.

TSSS 5

cexdata Symbol size of all data in the data frame.

pchsample Symbol chosen to represent the point whose measurement quality is to be rep-

resented.

colsample Color chosen to represent the point whose measurement quality is to be repre-

sented.

cexsample Size of the symbol chosen to represent the point whose measurement quality is

to be represented.

xaxis X axis label. yaxis Y axis label.

title Title of the graph including the code of the chosen sample.

linetyprediction

Linear model prediction line type.

linewidthprediction

Linear model prediction line thickness.

linecolorprediction

Linear model prediction line color.

#### **Details**

The ICHS() function performs a linear model using column 2 (conductivity) as the independent variable and the other components of water as dependent variables (columns 3 onwards). Based on the linear model, a data prediction interval is obtained with a certain confidence level (conflevel). Then, ICHS() graphs the values of the entire database and finally graphs as a point with different color, the sample whose measurement quality you want to observe.

#### Value

The ICHS() function returns a graph of the sum of ionic chemical components as a function of the measurement of conductivity for each sample. It contains the confidence interval indicated in a dotted line, and the sample under observation. If the point that represents the sample is within the region delimited by the lines of the confidence interval, it is presumed that there were no serious measurement errors of the components analyzed.

#### Author(s)

Maela Lupo, Andrea Porpatto, Alfredo Rigalli

TSSS Total Soluble Solids Summation

## Description

Plot total soluble solids summation as a function of total soluble solids measurement.

6 TSSS

## Usage

```
TSSS(sample, data, conflevel = 0.95, pchdata = 19, coldata = "green", cexdata = 0.5, pchsample = 19, colsample = "red", cexsample = 3, xaxis = "TOTAL SOLUBLE SOLIDS", yaxis = "MASS SUMMATION", title = paste("Sample ", as.character(sample)), linetyprediction = 2, linewidthprediction = 1, linecolorprediction = 5)
```

## **Arguments**

Code of the sample whose quality you want to know. sample data Data.frame containing code of the database samples, total soluble solids, measurements of other water components. conflevel Significance level used in the predict function. Symbol used to graph all the data in the data.frame. pchdata coldata Color of the symbols of all the data in the data.frame. cexdata Symbol size of all data in the data frame. pchsample Symbol chosen to represent the point whose measurement quality is to be represented. Color chosen to represent the point whose measurement quality is to be reprecolsample sented. cexsample Size of the symbol chosen to represent the point whose measurement quality is to be represented. xaxis X axis label. yaxis Y axis label. title Title of the graph including the code of the chosen sample.

linetyprediction

Linear model prediction line type.

linewidthprediction

Linear model prediction line thickness.

linecolorprediction

Linear model prediction line color.

#### **Details**

The TSSS() function performs a linear model using column 2 (total soluble solids) as the dependent variable and the other components of water as independent variables (columns 3 onwards). Based on the linear model, a data prediction interval is obtained with a certain confidence level (conflevel). Then, TSSS() graphs the values of the entire database and finally graphs as a point with different color, the sample whose measurement quality you want to observe.

## Value

The TSSS() function returns a graph of the sum of soluble solids as a function of the measurement of total soluble solids for each sample. It contains the confidence interval and the sample under observation indicated in a dotted line. If the point that represents the sample is within the region delimited by the lines of the confidence interval, it is presumed that there were no serious measurement errors of the components analyzed.

TSSS 7

## Author(s)

Maela Lupo, Andrea Porpatto, Alfredo Rigalli

## **Index**

```
* datasets
    dataICHS, 2
    dataTSSS, 3
* package
    AQuality-package, 2

AQuality (AQuality-package), 2
AQuality-package, 2

dataICHS, 2
dataTSSS, 3

ICHS, 4

TSSS, 5
```