

# Package ‘MarginalMaxTest’

April 23, 2025

**Title** Max-Type Test for Marginal Correlation with Bootstrap

**Version** 1.0.1

**Description** Test the marginal correlation between a scalar response variable with a vector of explanatory variables

using the max-type test with bootstrap.

The test is based on the max-type statistic and its asymptotic distribution under the null hypothesis of no marginal correlation.

The bootstrap procedure is used to approximate the null distribution of the test statistic.

The package provides a function for performing the test. For more technical details, refer to Zhang and Laber (2014) <doi:10.1080/01621459.2015.1106403>.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**LinkingTo** Rcpp, RcppArmadillo

**Imports** Rcpp

**URL** <https://github.com/canyi-chen/MarginalMaxTest>

**BugReports** <https://github.com/canyi-chen/MarginalMaxTest/issues>

**NeedsCompilation** yes

**Author** Canyi Chen [aut, cre, cph] (<<https://orcid.org/0000-0002-0673-5812>>)

**Maintainer** Canyi Chen <cychen.stats@outlook.com>

**Repository** CRAN

**Date/Publication** 2025-04-23 09:50:04 UTC

## Contents

marginal.test . . . . .	2
-------------------------	---

<b>Index</b>	3
--------------	---

**marginal.test***Test for marginal effects of predictors on a scalar response***Description**

Test for marginal effects of predictors on a scalar response

**Usage**

```
marginal.test(x, y, B = 199L, method = "adaptive")
```

**Arguments**

x	A numeric matrix of predictors
y	A numeric vector of responses
B	Number of bootstrap samples (default 199)
method	Method for p-value calculation: "max", "sum", or "adaptive"

**Value**

A list containing the p-value and computation time

**Note**

This function is based on the C implementation by Zhang and Laber (2014) doi:[10.1080/01621459.2015.1106403](https://doi.org/10.1080/01621459.2015.1106403).

**Examples**

```
# Generate sample data
set.seed(47)
n <- 200
p <- 10
x <- matrix(rnorm(n*p), n, p)
y <- 0.25*x[,1] + rnorm(n)
# Run the test
marginal.test(x, y, B = 200, method = "adaptive")
marginal.test(x, y, B = 200, method = "max")
marginal.test(x, y, B = 200, method = "sum")
```

# **Index**

`marginal.test`, 2