

Package ‘gamlss’

July 17, 2025

Title Generalized Additive Models for Location Scale and Shape

Version 5.4-22

Date 2024-03-18

Description Functions for fitting the Generalized Additive Models for Location Scale and Shape introduced by Rigby and Stasinopoulos (2005), <[doi:10.1111/j.1467-9876.2005.00510.x](https://doi.org/10.1111/j.1467-9876.2005.00510.x)>. The models use a distributional regression approach where all the parameters of the conditional distribution of the response variable are modelled using explanatory variables.

License GPL-2 | GPL-3

URL <https://www.gamlss.com/>

BugReports <https://github.com/gamlss-dev/gamlss/issues>

Depends R (>= 3.3.0), graphics, stats, splines, utils, grDevices,
gamlss.data (>= 5.0-0), gamlss.dist (>= 4.3.1), nlme, parallel

Imports MASS, survival, methods

Suggests distributions3 (>= 0.2.1)

LazyLoad yes

NeedsCompilation yes

Author Mikis Stasinopoulos [aut, cre, cph] (ORCID:
<<https://orcid.org/0000-0003-2407-5704>>),
Robert Rigby [aut] (ORCID: <<https://orcid.org/0000-0003-3853-1707>>),
Vlasios Voudouris [ctb],
Calliope Akantziliotou [ctb],
Marco Enea [ctb],
Daniil Kiose [ctb] (ORCID: <<https://orcid.org/0000-0002-3596-5748>>),
Achim Zeileis [ctb] (ORCID: <<https://orcid.org/0000-0003-0918-3766>>)

Maintainer Mikis Stasinopoulos <d.stasinopoulos@gre.ac.uk>

Repository CRAN

Date/Publication 2024-03-20 08:40:02 UTC

Contents

<code>gamlss-package</code>	3
<code>.binom</code>	7
<code>acfResid</code>	9
<code>additive.fit</code>	10
<code>bfp</code>	11
<code>bp</code>	14
<code>calibration</code>	16
<code>centiles</code>	17
<code>centiles.com</code>	20
<code>centiles.pred</code>	21
<code>centiles.split</code>	25
<code>coef.gamlss</code>	27
<code>cs</code>	28
<code>deviance.gamlss</code>	31
<code>devianceIncr</code>	32
<code>dtop</code>	34
<code>edf</code>	36
<code>find.hyper</code>	37
<code>fitDist</code>	40
<code>fitted.gamlss</code>	44
<code>fittedPlot</code>	45
<code>formula.gamlss</code>	46
<code>gamlss</code>	47
<code>gamlss.control</code>	51
<code>gamlss.cs</code>	53
<code>gamlss.fp</code>	54
<code>gamlss.lo</code>	55
<code>gamlss.ps</code>	56
<code>gamlss.random</code>	58
<code>gamlss.scope</code>	59
<code>gamlssML</code>	60
<code>gamlssVGD</code>	63
<code>gen.likelihood</code>	69
<code>getPEF</code>	70
<code>getQuantile</code>	72
<code>getSmo</code>	74
<code>glim.control</code>	76
<code>histDist</code>	77
<code>histSmo</code>	79
<code>IC</code>	82
<code>lms</code>	85
<code>lo</code>	87
<code>loglogSurv</code>	90
<code>lpred</code>	93
<code>LR.test</code>	94
<code>model.frame.gamlss</code>	96

numeric.deriv	97
par.plot	98
pcat	100
pdf.plot	102
plot.gamlss	104
plot.histSmo	106
plot2way	107
polyS	108
predict.gamlss	110
print.gamlss	112
prodist.gamlss	113
prof.dev	115
prof.term	117
ps	120
Q.stats	126
quantSheets	128
random	131
refit	135
residuals.gamlss	136
ri	138
rqres.plot	140
Rsqr	142
rvcov	143
stepGAIC	145
summary.gamlss	150
term.plot	152
update.gamlss	154
VC.test	156
wp	157
z.scores	161
Index	163

gamlss-package

*Generalized Additive Models for Location Scale and Shape***Description**

Functions for fitting the Generalized Additive Models for Location Scale and Shape introduced by Rigby and Stasinopoulos (2005), <doi:10.1111/j.1467-9876.2005.00510.x>. The models use a distributional regression approach where all the parameters of the conditional distribution of the response variable are modelled using explanatory variables.

Details

The DESCRIPTION file:

```
Package:          gamlss
Title:            Generalized Additive Models for Location Scale and Shape
Version:          5.4-22
Date:             2024-03-18
Authors@R:        c(person("Mikis", "Stasinopoulos", role = c("aut", "cre", "cph"), email = "d.stasinopoulos@gre.ac.uk", c
Description:      Functions for fitting the Generalized Additive Models for Location Scale and Shape introduced by Rigby
License:          GPL-2 | GPL-3
URL:              https://www.gamlss.com/
BugReports:       https://github.com/gamlss-dev/gamlss/issues
Depends:          R (>= 3.3.0), graphics, stats, splines, utils, grDevices, gamlss.data (>= 5.0-0), gamlss.dist (>= 4.3.1), nl
Imports:          MASS, survival, methods
Suggests:         distributions3 (>= 0.2.1)
LazyLoad:         yes
NeedsCompilation: yes
Author:           Mikis Stasinopoulos [aut, cre, cph] (<https://orcid.org/0000-0003-2407-5704>), Robert Rigby [aut] (<h
Maintainer:       Mikis Stasinopoulos <d.stasinopoulos@gre.ac.uk>
```

Index of help topics:

.binom	Lists used by GAMLSS
IC	Gives the GAIC for a GAMLSS Object
LR.test	Likelihood Ratio test for nested GAMLSS models
Q.stats	A function to calculate the Q-statistics
Rsqr	Generalised (Pseudo) R-squared for GAMLSS models
VC.test	Vuong and Clarke tests
acfResid	ACF plot of the residuals
additive.fit	Implementing Backfitting in GAMLSS
bfp	Functions to fit fractional polynomials in GAMLSS
bp	Bucket plot
calibration	Calibrating centile curves
centiles	Plots the centile curves for a GAMLSS object
centiles.com	Comparing centiles from different GAMLSS models
centiles.pred	Creating predictive centiles values
centiles.split	Plots centile curves split by x for a GAMLSS object
coef.gamlss	Extract Model Coefficients in a GAMLSS fitted model
cs	Specify a Smoothing Cubic Spline Fit in a GAMLSS Formula
deviance.gamlss	Global Deviance of a GAMLSS model
devianceIncr	The global deviance increment
dtop	Detrended transformed Owen's plot

edf	Effective degrees of freedom from gamlss model
find.hyper	A function to select values of hyper-parameters in a GAMLSS model
fitDist	Fitting Different Parametric 'gamlss.family' Distributions.
fitted.gamlss	Extract Fitted Values For A GAMLSS Model
fittedPlot	Plots The Fitted Values of a GAMLSS Model
formula.gamlss	Extract the Model Formula in a GAMLSS fitted model
gamlss	Generalized Additive Models for Location Scale and Shape
gamlss-package	Generalized Additive Models for Location Scale and Shape
gamlss.control	Auxiliary for Controlling GAMLSS Fitting
gamlss.cs	Support for Function cs() and scs()
gamlss.fp	Support for Function fp()
gamlss.lo	Support for Function lo()
gamlss.ps	Support for Functions for smoothers
gamlss.random	Support for Functions random() and re()
gamlss.scope	Generate a Scope Argument for Stepwise GAMLSS
gamlssML	Maximum Likelihood estimation of a simple GAMLSS model
gamlssVGD	A Set of Functions for selecting Models using Validation or Test Data Sets and Cross Validation
gen.likelihood	A function to generate the likelihood function from a GAMLSS object
getPEF	Getting the partial effect function from a continuous term in a GAMLSS model
getQuantile	Getting the partial quantile function for a term
getSmo	Extracting Smoother information from a GAMLSS fitted object
glim.control	Auxiliary for Controlling the inner algorithm in a GAMLSS Fitting
histDist	This function plots the histogram and a fitted (GAMLSS family) distribution to a variable
histSmo	Density estimation using the Poisson trick
lms	A function to fit LMS curves for centile estimation
lo	Specify a loess fit in a GAMLSS formula
loglogSurv	Survival function plots for checking the tail behaviour of the data
lpred	Extract Linear Predictor Values and Standard Errors For A GAMLSS Model
model.frame.gamlss	Extract a model.frame, a model matrix or terms from a GAMLSS object for a given distributional parameter

<code>numeric.deriv</code>	An internal GAMLSS function for numerical derivatives
<code>par.plot</code>	A function to plot parallel plot for repeated measurement data
<code>pcat</code>	Reduction for the Levels of a Factor.
<code>pdf.plot</code>	Plots Probability Distribution Functions for GAMLSS Family
<code>plot.gamlss</code>	Plot Residual Diagnostics for an GAMLSS Object
<code>plot.histSmo</code>	A Plotting Function for density estimator object <code>histSmo</code>
<code>plot2way</code>	Function to plot two interaction in a GAMLSS model
<code>polyS</code>	Auxiliary support for the GAMLSS
<code>predict.gamlss</code>	Extract Predictor Values and Standard Errors For New Data In a GAMLSS Model
<code>print.gamlss</code>	Prints a GAMLSS fitted model
<code>prodist.gamlss</code>	Extracting Fitted or Predicted Probability Distributions from <code>gamlss</code> Models
<code>prof.dev</code>	Plotting the Profile Deviance for one of the Parameters in a GAMLSS model
<code>prof.term</code>	Plotting the Profile: deviance or information criterion for one of the terms (or hyper-parameters) in a GAMLSS model
<code>ps</code>	P-Splines Fits in a GAMLSS Formula
<code>quantSheets</code>	Quantile Sheets
<code>random</code>	Specify a random intercept model in a GAMLSS formula
<code>refit</code>	Refit a GAMLSS model
<code>residuals.gamlss</code>	Extract Residuals from GAMLSS model
<code>ri</code>	Specify ridge or lasso Regression within a GAMLSS Formula
<code>rqres.plot</code>	Creating and Plotting Randomized Quantile Residuals
<code>rvcov</code>	Robust Variance-Covariance matrix of the parameters from a fitted GAMLSS model
<code>stepGAIC</code>	Choose a model by GAIC in a Stepwise Algorithm
<code>summary.gamlss</code>	Summarizes a GAMLSS fitted model
<code>term.plot</code>	Plot regression terms for a specified parameter of a fitted GAMLSS object
<code>update.gamlss</code>	Update and Re-fit a GAMLSS Model
<code>wp</code>	Worm plot
<code>z.scores</code>	Z-scores for <code>lms</code> objects

Author(s)

Mikis Stasinopoulos [aut, cre, cph] (<<https://orcid.org/0000-0003-2407-5704>>), Robert Rigby [aut] (<<https://orcid.org/0000-0003-3853-1707>>), Vlasios Voudouris [ctb], Calliope Akantziliotou [ctb], Marco Enea [ctb], Daniil Kiose [ctb] (<<https://orcid.org/0000-0002-3596-5748>>), Achim Zeileis [ctb] (<<https://orcid.org/0000-0003-0918-3766>>)

Maintainer: Mikis Stasinopoulos <d.stasinopoulos@gre.ac.uk>

References

- Nelder, J. A. and Wedderburn, R. W. M. (1972). Generalized linear models. *J. R. Statist. Soc. A.*, **135** 370-384.
- Hastie, T. J. and Tibshirani, R. J. (1990). *Generalized Additive Models*. Chapman and Hall, London.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss.dist](#)

Examples

```
data(abdom)
mod<-gamlss(y~pb(x),sigma.fo=~pb(x),family=BCT, data=abdom, method=mixed(1,20))
plot(mod)
rm(mod)
```

.binom

Lists used by GAMLSS

Description

Those lists are used in GAMLSS fits.

Usage

```
".binom"

".counts"

".gamlss.bi.list"

".gamlss.multin.list"
```

`".gamlss.sm.lis"`

`".real0to1"`

`".realAll"`

`".realline"`

`".realplus"`

Format

List used by the `gamlss()` function.

`.binom` a character vector showing all the binomial type (finite count) distributions

`.counts` a character vector showing all the infinity count distributions

`.gamlss.bi.list` a character vector showing all the binomial type (finite count) distributions

`.gamlss.multin.list` a character vector showing all the multinomial distributions

`.gamlss.sm.list` a character vector showing all the available smooth functions

`.real0to1` a character vector showing all real line distributions with range 0 to 1

`.realAll` a character vector showing all real line distributions from $-\infty$ to $+\infty$ and from 0 to $+\infty$

`.realline` a character vector showing all all real line distributions from $-\infty$ to $+\infty$

`.realplus` a character vector showing all all real line distributions from 0 to $+\infty$

Details

Those list are internal to help the `gamlss()` function.

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

Examples

```
.binom
.counts
.gamlss.bi.list
.gamlss.multin.list
.gamlss.sm.list
.real0to1
.realline
.realplus
```

acfResid	<i>ACF plot of the residuals</i>
----------	----------------------------------

Description

This plot display the ACF and PACF of the residuals of a gamlss or other fitted model (provided that they have been standardised appropriately. Is is appropriate for time series data.

Usage

```
acfResid(obj = NULL, resid = NULL)
```

Arguments

obj	A gamlss model or other fitted model where the resid() function applies exist
resid	if obj does not exist the argument here will be used

Details

The ACF and PACF for the residuals r , squared residuals r^2 , r^3 and r^4 are plotted

Value

The relevant plots are displayed

Author(s)

Mikis Stasinopoulos. Bob Rigby. Vlasios Voudouris and Majid Djennad

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M., Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

See Also

[acf](#)

Examples

```
library(datasets)
data(co2)
m1<- gamlss(co2~pb(as.numeric(time(co2)))+factor(cycle(co2)))
acfResid(m1)
```

additive.fit

Implementing Backfitting in GAMLSS

Description

This function is not to be used on its own. It is used for backfitting in the GAMLSS fitting algorithms and it is based on the equivalent function written by Trevor Hastie in the `gam()` S-plus implementation, (Chambers and Hastie, 1991).

Usage

```
additive.fit(x, y, w, s, who, smooth.frame, maxit = 30, tol = 0.001,
            trace = FALSE, se = TRUE, ...)
```

Arguments

<code>x</code>	the linear part of the explanatory variables
<code>y</code>	the response variable
<code>w</code>	the weights
<code>s</code>	the matrix containing the smoothers
<code>who</code>	the current smoothers
<code>smooth.frame</code>	the data frame used for the smoothers
<code>maxit</code>	maximum number of iterations in the backfitting
<code>tol</code>	the tolerance level for the backfitting
<code>trace</code>	whether to trace the backfitting algorithm
<code>se</code>	whether standard errors are required
<code>...</code>	for extra arguments

Details

This function should not be used on its own

Value

Returns a list with the linear fit plus the smothers

Author(s)

Mikis Stasinopoulos

References

Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

bfp

Functions to fit fractional polynomials in GAMLSS

Description

The function bfp generate a power polynomial basis matrix which (for given powers) can be used to fit power polynomials in one x-variable. The function fp takes a vector and returns it with several attributes. The vector is used in the construction of the model matrix. The function fp() is not used for fitting the fractional polynomial curves but assigns the attributes to the vector to aid gamlss in the fitting process. The function doing the fitting is [gamlss.fp\(\)](#) which is used at the backfitting function [additive.fit](#) (but never used on its own). The (experimental) function pp can be use to fit power polynomials as in $a + b_1x^{p_1} + b_2x^{p_2}$., where p1 and p2 have arbitrary values rather restricted as in the fp function.

Usage

```
bfp(x, powers = c(1, 2), shift = NULL, scale = NULL)
fp(x, npoly = 2, shift = NULL, scale = NULL)
pp(x, start = list(), shift = NULL, scale = NULL)
```

Arguments

<code>x</code>	the explanatory variable to be used in functions <code>bfp()</code> or <code>fp()</code> . Note that this is different from the argument <code>x</code> use in <code>gamlss.fp</code> (a function used in the backfitting but not by straight by the user)
<code>powers</code>	a vector containing as elements the powers in which the <code>x</code> has to be raised
<code>shift</code>	a number for shifting the <code>x</code> -variable. The default values is zero, if <code>x</code> is positive, or the minimum of the positive difference in <code>x</code> minus the minimum of <code>x</code>
<code>scale</code>	a positive number for scaling the <code>x</code> -variable. The default values is $10^{(\text{sign}(\log_{10}(\text{range}))) * \text{trunc}(\text{abs}(\log_{10}(\text{range})))}$
<code>npoly</code>	a positive indicating how many fractional polynomials should be considered in the fit. Can take the values 1, 2 or 3 with 2 as default
<code>start</code>	a list containing the starting values for the non-linear maximization to find the powers. The results from fitting the equivalent fractional polynomials can be used here

Details

The above functions are an implementation of the fractional polynomials introduced by Royston and Altman (1994). The three functions involved in the fitting are loosely based on the fractional polynomials implementation in S-plus written by Gareth Amber in 1999, (unfortunately the URL link for his work no longer exist). The function `bfp` generates the right design matrix for the fitting a power polynomial of the type $a + b_1 x^{p_1} + b_2 x^{p_2} + \dots + b_k x_k^{p_k}$. For given powers $p_1, p_2, \dots, p_k$ given as the argument `powers` in `bfp()` the function can be used to fit power polynomials in the same way as the functions `poly()` or `bs()` (of package `splines`) are used to fit orthogonal or piecewise polynomials respectively. The function `fp()`, which is working as a smoother in `gamlss`, is used to fit the best fractional polynomials within a set of power values. Its argument `npoly` determines whether one, two or three fractional polynomials should used in the fitting. For a fixed number `npoly` the algorithm looks for the best fitting fractional polynomials in the list `c(-2, -1, -0.5, 0, 0.5, 1, 2, 3)`. Note that `npoly=3` is rather slow since it fits all possible combinations 3-way combinations at each backfitting interaction. The function `gamlss.fp()` is an internal function of `GAMLSS` allowing the fractional polynomials to be fitted in the backfitting cycle of `gamlss`, and should be not used on its own.

Value

The function `bfp` returns a matrix to be used as part of the design matrix in the fitting.

The function `fp` returns a vector with values zero to be included in the design matrix but with attributes useful in the fitting of the fractional polynomials algorithm in `gamlss.fp`.

Warning

Since the model constant is included in both the design matrix X and in the backfitting part of fractional polynomials, its values is wrongly given in the summary. Its true values is the model constant minus the constant from the fractional polynomial fitting ??? What happens if more than one fractional polynomials are fitted?

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Royston, P. and Altman, D. G., (1994). Regression using fractional polynomials of continuous covariates: parsimonious parametric modelling (with discussion), *Appl. Statist.*, **43**, 429-467.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [gamlss.family](#)

Examples

```
data(abdom)
#fits polynomials with power 1 and .5
mod1<-gamlss(y~bfp(x,c(1,0.5)),data=abdom)
# fit the best of one fractional polynomial
m1<-gamlss(y~fp(x,1),data=abdom)
# fit the best of two fractional polynomials
m2<-gamlss(y~fp(x,2),data=abdom)
# fit the best of three fractional polynomials
m3<-gamlss(y~fp(x,3),data=abdom)
# get the coefficient for the second model
m2$mu.coefSmo
# now power polynomials using the best 2 fp c()
m4 <- gamlss(y ~ pp(x, c(1,3)), data = abdom)
# This is not good idea in this case because
# if you look at the fitted values you see what it went wrong
plot(y~x,data=abdom)
lines(fitted(m2,"mu")~abdom$x,col="red")
```

```
lines(fitted(m4,"mu")~abdom$x,col="blue")
```

bp

Bucket plot

Description

A bucket plot is a graphical way to check the skewness and kurtosis of a continuous variable or the residuals of a fitted GAMLSS model. It plots the transformed moment skewness and transformed moment kurtosis of the variable (or residuals) together with a cloud of points obtained using a non-parametric bootstrap from the original variable (or residuals). It also provides a graphical way of performing the Jarque-Bera test (Jarque and Bera, 1980).

There are two different bucket plots specified by the type argument:

i) the moment bucket and ii) the centile bucket which itself can be central or tail one.

Usage

```
bp(obj = NULL, weights = NULL,
   type = c("moment", "centile.central", "centile.tail"),
   xvar = NULL, bootstrap = TRUE, no.bootstrap = 99,
   col.bootstrap = c("lightblue", "pink", "khaki",
                     "thistle", "tan", "sienna1", "steelblue", "coral", "gold",
                     "cyan"),
   pch.bootstrap = rep(21, 10), asCharacter = TRUE,
   col.point = rep("black", 10), pch.point = 1:10,
   lwd.point = 2, text.to.show = NULL, cex.text = 1.5,
   col.text = "black", show.legend = FALSE, n.inter = 4,
   xcut.points = NULL, overlap = 0, show.given = TRUE,
   cex = 1, pch = 21, data = NULL,
   bar.bg = c(num = "lightblue", fac = "pink"), ...)
```

Arguments

obj	A gamlss fitted object.
weights	prior weights.
type	type of bucket plot whether "moment", "centile.central", or "centile.tail".
xvar	the x-variable if need to split the bucket plot.
bootstrap	whether to bootstrap the skewness and kurtosis points
no.bootstrap	the number of the bootstrap samples in the plot
col.bootstrap	the colour of the bootstrap samples in the plot
pch.bootstrap	the character plotting symbol.
asCharacter	whether to plot the skewness and kurtosis as character or just points.
col.point	the colour of the point is plotted as point

pch.point	the character symbol for the point
lwd.point	the width of the symbol
text.to.show	whether to show character for the model
cex.text	the cex of the text
col.text	the colour of the text
show.legend	whether to show the legend
n.inter	number of intervals
xcut.points	cut points for the xvar if need
overlap	whether the interval id xvar is set should overlap
show.given	showing the top part of the plot
cex	the cex
pch	the point character pch
data	if data has to be set
bar.bg	the background color of the bars in the top of the figure
...	other arguments

Value

A plot displaying the transformed moment skewness and transformed moment kurtosis of the sample or residual of a model.

Note

The bucket plot provides an additional residual diagnostic tool that can be used for fitted model checking, alongside other diagnostic tools, for example worm plots, and Q (and Z) statistics.

Author(s)

Mikis Stasinopoulos, Bob Rigby and Fernanda De Bastiani

References

- De Bastiani, F., Stasinopoulos, D. M., Rigby, R. A., Heller, G. Z., and Lucas A. (2022) Bucket Plot: A Visual Tool for Skewness and Kurtosis Comparisons. send for publication.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. doi:10.1201/9780429298547 An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, doi:10.18637/jss.v023.i07.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC. doi:10.1201/b21973

Stasinopoulos, M. D., Rigby, R. A., and De Bastiani F., (2018) GAMLSS: a distributional regression approach, *Statistical Modelling*, Vol. **18**, pp, 248-273, SAGE Publications Sage India: New Delhi, India. doi:[10.1177/1471082X18759144](https://doi.org/10.1177/1471082X18759144)

(see also <https://www.gamlss.com/>).

See Also

[wp](#), [Q.stats](#)

Examples

```
m1 <- gamlss(R~pb(F1)+pb(A), data=rent, family=GA)
bp(m1)
```

calibration

Calibrating centile curves

Description

This function can be used when the fitted model centiles do not coincide with the sample centiles.

Usage

```
calibration(object, xvar, cent = c(0.4, 2, 10, 25, 50, 75, 90, 98, 99.6),
  legend = FALSE, fan = FALSE, ...)
```

Arguments

object	a gamlss fitted object
xvar	The explanatory variable
cent	a vector with elements the % centile values for which the centile curves have to be evaluated
legend	whether legend is required
fan	whether to use the fan version of centiles
...	other argument pass on to centiles() function

Details

The function finds the sample quantiles of the residuals of the fitted model (the z-scores) and use them as sample quantile in the argument cent of the centiles() function. This procedure is appropriate if the fitted model centiles do not coincide with the sample centiles and when this failure is the same in all values of the explanatory variable xvar.

Value

A centile plot is produced and the sample centiles below each centile curve are printed (or saved)

Author(s)

Mikis Stasinopoulos, Bob Rigby and Vlasios Voudouris

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[centiles](#), [centiles.fan](#)

Examples

```
data(abdom)
m1<-gamlss(y~pb(x), sigma.fo=~pb(x), family=L0, data=abdom)
calibration(m1, xvar=abdom$x, fan=TRUE)
```

centiles

Plots the centile curves for a GAMLSS object

Description

This function `centiles()` plots centiles curves for distributions belonging to the GAMLSS family of distributions. The function also tabulates the sample percentages below each centile curve (for comparison with the model percentages given by the argument `cent`.) The function `centiles.fan()` plots a fan-chart of the centile curves. A restriction of the functions is that it applies to models with one explanatory variable only.

Usage

```
centiles(obj, xvar, cent = c(0.4, 2, 10, 25, 50, 75, 90, 98, 99.6),
  legend = TRUE, ylab = "y", xlab = "x", main = NULL,
  main.gsub = "@", xleg = min(xvar), yleg = max(obj$y),
  xlim = range(xvar), ylim = range(obj$y), save = FALSE,
  plot = TRUE, points = TRUE, pch = 15, cex = 0.5, col = gray(0.7),
  col.centiles = 1:length(cent) + 2, lty.centiles = 1, lwd.centiles = 1, ...)
```

```
centiles.fan(obj, xvar, cent = c(0.4, 2, 10, 25, 50, 75, 90, 98, 99.6),
  ylab = "y", xlab = "x", main = NULL, main.gsub = "@",
  xleg = min(xvar), yleg = max(obj$y), xlim = range(xvar),
  ylim = range(obj$y), points = FALSE, median = TRUE, pch = 15,
  cex = 0.5, col = gray(0.7),
  colors = c("cm", "gray", "rainbow", "heat", "terrain", "topo"), ...)
```

Arguments

<code>obj</code>	a fitted <code>gamlss</code> object from fitting a <code>gamlss</code> distribution
<code>xvar</code>	the unique explanatory variable
<code>cent</code>	a vector with elements the % centile values for which the centile curves have to be evaluated
<code>legend</code>	whether a legend is required in the plot or not, the default is <code>legend=TRUE</code>
<code>ylab</code>	the y-variable label
<code>xlab</code>	the x-variable label
<code>main</code>	the main title here as character. If <code>NULL</code> the default title "centile curves using NO" (or the relevant distributions name) is shown
<code>main.gsub</code>	if the <code>main.gsub</code> (with default "@") appears in the main title then it is substituted with the default title.
<code>xleg</code>	position of the legend in the x-axis
<code>yleg</code>	position of the legend in the y-axis
<code>xlim</code>	the limits of the x-axis
<code>ylim</code>	the limits of the y-axis
<code>save</code>	whether to save the sample percentages or not with default equal to <code>FALSE</code> . In this case the sample percentages are printed but are not saved
<code>plot</code>	whether to plot the centiles. This option is useful for <code>centile.split</code>
<code>pch</code>	the character to be used as the default in plotting points see <code>par</code>
<code>cex</code>	size of character see <code>par</code>
<code>col</code>	plotting colour see <code>par</code>
<code>col.centiles</code>	Plotting colours for the centile curves
<code>lty.centiles</code>	line type for the centile curves
<code>lwd.centiles</code>	The line width for the centile curves
<code>colors</code>	the different colour schemes to be used for the fan-chart. The following are available <code>c("cm", "gray", "rainbow", "heat", "terrain", "topo")</code> ,
<code>points</code>	whether the data points should be plotted, default is <code>TRUE</code> for <code>centiles()</code> and <code>FALSE</code> for <code>centiles.fan()</code>
<code>median</code>	whether the median should be plotted (only in <code>centiles.fan()</code>)
<code>...</code>	for extra arguments

Details

Centiles are calculated using the fitted values in `obj` and `xvar` must correspond exactly to the predictor in `obj` to plot correctly.

`col.centiles`, `lty.centiles` and `lwd.centiles` may be vector arguments and are recycled to the length `cent` if necessary.

Value

A centile plot is produced and the sample centiles below each centile curve are printed (or saved)

Warning

This function is appropriate only when one continuous explanatory variable is fitted in the model

Author(s)

Mikis Stasinopoulos, Bob Rigby with contribution from Steve Ellison

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [centiles.split](#), [centiles.com](#)

Examples

```
data(abdom)
h<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom)
# default plot
centiles(h,xvar=abdom$x)
# control of colours and lines
centiles(h, xvar=abdom$x, col.cent=c(2,3,4,5,1,5,4,3,2,1),
        lwd.cent=c(1,1,1,1,2,1,1,1,1))
#Control line types
centiles(h, xvar=abdom$x, col.cent=1, cent=c(.5,2.5,50,97.5,99.5),
        lty.centiles=c(3,2,1,2,3),lwd.cent=c(1,1,2,1,1))
```

```
# control of the main title
centiles(h, xvar=abdom$x, main="Abdominal data \n @")
# the fan-chart
centiles.fan(h,xvar=abdom$x, colors="rainbow")
rm(h)
```

centiles.com

Comparing centiles from different GAMLSS models

Description

This function compares centiles curves for more than one GAMLSS objects. It is based on the centiles function. The function also tabulates the sample percentages below each centile curve (for comparison with the model percentages given by the argument cent.) A restriction of the function is that it applies to models with one explanatory variable only

Usage

```
centiles.com(obj, ..., xvar, cent = c(0.4, 10, 50, 90, 99.6),
             legend = TRUE, ylab = "y", xlab = "x", xleg = min(xvar),
             yleg = max(obj$y), xlim = range(xvar), ylim = NULL,
             no.data = FALSE, color = TRUE, main = NULL, plot = TRUE)
```

Arguments

obj	a fitted gamlss object from fitting a gamlss continuous distribution
...	optionally more fitted GAMLSS model objects
xvar	the unique explanatory variable
cent	a vector with elements the % centile values for which the centile curves have to be evaluated
legend	whether a legend is required in the plot or not, the default is legend=TRUE
ylab	the y-variable label
xlab	the x-variable label
xleg	position of the legend in the x-axis
yleg	position of the legend in the y-axis
xlim	the limits of the x-axis
ylim	the limits of the y-axis
no.data	whether the data should be plotted, default no.data=FALSE or not no.data=TRUE
color	whether the fitted centiles are shown in colour, color=TRUE (the default) or not color=FALSE
main	the main title
plot	whether to plot the centiles

Value

Centile plots are produced for the different fitted models and the sample centiles below each centile curve are printed

Warning

This function is appropriate only when one continuous explanatory variable is fitted in the model

Author(s)

Mikis Stasinopoulos and Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M.(2005). Generalized additive models for location, scale and shape, (with discussion),*Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [centiles](#), [centiles.split](#)

Examples

```
data(abdom)
h1<-gamlss(y~cs(x,df=3), sigma.formula=~cs(x,1),family=BCT, data=abdom)
h2<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom )
centiles.com(h1,h2,xvar=abdom$x)
rm(h1,h2)
```

Description

This function creates predictive centiles curves for new x-values given a GAMLSS fitted model. The function has three options: i) for given new x-values and given percentage centiles calculates a matrix containing the centiles values for y, ii) for given new x-values and standard normalized centile values calculates a matrix containing the centiles values for y, iii) for given new x-values and new y-values calculates the z-scores. A restriction of the function is that it applies to models with only one explanatory variable.

Usage

```
centiles.pred(obj, type = c("centiles", "z-scores", "standard-centiles"),
              xname = NULL, xvalues = NULL, power = NULL, yval = NULL,
              cent = c(0.4, 2, 10, 25, 50, 75, 90, 98, 99.6),
              dev = c(-4, -3, -2, -1, 0, 1, 2, 3, 4), calibration = FALSE,
              plot = FALSE, legend = TRUE, ylim = NULL, xlim = NULL,
              ...)
```

Arguments

obj	a fitted gamlss object from fitting a gamlss continuous distribution
type	the default, "centiles", gets the centiles values given in the option cent. type="standard-centiles" gets the standard centiles given in the dev. type="z-scores" gets the z-scores for given y and x new values
xname	the name of the unique explanatory variable (it has to be the same as in the original fitted model)
xvalues	the new values for the explanatory variable where the prediction will take place
power	if power transformation is needed (but read the note below)
yval	the response values for a given x required for the calculation of "z-scores"
cent	a vector with elements the % centile values for which the centile curves have to be evaluated
dev	a vector with elements the standard normalized values for which the centile curves have to be evaluated in the option type="standard-centiles"
calibration	whether to calibrate the "centiles", the default is calibrate=FALSE
plot	whether to plot the "centiles" or the "standard-centiles", the default is plot=FALSE
legend	whether a legend is required in the plot or not, the default is legend=TRUE
ylim	If different ylim is required from the default
xlim	If different xlim is required from the default
...	for extra arguments

Value

a vector (for option type="z-scores") or a matrix for options type="centiles" or type="standard-centiles" containing the appropriate values

Warning

See example below of how to use the function when power transformation is used for the x-variables

Note

The power option should be only used if the model

Author(s)

Mikis Stasinopoulos, based on ideas of Elaine Borghie from the World Health Organization

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [centiles](#), [centiles.split](#)

Examples

```
## bring the data and fit the model
data(abdom)
a<-gamlss(y~pb(x),sigma.fo=~pb(x), data=abdom, family=BCT)
## plot the centiles
centiles(a,xvar=abdom$x)
##-----
## the first use of the function centiles.pred()
## to calculate the centiles at new x values
##-----
newx<-seq(12,40,2)
mat <- centiles.pred(a, xname="x", xvalues=newx )
mat
## now plot the centile curves
mat <- centiles.pred(a, xname="x",xvalues=newx, plot=TRUE )
##-----
## the second use of the function centiles.pred()
## to calculate (normalised) standard-centiles for new x
## values using the fitted model
```

```

##-----
newx <- seq(12,40,2)
mat <- centiles.pred(a, xname="x",xvalues=newx, type="standard-centiles" )
mat
## now plot the standard centiles
mat <- centiles.pred(a, xname="x",xvalues=newx, type="standard-centiles",
  plot = TRUE )
##-----
## the third use of the function centiles.pred()
## if we have new x and y values what are their z-scores?
##-----
# create new y and x values and plot them in the previous plot
newx <- c(20,21.2,23,20.9,24.2,24.1,25)
newy <- c(130,121,123,125,140,145,150)
for(i in 1:7) points(newx[i],newy[i],col="blue")
## now calculate their z-scores
znewx <- centiles.pred(a, xname="x",xvalues=newx,yval=newy, type="z-scores" )
znewx
## Not run:
##-----
## What we do if the x variables is transformed?
##-----
## case 1 : transformed x-variable within the formula
##-----
## fit model
aa <- gamlss(y~pb(x^0.5),sigma.fo=~pb(x^0.5), data=abdom, family=BCT)
## centiles is working in this case
centiles(aa, xvar=abdom$x, legend = FALSE)
## get predict for values of x at 12, 14, ..., 40
mat <- centiles.pred(aa, xname="x", xvalues=seq(12,40,2), plot=TRUE )
mat
# plot all prediction points
xx <- rep(mat[,1],9)
yy <- unlist(mat[,2:10])
points(xx,yy,col="red")
##-----
## case 2 : the x-variable is previously transformed
##-----
nx <- abdom$x^0.5
aa <- gamlss(y~pb(nx),sigma.fo=~pb(nx), data=abdom, family=BCT)
centiles(aa, xvar=abdom$x)
# equivalent to fitting
newd<-data.frame( abdom, nx=abdom$x^0.5)
aa1 <- gamlss(y~pb(nx),sigma.fo=~pb(nx), family=BCT, data=newd)
centiles(aa1, xvar=abdom$x)
# getting the centiles at x equal to 12, 14, ...40
mat <- centiles.pred(aa, xname="nx", xvalues=seq(12,40,2), power=0.5,
  data=newd, plot=TRUE)
# plot all prediction points
xxx <- rep(mat[,1],9)
yyy <- unlist(mat[,2:10])
points(xxx,yyy,col="red")
# the idea is that if the transformed x-variable is used in the fit

```

```
# the power argument has to used in centiles.pred()

## End(Not run)
```

centiles.split	<i>Plots centile curves split by x for a GAMLSS object</i>
----------------	--

Description

This function plots centiles curves for separate ranges of the unique explanatory variable x . It is similar to the `centiles` function but the range of x is split at a user defined values `xcut.point` into r separate ranges. The functions also tabulates the sample percentages below each centile curve for each of the r ranges of x (for comparison with the model percentage given by `cent`) The model should have only one explanatory variable.

Usage

```
centiles.split(obj, xvar, xcut.points = NULL, n.inter = 4,
               cent = c(0.4, 2, 10, 25, 50, 75, 90, 98, 99.6),
               legend = FALSE, main = NULL, main.gsub = "@",
               ylab = "y", xlab = "x", ylim = NULL, overlap = 0,
               save = TRUE, plot = TRUE, ...)
```

Arguments

<code>obj</code>	a fitted gamlss object from fitting a gamlss continuous distribution
<code>xvar</code>	the unique explanatory variable
<code>xcut.points</code>	the x-axis cut off points e.g. <code>c(20, 30)</code> . If <code>xcut.points=NULL</code> then the <code>n.inter</code> argument is activated
<code>n.inter</code>	if <code>xcut.points=NULL</code> this argument gives the number of intervals in which the x-variable will be split, with default 4
<code>cent</code>	a vector with elements the % centile values for which the centile curves are to be evaluated
<code>legend</code>	whether a legend is required in the plots or not, the default is <code>legend=FALSE</code>
<code>main</code>	the main title as character. If <code>NULL</code> the default title (shown the intervals) is shown
<code>main.gsub</code>	if the <code>main.gsub</code> (with default "@") appears in the main title then it is substituted with the default title.
<code>ylab</code>	the y-variable label
<code>xlab</code>	the x-variable label
<code>ylim</code>	the range of the y-variable axis
<code>overlap</code>	how much overlapping in the <code>xvar</code> intervals. Default value is <code>overlap=0</code> for non overlapping intervals

save	whether to save the sample percentages or not with default equal to TRUE. In this case the functions produce a matrix giving the sample percentages for each interval
plot	whether to plot the centiles. This option is useful if the sample statistics only are to be used
...	for extra arguments

Value

Centile plots are produced and the sample centiles below each centile curve for each of the r ranges of x can be saved into a matrix.

Warning

This function is appropriate when only one continuous explanatory variable is fitted in the model

Author(s)

Mikis Stasinopoulos, Bob Rigby with contributions from Elaine Borghie

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss centiles](#), [centiles.com](#)

Examples

```
data(abdom)
h<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom)
mout <- centiles.split(h,xvar=abdom$x)
mout
rm(h,mout)
```

coef.gamlss

*Extract Model Coefficients in a GAMLSS fitted model***Description**

coef.gamlss is the GAMLSS specific method for the generic function coef which extracts model coefficients from objects returned by modelling functions. 'coefficients' is an alias for coef.

Usage

```
## S3 method for class 'gamlss'
coef(object, what = c("mu", "sigma", "nu", "tau"),
      parameter = NULL, ... )

coefAll(obj, deviance = FALSE, ...)
```

Arguments

object, obj	a GAMLSS fitted model
what	which parameter coefficient is required, default what="mu"
parameter	equivalent to what (more obvious name)
deviance	whether to print also the deviance.
...	for extra arguments

Value

Coefficients extracted from the GAMLSS model object.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [deviance.gamlss](#), [fitted.gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=NBI, data=aids) #
coef(h)
coefAll(h)
rm(h)
```

cs

Specify a Smoothing Cubic Spline Fit in a GAMLSS Formula

Description

The functions `cs()` and `scs()` are using the cubic smoothing splines function `smooth.spline()` to do smoothing. They take a vector and return it with several attributes. The vector is used in the construction of the model matrix. The functions do not do the smoothing, but assigns the attributes to the vector to aid `gamlss` in the smoothing. The function doing the smoothing is [gamlss.cs\(\)](#). This function use the R function `smooth.spline()` which is then used by the backfitting function `additive.fit()` which is based on the original GAM implementation described in Chambers and Hastie (1992). The function `gamlss.scs()` differs from the function `cs()` in that allows cross validation of the smoothing parameters unlike the `cs()` which fixes the effective degrees of freedom, `df`. Note that the recommended smoothing function is now the function `pb()` which allows the estimation of the smoothing parameters using a local maximum likelihood. The function `pb()` is based on the penalised beta splines (P-splines) of Eilers and Marx (1996).

The (experimental) function `vc` is now defunct. For fitting varying coefficient models, Hastie and Tibshirani (1993) use the function `pvc()`.

Usage

```
cs(x, df = 3, spar = NULL, c.spar = NULL, control = cs.control(...), ...)
scs(x, df = NULL, spar = NULL, control = cs.control(...), ...)
cs.control(cv = FALSE, all.knots = TRUE, nknots = NULL, keep.data = TRUE,
           df.offset = 0, penalty = 1.4, control.spar = list(), ...)
```

Arguments

- | | |
|----|--|
| x | the univariate predictor, (or expression, that evaluates to a numeric vector). For the function <code>vc</code> the x argument is the vector which has its (linear) coefficient change with r |
| df | the desired equivalent number of degrees of freedom (trace of the smoother matrix minus two for the constant and linear fit). The real smoothing parameter (<code>spar</code> below) is found such that $df = \text{tr}(S) - 2$, where S is the implicit smoother matrix. Values for <code>df</code> should be greater than 0, with 0 implying a linear fit. |

spar	smoothing parameter, typically (but not necessarily) in (0,1]. The coefficient lambda of the integral of the squared second derivative in the fit (penalised log likelihood) criterion is a monotone function of 'spar', see the details in <code>smooth.spline</code> .
c.spar	This is an option to be used when the degrees of freedom of the fitted <code>gamlss</code> object are different from the ones given as input in the option <code>df</code> . The default values used are the ones given the option <code>control.spar</code> in the R function <code>smooth.spline()</code> and they are <code>c.spar=c(-1.5, 2)</code> . For very large data sets e.g. 10000 observations, the upper limit may have to increase for example to <code>c.spar=c(-1.5, 2.5)</code> . Use this option if you have received the warning 'The output df are different from the input, change the control.spar'. <code>c.spar</code> can take both vectors or lists of length 2, for example <code>c.spar=c(-1.5, 2.5)</code> or <code>c.spar=list(-1.5, 2.5)</code> would have the same effect.
control	control for the function <code>smooth.spline()</code> , see below
cv	see the R function <code>smooth.spline()</code>
all.knots	see the R function <code>smooth.spline()</code>
nknots	see the R function <code>smooth.spline()</code>
keep.data	see the R function <code>smooth.spline()</code>
df.offset	see the R function <code>smooth.spline()</code>
penalty	see the R function <code>smooth.spline()</code> , here the default value is 1.4
control.spar	see above <code>c.spar</code> or the equivalent argument in the function <code>smooth.spline</code>
...	for extra arguments

Details

Note that `cs` itself does no smoothing; it simply sets things up for the function `gamlss()` which in turn uses the function `additive.fit()` for backfitting which in turn uses `gamlss.cs()`

Note that `cs()` and `scs()` functions behave differently at their default values that is if `df` and `lambda` are not specified. `cs(x)` by default will use 3 extra degrees of freedom for smoothing for `x`. `scs(x)` by default will estimate `lambda` (and the degrees of freedom) automatically using generalised cross validation (GCV). Note that if GCV is used the convergence of the `gamlss` model can be less stable compared to a model where the degrees of freedom are fixed. This will be true for small data sets.

Value

the vector `x` is returned, endowed with a number of attributes. The vector itself is used in the construction of the model matrix, while the attributes are needed for the backfitting algorithms `additive.fit()`. Since smoothing splines includes linear fits, the linear part will be efficiently computed with the other parametric linear parts of the model.

Warning

For a user who wishes to compare the `gamlss()` results with the equivalent `gam()` results in S-plus: make sure when using S-plus that the convergence criteria `epsilon` and `bf.epsilon` in `control.gam()` are decreased sufficiently to ensure proper convergence in S-plus. Also note that the degrees of freedom are defined on top of the linear term in `gamlss`, but on top of the constant term in S-plus,

(so use an extra degrees of freedom in S-plus in order to obtain comparable results to those in `galmss`).

Change the upper limit of `spar` if you received the warning 'The output df are different from the input, change the control.spar'.

For large data sets do not use expressions, e.g. `cs(x^0.5)` inside the `gamlss` function command but evaluate the expression, e.g. `nx=x^0.5`, first and then use `cs(nx)`.

Note

The degrees of freedom `df` are defined differently from that of the `gam()` function in S-plus. Here `df` are the additional degrees of freedom excluding the constant and the linear part of `x`. For example `df=4` in `gamlss()` is equivalent to `df=5` in `gam()` in S-plus

Author(s)

Mikis Stasinopoulos and Bob Rigby (see also the documentation of the functions `smooth.spline()` for the original authors of the cubic spline function.)

References

- Chambers, J. M. and Hastie, T. J. (1992) *Statistical Models in S*, Wadsworth & Brooks/Cole.
- Eilers, P. H. C. and Marx, B. D. (1996). Flexible smoothing with B-splines and penalties (with comments and rejoinder). *Statist. Sci.*, **11**, 89-121.
- Hastie, T. J. and Tibshirani, R. J. (1993), Varying coefficient models (with discussion), *J. R. Statist. Soc. B.*, **55**, 757-796.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [gamlss.cs](#), [pb](#), [pvc](#)

Examples

```
# cubic splines example
data(aids)
# fitting a smoothing cubic spline with 7 degrees of freedom
# plus the a quarterly effect
```

```

aids1<-gamlss(y~cs(x,df=7)+qrt,data=aids,family=P0) #
aids2<-gamlss(y~scs(x,df=5)+qrt,data=aids,family=P0) #
aids3<-gamlss(y~scs(x)+qrt,data=aids,family=P0) # using GCV
with(aids, plot(x,y))
lines(aids$x,fitted(aids1), col="red")
lines(aids$x,fitted(aids3), col="green")
rm(aids1, aids2, aids3)

```

deviance.gamlss

*Global Deviance of a GAMLSS model***Description**

Returns the global, $-2 \cdot \log(\text{likelihood})$, or the penalized, $-2 \cdot \log(\text{likelihood}) + \text{penalties}$, deviance of a fitted GAMLSS model object.

Usage

```

## S3 method for class 'gamlss'
deviance(object, what = c("G", "P"), ...)

```

Arguments

object	a GAMLSS fitted model
what	put "G" for Global or "P" for Penalized deviance
...	for extra arguments

Details

deviance is a generic function which can be used to extract deviances for fitted models. deviance.gamlss is the method for a GAMLSS object.

Value

The value of the global or the penalized deviance extracted from a GAMLSS object.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M., Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss.family](#), [coef.gamlss](#), [fitted.gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
deviance(h)
rm(h)
```

devianceIncr

The global deviance increment

Description

The global deviance increment is the contribution of each individual observation to the global deviance. The function `devianceIncr()` can be used to extract the global deviance increment for a fitted `gamlss` model or for a new (test/validation) data set. Large values for global deviance increment indicate a bad fit and for new data a bad prediction.

Usage

```
devianceIncr(obj, newdata = NULL)
```

Arguments

<code>obj</code>	a <code>gamlss</code> object
<code>newdata</code>	test data set to check the global deviance increment.

Value

Returns a vector of the global deviance increments for each observation.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), Appl. Statist., 54, part 3, 1-38.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[deviance](#)

Examples

```
#-----
# Count data set
# fit Poisson model
h1 <- gamlss(Claims~L_Population+L_Accidents+L_KI+L_Popdensity,
             data=LGAclaims, family=P0)
p1<-devianceIncr(h1)
# fit negative binomial model
h2 <- gamlss(Claims~L_Population+L_Accidents+L_KI+L_Popdensity,
             data=LGAclaims, family=NBI)
p2<-devianceIncr(h2)
# comparing using boxplots
boxplot(cbind(p1,p2))
# comparing using empirical cdf
plot(ecdf(p1))
lines(ecdf(p2), col=2)
# comparing against the y-values
plot(p1~LGAclaims$Claims, pch=20, col="gray")
points(p2~LGAclaims$Claims, pch="-", col="orange")
#-----

# Continuous data sets
## Not run:
m1 <- gamlss(head~pb(age), data=db[1:6000,])
p1<-devianceIncr(m1)
m2 <- gamlss(head~pb(age), sigma.fo=~pb(age), nu.fo=~pb(age),
             tau.fo=~pb(age), data=db[1:6000,], family=BCT)
p2<-devianceIncr(m2)
# comparing using summaries
summary(p1); summary(p2)
# comparing using boxplots
boxplot(cbind(p1,p2))
# comparing using histograms
```

```

hist(p1, col=rgb(1,0,0,0.5), xlim=c(0,50), breaks=seq(0,50,2))
hist(p2, col=rgb(0,0,1,0.5), add=T)
# comparing using empirical cdf
plot(ecdf(p1))
lines(ecdf(p2), col=2)

## End(Not run)
#-----

```

dtop

Detrended transformed Owen's plot

Description

Provides single or multiple detrended transformed Owen's plot, Owen (1995), for a GAMLSS fitted objects or any other fitted object which has the method resid(). This is a diagnostic tool for checking whether the normalised quantile residuals are coming from a normal distribution or not. This could be true if the horizontal line is within the confidence intervals.

Usage

```

dtop(object = NULL, xvar = NULL, resid = NULL,
      type = c("Owen", "JW"),
      conf.level = c("95", "99"), n.inter = 4,
      xcut.points = NULL, overlap = 0,
      show.given = TRUE, cex = 1, pch = 21,
      line = TRUE, ...)

```

Arguments

object	a GAMLSS fitted object or any other fitted object which has the method resid().
xvar	the explanatory variable against which the detrended Owen's plots will be plotted
resid	if the object is not specified the residual vector can be given here
type	whether to use Owen (1995) or Jager and Wellner (2004) approximate formula
conf.level	95 (default) or 99 percent confidence interval for the plots
n.inter	the number of intervals in which the explanatory variable xvar will be cut
xcut.points	the x-axis cut off points e.g. c(20,30). If xcut.points=NULL then the n.inter argument is activated
overlap	how much overlapping in the xvar intervals. Default value is overlap=0 for non overlapping intervals
show.given	whether to show the x-variable intervals in the top of the graph, default is show.given=TRUE
cex	the cex plotting parameter with default cex=1
pch	the pch plotting parameter with default pch=21
line	whether the detrended empirical cdf should be plotted or not
...	for extra arguments

Details

If the `xvar` argument is not specified then a single detrended Owen's plot is used, see Owen (1995). In this case the plot is a detrended nonparametric likelihood confidence band for a distribution function. That is, if the horizontal line lies within the confidence band then the normalised residuals could have come from a Normal distribution and consequently the assumed response variable distribution is reasonable. If the `xvar` is specified then we have as many plots as `n.iter`. In this case the `x`-variable is cut into `n.iter` intervals with an equal number observations and detrended Owen's plots for each interval are plotted. This is a way of highlighting failures of the model within different ranges of the explanatory variable.

Value

A plot is returned.

Author(s)

Mikis Stasinopoulos, Bob Rigby and Vlassios Voudouris

References

- Jager, L. and Wellner, J. A (2004) A new goodness of fit test: the reversed Berk-Jones statistic, University of Washington, Department of Statistics, Technical report 443.
- Owen A. B. (1995) Nonparametric Confidence Bands for a Distribution Function. *Journal of the American Statistical Association* Vol. 90, No 430, pp. 516-521.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, 54, part 3, 1-38.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. 23, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[wp](#)

Examples

```
data(abdom)
a<-gamlss(y~pb(x),sigma.fo=~pb(x,1),family=L0,data=abdom)
dtop(a)
dtop(a, xvar=abdom$x)
rm(a)
```

edf

*Effective degrees of freedom from gamlss model***Description**

The functions `edf()` and `edfAll()` can be used to obtain the effective degrees of freedom for different additive terms for the distribution parameters in a `gamlss` model.

Usage

```
edf(obj, what = c("mu", "sigma", "nu", "tau"),
    parameter = NULL, print = TRUE, ...)
edfAll(obj, ...)
```

Arguments

<code>obj</code>	A <code>gamlss</code> fitted model
<code>what</code>	which of the four parameters <code>mu</code> , <code>sigma</code> , <code>nu</code> or <code>tau</code> .
<code>parameter</code>	equivalent to <code>what</code>
<code>print</code>	whether to print the label
<code>...</code>	for extra arguments

Value

The function `edfAll()` returns a list of `edf` for all the fitted parameters. The function `edf()` a vector of `edf`.

Note

The `edf` given are the ones fitted in the backfitting so they usually contain (depending on the additive term) the constant and the linear part.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
library(gamlss.data)
data(usair)
m1<- gamlss(y~pb(x1)+pb(x2)+pb(x6), data=usair)
edfAll(m1)
edf(m1)
```

find.hyper

A function to select values of hyper-parameters in a GAMLSS model

Description

This function selects the values of hyper parameters and/or non-linear parameters in a GAMLSS model. It uses the R function `optim` which then minimises the generalised Akaike information criterion (GAIC) with a user defined penalty.

Usage

```
find.hyper(model = NULL, parameters = NULL, other = NULL, k = 2,
           steps = c(0.1), lower = -Inf, upper = Inf, method = "L-BFGS-B",
           ...)
```

Arguments

model	this is a GAMLSS model in <code>quote()</code> . e.g. <code>quote(gamlss(y~cs(x,df=p[1]),sigma.fo=~cs(x,df=p[2]),data=abdom))</code> where <code>p[1]</code> and <code>p[2]</code> denote the parameters to be estimated
parameters	the starting values in the search of the optimum hyper-parameters and/or non-linear parameters e.g. <code>parameters=c(3,3)</code>
other	this is used to optimise other non-parameters, for example a transformation of the explanatory variable of the kind $x^{p[3]}$, <code>others=quote(nx<-x^p[3])</code> where <code>nx</code> is now in the model formula
k	specifies the penalty in the GAIC, (the default is 2) e.g. <code>k=3</code>
steps	the steps taken in the optimisation procedure [see the <code>ndeps</code> option in <code>optim()</code>], by default is set to 0.1 for all hyper parameters and non-linear parameters
lower	the lower permissible level of the parameters i.e. <code>lower=c(1,1)</code> this does not apply if a method other than the default method "L-BFGS-B" is used

upper	the upper permissible level of the parameters i.e. <code>upper=c(30,10)</code> , this is not apply if a method other than the default method "L-BFGS-B" is used
method	the method used in <code>optim()</code> to numerically minimise the GAIC over the hyper-parameters and/or non-linear parameters. By default this is "L-BFGS-B" to allow box-restriction on the parameters
...	for extra arguments to be passed to the R function <code>optim()</code> used in the optimisation

Details

This historically was an experimental function which worked well for the search of the optimum degrees of freedom and non-linear parameters (e.g. power parameter λ used to transform x to x^λ). With the introduction of the P-Spline smoothing function `pb()` the function `find.hyper()` became almost redundant. `find.hyper()` takes lot longer than `pb()` to find automatically the hyper parameters while both method produce similar results. See below the examples for a small demonstration.

Value

The function turns the same output as the function `optim()`

par	the optimum hyper-parameter values
value	the minimised value of the GAIC
counts	A two-element integer vector giving the number of calls to 'fn' and 'gr' respectively
convergence	An integer code. '0' indicates successful convergence. see the function <code>optim()</code> for other errors
message	A character string giving any additional information returned by the optimiser, or 'NULL'

Warning

It may be slow to find the optimum

Author(s)

Mikis Stasinopoulos

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [plot.gamlss](#), [optim](#)

Examples

```
## Not run:
data(abdom)
# Example estimating the smoothing parameters for mu and
# the transformation parameters for x
# declare the model
mod1<-quote(gamlss(y~cs(nx,df=p[1]),family=BCT,data=abdom,
                  control=gamlss.control(trace=FALSE)))
# since we want also to find the transformation for x
# we use the "other" option
op <- find.hyper(model=mod1, other=quote(nx<-x^p[2]), parameters=c(3,0.5),
                lower=c(1,0.001), steps=c(0.1,0.001))

op
# the optimum parameters found are
# p = (p[1],p[2]) = (3.113218 0.001000) = (df for mu, lambda)
# so it needs df = 3 on top of the constant and linear
# in the cubic spline model for mu since p[1] is approximately 3
# and log transformation for x since p[2] is approximately 0
# here is an example with no data declaration in define the model
# we have to attach the data
attach(abdom)
mod2 <- quote(gamlss(y~cs(nx,df=p[1]),family=BCT,
                    control=gamlss.control(trace=FALSE)))
op2<-find.hyper(model=mod2, other=quote(nx<-x^p[2]), parameters=c(3,0.5),
                lower=c(1,0.001), steps=c(0.1,0.001))

op2
detach(abdom)
#-----
# showing different ways of estimating the smoothing parameter
# get the df using local ML (PQL)
m0 <- gamlss(y~pb(x), data=abdom)
# get the df using local GAIC
m1<-gamlss(y~pb(x, method="GAIC", k=2), data=abdom)
# fitting cubic splines with fixed df's at 3
m2<-gamlss(y~cs(x, df=3), data=abdom)
# fitting cubic splines using find hyper (global GAIC)
mod1 <- quote(gamlss(y~cs(x, df=p[1]),family=BCT,data=abdom,control=gamlss.control(trace=FALSE)))
op <- find.hyper(model=mod1, parameters=c(3), lower=c(1,0.001), steps=c(0.1,0.001))
# now fit final model
m3 <- gamlss(y~cs(x, df=op$par), data=abdom)
# effective degrees of freedom for the 4 models
edf(m0);edf(m1); m2$mu.df; m3$mu.df
# deviances for the four models
```

```

deviance(m0); deviance(m1); deviance(m2); deviance(m3)
# their GAIC
GAIC(m0,m1,m2,m3)
# plotting the models
plot(y~x, data=abdom, type="n")
lines(fitted(m3)~abdom$x, col="red")
lines(fitted(m1)~abdom$x, col="green")
lines(fitted(m0)~abdom$x, col="blue")
# almost identical

## End(Not run)

```

fitDist

Fitting Different Parametric gamlss.family Distributions.

Description

The function `fitDist()` is using the function `gamlssML()` to fit all relevant parametric `gamlss.family` distributions, specified by the argument `type`, to a single data vector (with no explanatory variables). The final marginal distribution is the one selected by the generalised Akaike information criterion with penalty `k`. The default is `k=2` i.e. AIC.

The function `fitDistPred()` is using the function `gamlssMLpred()` to fit all relevant (marginal) parametric `gamlss.family` distributions to a single data vector (similar to `fitDist()`) but the final model is selected by the minimum prediction global deviance. The user has to specify the training and validation/test samples.

The function `chooseDist()` is using the function `update.gamlss()` to fit all relevant parametric (conditional) `gamlss.family` distributions to a given fitted `gamlss` model. The output of the function is a matrix with rows the different distributions (from the argument `type`) and columns the different GAIC's (). The default argument for `k` are 2, for AIC, 3.84, for Chi square, and $\log(n)$ for BIC. No final model is given by the function like for example in `fitDist()`. The function `getOrder()` can be used to rank the columns of the resulting table (matrix). The final model can be refitted using `update()`, see the examples.

Usage

```

fitDist(y, k = 2,
        type = c("realAll", "realline", "realplus", "real0to1", "counts", "binom"),
        try.gamlss = FALSE, extra = NULL, data = NULL, trace = FALSE, ...)

fitDistPred(y,
            type = c("realAll", "realline", "realplus", "real0to1", "counts", "binom"),
            try.gamlss = FALSE, extra = NULL, data = NULL, rand = NULL,
            newdata = NULL, trace = FALSE, ...)

chooseDist(object, k = c(2, 3.84, round(log(length(object$y)), 2)), type =
            c("realAll", "realline", "realplus", "real0to1", "counts", "binom", "extra"),
            extra = NULL, trace = FALSE,

```

```
parallel = c("no", "multicore", "snow"), ncpus = 1L, cl = NULL, ...)

chooseDistPred(object, type = c("realAll", "realline", "realplus",
  "real0to1", "counts", "binom", "extra"), extra = NULL,
  trace = FALSE, parallel = c("no", "multicore", "snow"),
  ncpus = 1L, cl = NULL, newdata = NULL, rand = NULL, ...)

getOrder(obj, column = 1)
```

Arguments

y	the data vector
object, obj	a GAMLSS fitted model
k	the penalty for the GAIC with default values k=2 the standard AIC. In the case of the function chooseDist() k can be a vector i.e. k= c(2, 4, 6) so more than one GAIC are saved.
type	the type of distribution to be tried see details
try.gamlss	this applies to functions fitDist() and fitDistPred(). It allows if gamlssML() fail to fit the model to try gamlss instead. This will slow up things for big data.
extra	whether extra distributions should be tried, which are not in the type list. Note that the function chooseDist() allows the fitting of only the 'extra' distributions. This can be achieved if extra is set i.e. extra=c("GA", "IG", "GG") and type is set to extra i.e. type="extra".
data	the data frame where y can be found, only for functions fitDist() and fitDistPred()
rand	For fitDistPred() a factor with values 1 (for fitting) and 2 (for predicting).
newdata	The prediction data set (validation or test).
trace	whether to print during fitting. Note that when parallel is 'multicore' or "snow" "trace" is not produce any output.
parallel	The type of parallel operation to be used (if any). If missing, the default is "no".
ncpus	integer: number of processes to be used in parallel operation: typically one would chose this to the number of available CPUs.
cl	This is useful for snow clusters, i.e. parallel = "snow", when the clusters are created in advance. If not supplied, a cluster on the local machine is created for the duration of the call.
column	which column of the output matrix to be ordered according to best GAIC
...	for extra arguments to be passed to gamlssML() to gamlss()

Details

The following are the different type argument:

- realAll: All the gamlss. family continuous distributions defined on the real line, i.e. realline and the real positive line i.e. realplus.

- `realline`: The `gamlss.family` continuous distributions : "NO", "GU", "RG", "LO", "NET", "TF", "TF2", "PE", "PE2", "SN1", "SN2", "exGAUS", "SHASH", "SHASHo", "SHASHo2", "EGB2", "JSU", "JSUo", "SEP1", "SEP2", "SEP3", "SEP4", "ST1", "ST2", "ST3", "ST4", "ST5", "SST", "GT".
- `realplus`: The `gamlss.family` continuous distributions in the positive real line: "EXP", "GA", "IG", "LOGNO", "LOGNO2", "WEI", "WEI2", "WEI3", "IGAMMA", "PARETO2", "PARETO2o", "GP", "BCCG", "BCCGo", "exGAUS", "GG", "GIG", "LNO", "BCTo", "BCT", "BCPEo", "BCPE", "GB2".
- `real0to1`: The `gamlss.family` continuous distributions from 0 to 1: "BE", "BEo", "BEINF0", "BEINF1", "BEOI", "BEZI", "BEINF", "GB1".
- `counts`: The `gamlss.family` distributions for counts: "PO", "GEOM", "GEOMo", "LG", "YULE", "ZIPF", "WARING", "GPO", "DPO", "BNB", "NBF", "NBI", "NBII", "PIG", "ZIP", "ZIP2", "ZAP", "ZALG", "DEL", "ZAZIPF", "SI", "SICHEL", "ZANBI", "ZAPIG", "ZINBI", "ZIPIG", "ZINBF", "ZABNB", "ZASICHEL", "ZINBF", "ZIBNB", "ZISICHEL".
- `binom`: The `gamlss.family` distributions for binomial type data : "BI", "BB", "DB", "ZIBI", "ZIBB", "ZABI", "ZABB".

The function `fitDist()` uses the function `gamlssML()` to fit the different models, the function `fitDistPred()` uses `gamlssMLpred()` and the function `chooseDist()` used `update.gamlss()`.

Value

For the functions `fitDist()` and `fitDistPred()` a `gamlssML` object is return (the one which minimised the GAIC or VDEV respectively) with two extra components:

<code>fits</code>	an ordered list according to the GAIC of the fitted distribution
<code>failed</code>	the distributions where the <code>gamlssML()</code> (or <code>gamlss()</code>) fits have failed

For the function `chooseDist()` a matrix is returned, with rows the different distributions and columns the different GAIC's set by `k`.

Author(s)

Mikis Stasinopoulos, Bob Rigby, Vlas Voudouris and Majid Djennad.

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [gamlssML](#)

Examples

```

y <- rt(100, df=1)
m1<-fitDist(y, type="realline")
m1$fits
m1$failed
# an example of using extra
## Not run:
#-----
# Example of using the argument extra
library(gamlss.tr)
data(tensile)
gen.trun(par=1,family="GA", type="right")
gen.trun(par=1,"LOGNO", type="right")
gen.trun(par=c(0,1),"TF", type="both")
ma<-fitDist(str, type="real0to1", trace=T,
            extra=c("GAttr", "LOGNOtr", "TFtr"),
            data=tensile)
ma$fits
ma$failed
#-----
# selecting model using the prediction global deviance
# Using fitDistPred
# creating training data
y <- rt(1000, df=2)
m1 <- fitDist(y, type="realline")
m1$fits
m1$fails
# create validation data
yn <- rt(1000, df=2)
# choose distribution which fits the new data best
p1 <- fitDistPred(y, type="realline", newdata=yn)
p1$fits
p1$failed
#-----
# using the function chooseDist()
# fitting normal distribution model
m1 <- gamlss(y~pb(x), sigma.fo=~pb(x), family=NO, data=abdom)
# choose a distribution on the real line
# and save GAIC(k=c(2,4,6.4), i.e. AIC, Chi-square and BIC.
t1 <- chooseDist(m1, type="realline", parallel="snow", ncpus=4)
# the GAIC's
t1
# the distributions which failed are with NA's
# ordering according to BIC
getOrder(t1,3)
fm<-update(m1, family=names(getOrder(t1,3)[1]))

## End(Not run)

```

fitted.gamlss

*Extract Fitted Values For A GAMLSS Model***Description**

fitted.gamlss is the GAMLSS specific method for the generic function fitted which extracts fitted values for a specified parameter from a GAMLSS objects. fitted.values is an alias for it. The function fv() is similar to fitted.gamlss() but allows the argument what not to be character

Usage

```
## S3 method for class 'gamlss'
fitted(object, what = c("mu", "sigma", "nu", "tau"),
        parameter= NULL, ...)
fv(obj, what = c("mu", "sigma", "nu", "tau"), parameter= NULL, ... )
```

Arguments

object	a GAMLSS fitted model
obj	a GAMLSS fitted model
what	which parameter fitted values are required, default what="mu"
parameter	equivalent to what
...	for extra arguments

Value

Fitted values extracted from the GAMLSS object for the given parameter.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

`print.gamlss`, `summary.gamlss`, `fitted.gamlss`, `coef.gamlss`, `residuals.gamlss`, `update.gamlss`,
`plot.gamlss`, `deviance.gamlss`, `formula.gamlss`

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
fitted(h)
rm(h)
```

fittedPlot

*Plots The Fitted Values of a GAMLSS Model***Description**

This function, applicable only to a models with a single explanatory variable, plots the fitted values for all the parameters of a GAMLSS model against the (one) explanatory variable. It is also useful for comparing the fits for more than one model.

Usage

```
fittedPlot(object, ..., x = NULL, color = TRUE, line.type = FALSE, xlab = NULL)
```

Arguments

<code>object</code>	a fitted GAMLSS model object(with only one explanatory variable)
<code>...</code>	optionally more fitted GAMLSS model objects
<code>x</code>	The unique explanatory variable
<code>color</code>	whether the fitted lines plots are shown in colour, <code>color=TRUE</code> (the default) or not <code>color=FALSE</code>
<code>line.type</code>	whether the line type should be different or not. The default is <code>color=FALSE</code>
<code>xlab</code>	the x-label

Value

A plot of the fitted values against the explanatory variable

Author(s)

Mikis Stasinopoulos, Bob Rigby and Calliope Akantziliotou

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [centiles](#), [centiles.split](#)

Examples

```
data(abdom)
h1<-gamlss(y~pb(x), sigma.formula=~x, family=BCT, data=abdom)
h2<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom)
fittedPlot(h1,h2,x=abdom$x)
rm(h1,h2)
```

formula.gamlss

Extract the Model Formula in a GAMLSS fitted model

Description

formula.gamlss is the GAMLSS specific method for the generic function formula which extracts the model formula from objects returned by modelling functions.

Usage

```
## S3 method for class 'gamlss'
formula(x, what = c("mu", "sigma", "nu", "tau"),
        parameter= NULL, ... )
```

Arguments

x	a GAMLSS fitted model
what	which parameter coefficient is required, default what="mu"
parameter	equivalent to what
...	for extra arguments

Value

Returns a model formula

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [deviance.gamlss](#), [fitted.gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
formula(h,"mu")
rm(h)
```

gamlss

Generalized Additive Models for Location Scale and Shape

Description

Returns an object of class "gamlss", which is a generalized additive model for location scale and shape (GAMLSS). The function `gamlss()` is very similar to the `gam()` function in S-plus (now also in R in package `gam`), but can fit more distributions (not only the ones belonging to the exponential family) and can model all the parameters of the distribution as functions of the explanatory variables (e.g. using linear, non-linear, smoothing, loess and random effects terms).

This implementation of `gamlss()` allows modelling of up to four parameters in a distribution family, which are conventionally called `mu`, `sigma`, `nu` and `tau`.

The function `gamlssNews()` shows what is new in the current implementation.

Usage

```
gamlss(formula = formula(data), sigma.formula = ~1,
       nu.formula = ~1, tau.formula = ~1, family = NO(),
       data, weights = NULL,
       contrasts = NULL, method = RS(), start.from = NULL,
       mu.start = NULL, sigma.start = NULL,
       nu.start = NULL, tau.start = NULL,
       mu.fix = FALSE, sigma.fix = FALSE, nu.fix = FALSE,
       tau.fix = FALSE, control = gamlss.control(...),
       i.control = glim.control(...), ...)
is.gamlss(x)
gamlssNews()
```

Arguments

formula	a formula object, with the response on the left of an ~ operator, and the terms, separated by + operators, on the right. Nonparametric smoothing terms are indicated by pb() for penalised beta splines, cs for smoothing splines, lo for loess smooth terms and random or ra for random terms, e.g. $y \sim cs(x, df=5) + x_1 + x_2 * x_3$. Additional smoothers can be added by creating the appropriate interface. Interactions with nonparametric smooth terms are not fully supported, but will not produce errors; they will simply produce the usual parametric interaction
sigma.formula	a formula object for fitting a model to the sigma parameter, as in the formula above, e.g. $\sigma \sim cs(x, df=5)$. It can be abbreviated to $\sigma \sim cs(x, df=5)$.
nu.formula	a formula object for fitting a model to the nu parameter, e.g. $\nu \sim x$
tau.formula	a formula object for fitting a model to the tau parameter, e.g. $\tau \sim cs(x, df=2)$
family	a gamlss.family object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by <code>gamlss()</code> can be found in gamlss.family . Functions such as <code>BI()</code> (binomial) produce a family object. Also can be given without the parentheses i.e. <code>BI</code> . Family functions can take arguments, as in <code>BI(mu.link=probit)</code>
data	a data frame containing the variables occurring in the formula, e.g. <code>data=aids</code> . If this is missing, the variables should be on the search list.
weights	a vector of weights. Note that this is not the same as in the <code>glm()</code> or <code>gam()</code> function. Here weights can be used to weight out observations (like in <code>subset</code>) or for a weighted likelihood analysis where the contribution of the observations to the likelihood differs according to weights. The length of weights must be the same as the number of observations in the data. By default, the weight is set to one. To set weights to vector <code>w</code> use <code>weights=w</code>
contrasts	list of contrasts to be used for some or all of the factors appearing as variables in the model formula. The names of the list should be the names of the corresponding variables. The elements should either be contrast-type matrices (matrices with as many rows as levels of the factor and with columns linearly independent of each other and of a column of ones), or else they should be functions that compute such contrast matrices.

method	the current algorithms for GAMLSS are RS(), CG() and mixed(). i.e. method=RS() will use the Rigby and Stasinopoulos algorithm, method=CG() will use the Cole and Green algorithm and mixed(2,10) will use the RS algorithm twice before switching to the Cole and Green algorithm for up to 10 extra iterations
start.from	a fitted GAMLSS model which the fitted values will be used as starting values for the current model
mu.start	vector or scalar of initial values for the location parameter mu e.g. mu.start=4
sigma.start	vector or scalar of initial values for the scale parameter sigma e.g. sigma.start=1
nu.start	vector or scalar of initial values for the parameter nu e.g. nu.start=3
tau.start	vector or scalar of initial values for the location parameter tau e.g. tau.start=2
mu.fix	whether the mu parameter should be kept fixed in the fitting processes e.g. mu.fix=FALSE
sigma.fix	whether the sigma parameter should be kept fixed in the fitting processes e.g. sigma.fix=FALSE
nu.fix	whether the nu parameter should be kept fixed in the fitting processes e.g. nu.fix=FALSE
tau.fix	whether the tau parameter should be kept fixed in the fitting processes e.g. tau.fix=FALSE
control	this sets the control parameters of the outer iterations algorithm. The default setting is the gamlss.control function
i.control	this sets the control parameters of the inner iterations of the RS algorithm. The default setting is the glim.control function
...	for extra arguments
x	an object

Details

The Generalized Additive Model for Location, Scale and Shape is a general class of statistical models for a univariate response variable. The model assumes independent observations of the response variable y given the parameters, the explanatory variables and the values of the random effects. The distribution for the response variable in the GAMLSS can be selected from a very general family of distributions including highly skew and/or kurtotic continuous and discrete distributions, see [gamlss.family](#). The systematic part of the model is expanded to allow modelling not only of the mean (or location) parameter, but also of the other parameters of the distribution of y , as linear parametric and/or additive nonparametric (smooth) functions of explanatory variables and/or random effects terms. Maximum (penalized) likelihood estimation is used to fit the (non)parametric models. A Newton-Raphson/Fisher scoring algorithm is used to maximize the (penalized) likelihood. The additive terms in the model are fitted using a backfitting algorithm.

`is.gamlss` is a short version of `is(object, "gamlss")`

Value

Returns a `gamlss` object with components

family	the distribution family of the <code>gamlss</code> object (see gamlss.family)
parameters	the name of the fitted parameters i.e. mu, sigma, nu, tau

<code>call</code>	the call of the <code>gamlss</code> function
<code>y</code>	the response variable
<code>control</code>	the <code>gamlss</code> fit control settings
<code>weights</code>	the vector of weights
<code>G.deviance</code>	the global deviance
<code>N</code>	the number of observations in the fit
<code>rqres</code>	a function to calculate the normalized (randomized) quantile residuals of the object
<code>iter</code>	the number of external iterations in the fitting process
<code>type</code>	the type of the distribution or the response variable (continuous or discrete)
<code>method</code>	which algorithm is used for the fit, <code>RS()</code> , <code>CG()</code> or <code>mixed()</code>
<code>converged</code>	whether the model fitting has have converged
<code>residuals</code>	the normalized (randomized) quantile residuals of the model
<code>mu.fv</code>	the fitted values of the mu model, also <code>sigma.fv</code> , <code>nu.fv</code> , <code>tau.fv</code> for the other parameters if present
<code>mu.lp</code>	the linear predictor of the mu model, also <code>sigma.lp</code> , <code>nu.lp</code> , <code>tau.lp</code> for the other parameters if present
<code>mu.wv</code>	the working variable of the mu model, also <code>sigma.wv</code> , <code>nu.wv</code> , <code>tau.wv</code> for the other parameters if present
<code>mu.wt</code>	the working weights of the mu model, also <code>sigma.wt</code> , <code>nu.wt</code> , <code>tau.wt</code> for the other parameters if present
<code>mu.link</code>	the link function for the mu model, also <code>sigma.link</code> , <code>nu.link</code> , <code>tau.link</code> for the other parameters if present
<code>mu.terms</code>	the terms for the mu model, also <code>sigma.terms</code> , <code>nu.terms</code> , <code>tau.terms</code> for the other parameters if present
<code>mu.x</code>	the design matrix for the mu, also <code>sigma.x</code> , <code>nu.x</code> , <code>tau.x</code> for the other parameters if present
<code>mu.qr</code>	the QR decomposition of the mu model, also <code>sigma.qr</code> , <code>nu.qr</code> , <code>tau.qr</code> for the other parameters if present
<code>mu.coefficients</code>	the linear coefficients of the mu model, also <code>sigma.coefficients</code> , <code>nu.coefficients</code> , <code>tau.coefficients</code> for the other parameters if present
<code>mu.formula</code>	the formula for the mu model, also <code>sigma.formula</code> , <code>nu.formula</code> , <code>tau.formula</code> for the other parameters if present
<code>mu.df</code>	the mu degrees of freedom also <code>sigma.df</code> , <code>nu.df</code> , <code>tau.df</code> for the other parameters if present
<code>mu.nl.df</code>	the non linear degrees of freedom, also <code>sigma.nl.df</code> , <code>nu.nl.df</code> , <code>tau.nl.df</code> for the other parameters if present
<code>df.fit</code>	the total degrees of freedom use by the model
<code>df.residual</code>	the residual degrees of freedom left after the model is fitted
<code>aic</code>	the Akaike information criterion
<code>sbc</code>	the Bayesian information criterion

Warning

Respect the parameter hierarchy when you are fitting a model. For example a good model for μ should be fitted before a model for σ is fitted

Note

The following generic functions can be used with a GAMLSS object: `print`, `summary`, `fitted`, `coef`, `residuals`, `update`, `plot`, `deviance`, `formula`

Author(s)

Mikis Stasinopoulos, Bob Rigby, Calliope Akantziliotou and Vlasios Voudouris

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss.family](#), [pdf.plot](#), [find.hyper](#)

Examples

```
data(abdom)
mod<-gamlss(y~pb(x),sigma.fo=~pb(x),family=BCT, data=abdom, method=mixed(1,20))
plot(mod)
rm(mod)
```

Description

Auxiliary function as user interface for `gamlss` fitting. Typically only used when calling `gamlss` function with the option `control`.

Usage

```
gamlss.control(c.crit = 0.001, n.cyc = 20, mu.step = 1, sigma.step = 1, nu.step = 1,
              tau.step = 1, gd.tol = Inf, iter = 0, trace = TRUE, autostep = TRUE,
              save = TRUE, ...)
```

Arguments

<code>c.crit</code>	the convergence criterion for the algorithm
<code>n.cyc</code>	the number of cycles of the algorithm
<code>mu.step</code>	the step length for the parameter <code>mu</code>
<code>sigma.step</code>	the step length for the parameter <code>sigma</code>
<code>nu.step</code>	the step length for the parameter <code>nu</code>
<code>tau.step</code>	the step length for the parameter <code>tau</code>
<code>gd.tol</code>	global deviance tolerance level (set more recently to <code>Inf</code> to allow the algorithm to conversed even if the global deviance change dramatically during the iterations)
<code>iter</code>	starting value for the number of iterations, typically set to 0 unless the function <code>refit</code> is used
<code>trace</code>	whether to print at each iteration (<code>TRUE</code>) or not (<code>FALSE</code>)
<code>autostep</code>	whether the steps should be halved automatically if the new global deviance is greater that the old one, the default is <code>autostep=TRUE</code>
<code>save</code>	<code>save=TRUE</code> , (the default), saves all the information on exit. <code>save=FALSE</code> saves only limited information as the global deviance and AIC. For example fitted values, design matrices and additive terms are not saved. The latest is useful when <code>gamlss()</code> is called several times within a procedure.
<code>...</code>	for extra arguments

Details

The step length for each of the parameters `mu`, `sigma`, `nu` or `tau` is very useful to aid convergence if the parameter has a fully parametric model. However using a step length is not theoretically justified if the model for the parameter includes one or more smoothing terms, (even though it may give a very approximate result).

The `c.crit` can be increased to speed up the convergence especially for a large set of data which takes longer to fit. When `'trace'` is `TRUE`, calls to the function `cat` produce the output for each outer iteration.

Value

A list with the arguments as components.

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
con<-gamlss.control(mu.step=0.1)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids, control=con) #
rm(h,con)
```

gamlss.cs

Support for Function cs() and scs()

Description

This is support for the functions cs(), and scs(). It is not intended to be called directly by users. The function gamlss.cs is using the R function smooth.spline

Usage

```
gamlss.cs(x, y, w, df = NULL, spar = NULL, xeval = NULL, ...)
```

Arguments

x	the design matrix
y	the response variable
w	prior weights
df	effective degrees of freedom
spar	spar the smoothing parameter
xeval	used in prediction
...	for extra arguments

Value

Returns a class "smooth.spline" object with

residuals	The residuals of the fit
fitted.values	The smoothing values
var	the variance for the fitted smoother
lambda	the final value for spar
nl.df	the smoothing degrees of freedom excluding the constant and linear terms, i.e. (df-2)
coefSmo	this is a list containing among others the knots and the coefficients

Author(s)

Mikis Stasinopoulos, Bob Rigby

See Also

[gamlss, cs](#)

gamlss.fp	<i>Support for Function fp()</i>
-----------	----------------------------------

Description

Those are support for the functions `fp()` and `pp`. It is not intended to be called directly by users.

Usage

```
gamlss.fp(x, y, w, npoly = 2, xeval = NULL)
gamlss.pp(x, y, w)
```

Arguments

x	the x for function <code>gamlss.fp</code> is referred to the design matrix of the specific parameter model (not to be used by the user)
y	the y for function <code>gamlss.fp</code> is referred to the working variable of the specific parameter model (not to be used by the user)
w	the w for function <code>gamlss.fp</code> is referred to the iterative weight variable of the specific parameter model (not to be used by the user)
npoly	a positive indicating how many fractional polynomials should be considered in the fit. Can take the values 1, 2 or 3 with 2 as default
xeval	used in prediction

Value

Returns a list with

fitted.values	fitted
residuals	residuals
var	
nl.df	the trace of the smoothing matrix
lambda	the value of the smoothing parameter
coefSmo	the coefficients from the smoothing fit
varcoeff	the variance of the coefficients

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss, fp](#)

gamlss.lo

Support for Function lo()

Description

This is support for the loess function `lo()`. It is not intended to be called directly by users. The function `gamlss.lo` is calling the R function `loess`.

Usage

```
gamlss.lo(x, y, w, xeval = NULL, ...)
```

Arguments

<code>x</code>	the design matrix
<code>y</code>	the response variable
<code>w</code>	prior weights
<code>xeval</code>	used in prediction
<code>...</code>	further arguments passed to or from other methods.

Value

Returns an object

<code>fitted</code>	the smooth values
<code>residuals</code>	the residuals
<code>var</code>	the variance of the smoother
<code>nl.df</code>	the non-linear degrees of freedom
<code>coefSmo</code>	with value NULL
<code>lambda</code>	the value of span

Author(s)

Mikis Stasinopoulos based on Brian Ripley implementation of loess function in R

See Also

[gamlss](#), [lo](#)

`gamlss.ps`

Support for Functions for smoothers

Description

Those functions are support for the functions `pb()`, `pbo()`, `ps()`, `ridge()`, `ri()`, `cy()`, `pvc()`, and `pbm()`. The functions are not intended to be called directly by users.

Usage

```
gamlss.pb(x, y, w, xeval = NULL, ...)
gamlss.pbo(x, y, w, xeval = NULL, ...)
gamlss.ps(x, y, w, xeval = NULL, ...)
gamlss.ri(x, y, w, xeval = NULL, ...)
gamlss.cy(x, y, w, xeval = NULL, ...)
gamlss.pvc(x, y, w, xeval = NULL, ...)
gamlss.pbm(x, y, w, xeval = NULL, ...)
gamlss.pbz(x, y, w, xeval = NULL, ...)
gamlss.pbc(x, y, w, xeval = NULL, ...)
gamlss.pbp(x, y, w, xeval = NULL, ...)
```

Arguments

x	the x for function <code>gamlss.fp</code> is referred to the design matrix of the specific parameter model (not to be used by the user)
y	the y for function <code>gamlss.fp</code> is referred to the working variable of the specific parameter model (not to be used by the user)
w	the w for function <code>gamlss.fp</code> is referred to the iterative weight variable of the specific parameter model (not to be used by the user)
xeval	used in prediction
...	further arguments passed to or from other methods.

Value

All function return fitted smoothers.

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

Eilers, P. H. C. and Marx, B. D. (1996). Flexible smoothing with B-splines and penalties (with comments and rejoinder). *Statist. Sci.*, **11**, 89-121.

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [pb](#), [ps](#), [ri](#), [ridge](#), [cy](#), [pvc](#), [pbm](#)

gamlss.random	<i>Support for Functions random() and re()</i>
---------------	--

Description

This is support for the functions random() and re() respectively. It is not intended to be called directly by users. .

Usage

```
gamlss.random(x, y, w, xeval = NULL, ...)
gamlss.re(x, y, w, xeval = NULL, ...)
```

Arguments

x	the explanatory design matrix
y	the response variable
w	iterative weights
xeval	it used internally for prediction
...	for extra arguments

Value

Returns a list with

y	the fitted values
residuals	the residuals
var	the variance of the fitted values
lambda	the final lambda, the smoothing parameter
coefSmo	with value NULL

Author(s)

Mikis Stasinopoulos, based on Trevor Hastie function gam.random

References

Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [random](#)

gamlss.scope

Generate a Scope Argument for Stepwise GAMLSS

Description

Generates a scope argument for a stepwise GAMLSS.

Usage

```
gamlss.scope(frame, response = 1, smoother = "cs", arg = NULL, form = TRUE)
```

Arguments

frame	a data or model frame
response	which variable is the response; the default is the first
smoother	what smoother to use; default is cs
arg	any additional arguments required by the smoother
form	should a formula be returned (default), or else a character version of the formula

Details

Each formula describes an ordered regimen of terms, each of which is eligible on their own for inclusion in the gam model. One of the terms is selected from each formula by step.gam. If a 1 is selected, that term is omitted.

Value

a list of formulas is returned, one for each column in frame (excluding the response). For a numeric variable, say x1, the formula is

```
~ 1 + x1 + cs(x1)
```

If x1 is a factor, the last smooth term is omitted.

Author(s)

Mikis Stasinopoulos: a modified function from Statistical Models in S

References

Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[stepGAIC](#)

Examples

```
data(usair)
gs1<-gamlss.scope(model.frame(y~x1+x2+x3+x4+x5+x6, data=usair))
gs2<-gamlss.scope(model.frame(usair))
gs1
gs2
gs3<-gamlss.scope(model.frame(usair), smooth="fp", arg="3")
gs3
```

gamlssML

Maximum Likelihood estimation of a simple GAMLSS model

Description

The function `gamlssML()` fits a `gamlss.family` distribution to single data set using a non linear maximisation algorithm in R. This is relevant only when explanatory variables do not exist.

The function `gamlssMLpred()` is similar to `gamlssML()` but it saves the *predictive* global deviance for the newdata. The new data in `gamlssMLpred()` can be given with the arguments `newdata` or defining the factor `rand`. `rand` should be a binary factor `rand` splitting the original data set into a training set (value 1) and a validation/test set (values 2), see also [gamlssVGD](#)

Usage

```
gamlssML(formula, family = NO, weights = NULL, mu.start = NULL,
  sigma.start = NULL, nu.start = NULL, tau.start = NULL,
  mu.fix = FALSE, sigma.fix = FALSE, nu.fix = FALSE,
  tau.fix = FALSE, data, start.from = NULL, ...)

gamlssMLpred(response = NULL, data = NULL, family = NO,
  rand = NULL, newdata = NULL, ...)
```

Arguments

formula, response	a vector of data requiring the fit of a <code>gamlss.family</code> distribution or (only for the function <code>gamlssML</code>) a formula, for example, <code>y~1</code> , with no explanatory variables because they are ignored).
family	<code>gamlss.family</code> object, which is used to define the distribution and the link functions of the various parameters. The distribution families supported by <code>gamlssML()</code> can be found in <code>gamlss.family</code>
weights	a vector of weights. Here weights can be used to weight out observations (like in subset) or for a weighted likelihood analysis where the contribution of the observations to the likelihood differs according to weights. The length of weights must be the same as the number of observations in the data. By default, the weight is set to one. To set weights to vector say <code>w</code> use <code>weights=w</code>
mu.start	a scalar of initial values for the location parameter <code>mu</code> e.g. <code>mu.start=4</code>
sigma.start	a scalar of initial values for the scale parameter <code>sigma</code> e.g. <code>sigma.start=1</code>
nu.start	scalar of initial values for the parameter <code>nu</code> e.g. <code>nu.start=3</code>
tau.start	scalar of initial values for the parameter <code>tau</code> e.g. <code>tau.start=3</code>
mu.fix	whether the <code>mu</code> parameter should be kept fixed in the fitting processes e.g. <code>mu.fix=FALSE</code>
sigma.fix	whether the <code>sigma</code> parameter should be kept fixed in the fitting processes e.g. <code>sigma.fix=FALSE</code>
nu.fix	whether the <code>nu</code> parameter should be kept fixed in the fitting processes e.g. <code>nu.fix=FALSE</code>
tau.fix	whether the <code>tau</code> parameter should be kept fixed in the fitting processes e.g. <code>tau.fix=FALSE</code>
data	a data frame containing the variable <code>y</code> , e.g. <code>data=aids</code> . If this is missing, the variable should be on the search list.
start.from	a <code>gamlss</code> object to start from the fitting or vector of length as many parameters in the distribution
rand	For <code>gamlssMLpred()</code> a factor with values 1 (for fitting) and 2 (for predicting).
newdata	The prediction data set (validation or test).
...	for extra arguments

Details

The function `gamlssML()` fits a `gamlss.family` distribution to a single data set is using a non linear maximisation. in fact it uses the internal function `MLE()` which is a copy of the `mle()` function of package `stat4`. The function `gamlssML()` could be for large data faster than the equivalent `gamlss()` function which is designed for regression type of models.

The function `gamlssMLpred()` uses the function `gamlssML()` to fit the model but then uses `predict.gamlssML()` to predict for new data and saves the the prediction i) deviance increments, ii) global deviance iii) residuals.

Value

Returns a `gamlssML` object which behaves like a `gamlss` fitted objected

Author(s)

Mikis Stasinopoulos, Bob Rigby, Vlasios Voudouris and Majid Djennad

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss.family](#), [gamlss](#)

Examples

```
#----- negative binomial 1000 observations
y<- rNBI(1000)
system.time(m1<-gamlss(y~1, family=NBI))
system.time(m1a<-gamlss(y~1, family=NBI, trace=FALSE))
system.time(m11<-gamlssML(y, family=NBI))
AIC(m1,m1a,m11, k=0)
# neg. binomial n=10000
y<- rNBI(10000)
system.time(m1<-gamlss(y~1, family=NBI))
system.time(m1a<-gamlss(y~1, family=NBI, trace=FALSE))
system.time(m11<-gamlssML(y, family=NBI))
```

```

AIC(m1,m1a,m11, k=0)
# binomial type data
data(aep)
m1 <- gamlssML(aep$y, family=BB) # ok
m2 <- gamlssML(y, data=aep, family=BB) # ok
m3 <- gamlssML(y~1, data=aep, family=BB) # ok
m4 <- gamlssML(aep$y~1, family=BB) # ok
AIC(m1,m2,m3,m4)
## Not run:
#-----
# neg. binomial    n=10000
y<- rNBI(10000)
rand <- sample(2, length(y), replace=TRUE, prob=c(0.6,0.4))
table(rand)
  Y <- subset(y, rand==1)
YVal <- subset(y, rand==2)
length(Y)
length(YVal)
da1 <- data.frame(y=y)
dim(da1)
da2 <- data.frame(y=Y)
dim(da2)
danew <- data.frame(y=YVal)
# using gamlssVGD to fit the models
g1 <- gamlssVGD(y~1, rand=rand, family=NBI, data=da1)
g2 <- gamlssVGD(y~1, family=NBI, data=da2, newdata=dan)
AIC(g1,g2)
VGD(g1,g2)
# using gamlssMLpred to fit the models
p1 <- gamlssMLpred(y, rand=rand, family=NBI)
p2 <- gamlssMLpred(Y, family=NBI, newdata=YVal)
# AIC and VGD should produce identical results
AIC(p1,p2,g1,g2)
VGD(p1,p2, g1,g2)
# the fitted residuals
wp(p1, ylim.all=1)
# the prediction residuals
wp(resid=p1$residVal, ylim.all=.5)
#-----
# choosing between distributions
p2<-gamlssMLpred(y, rand=rand, family=P0)
p3<-gamlssMLpred(y, rand=rand, family=PIG)
p4<-gamlssMLpred(y, rand=rand, family=BNB)
AIC(p1, p2, p3, p4)
VGD(p1, p2, p3, p4)
#-----

## End(Not run)

```

gamlssVGD

A Set of Functions for selecting Models using Validation or Test Data Sets and Cross Validation

Description

This is a set of function useful for selecting appropriate models.

The functions `gamlssVGD`, `VGD`, `getTGD`, `TGD` can be used when a subset of the data is used for validation or testing.

The function `stepVGD()` is a stepwise procedure for selecting an appropriate model for any of the parameters of the model minimising the test global deviance. The function `stepVGDA11.A()` can select a model using strategy A for all the parameters.

The functions `gamlssCV`, `CV` can be used for a k-fold cross validation.

Usage

```
gamlssVGD(formula = NULL, sigma.formula = ~1, nu.formula = ~1,
           tau.formula = ~1, data = NULL, family = NO,
           control = gamlss.control(trace = FALSE),
           rand = NULL, newdata = NULL, ...)
```

```
VGD(object, ...)
```

```
getTGD(object, newdata = NULL, ...)
```

```
TGD(object, ...)
```

```
gamlssCV(formula = NULL, sigma.formula = ~1, nu.formula = ~1,
          tau.formula = ~1, data = NULL, family = NO,
          control = gamlss.control(trace = FALSE),
          K.fold = 10, set.seed = 123, rand = NULL,
          parallel = c("no", "multicore", "snow"),
          ncpus = 1L, cl = NULL, ...)
```

```
CV(object, ...)
```

```
drop1TGD(object, scope, newdata, parameter = c("mu", "sigma", "nu", "tau"),
          sorted = FALSE, trace = FALSE,
          parallel = c("no", "multicore", "snow"),
          ncpus = 1L, cl = NULL, ...)
```

```
add1TGD(object, scope, newdata, parameter = c("mu", "sigma", "nu", "tau"),
          sorted = FALSE, trace = FALSE,
          parallel = c("no", "multicore", "snow"),
          ncpus = 1L, cl = NULL, ...)
```

```
stepTGD(object, scope, newdata,
```

```

direction = c("both", "backward", "forward"),
trace = TRUE, keep = NULL, steps = 1000,
parameter = c("mu", "sigma", "nu", "tau"),
parallel = c("no", "multicore", "snow"),
ncpus = 1L, cl = NULL, ...)

stepTGDA11.A(object, scope = NULL, newdata = NULL,
  steps = 1000, sigma.scope = NULL, nu.scope = NULL,
  tau.scope = NULL, mu.try = TRUE, sigma.try = TRUE,
  nu.try = TRUE, tau.try = TRUE,
  parallel = c("no", "multicore", "snow"),
  ncpus = 1L, cl = NULL, ...)

```

Arguments

formula	A gamlss mu formula.
sigma.formula	Formula for sigma.
nu.formula	Formula for nu.
tau.formula	Formula for tau.
data	The data frame required for the fit.
family	The gamlss.family distribution.
control	The control for fitting the gamlss model.
rand	For gamlssVGD a variable with values 1 (for fitting) and 2 (for predicting). For gamlssCV a variable with k values indicating the cross validation sets.
newdata	The new data set (validation or test) for prediction.
object	A relevant R object.
scope	defines the range of models examined in the stepwise selection similar to stepGAIC() where you can see examples
sigma.scope	defines the range of models examined in the stepwise selection for sigma
nu.scope	defines the range of models examined in the stepwise selection for nu
tau.scope	defines the range of models examined in the stepwise selection for tau
mu.try	whether should try fitting models for mu
sigma.try	whether should try fitting models for sigma
nu.try	whether should try fitting models for nu
tau.try	whether should try fitting models for tau
parameter	which distribution parameter is required, default what="mu"
sorted	should the results be sorted on the value of TGD
trace	f TRUE additional information may be given on the fits as they are tried.
direction	The mode of stepwise search, can be one of both, backward, or forward, with a default of both. If the scope argument is missing the default for direction is backward

keep	see stepGAIC() for explanation
steps	the maximum number of steps to be considered. The default is 1000.
K.fold	the number of subsets of the data used
set.seed	the seed to be used in creating rand
parallel	The type of parallel operation to be used (if any). If missing, the default is "no".
ncpus	integer: number of processes to be used in parallel operation: typically one would chose this to the number of available CPUs.
cl	An optional parallel or snow cluster for use if parallel = "snow". If not supplied, a cluster on the local machine is created for the duration of the call.
...	further arguments to be pass in the gamlss fit

Details

The function `gamlssVGD()` fits a `gamlss` model to the training data set determined by the arguments `rand` or `newdata`. The results is a `gamlssVGD` objects which contains the `gamlss` fit to the training data plus three extra components: i) `VD` the global deviance applied to the validation data sets. ii) `predictError` which is `VD` divided with the number of observations in the validation data set and iii) `residVal` the residuals for the validation data set.

The function `VD()` extract the validated global deviance from one or more fitted `gamlssVGD` objects and can be used foe model comparison.

The function `getTGD()` operates different from the function `gamlssVGD()`. It assumes that the users already have fitted models using `gamlss()` and now he/she wants to evaluate the global deviance at a new (validation or test) data set.

The function `TGD()` extract the validated/test global deviance from one or more fitted `gamlssTGD` objects and can be use to compare models.

The `gamlssCV()` performs a k-fold cross validation on a `gamlss` models.

The function `CV()` extract the cross validated global deviance from one or more fitted `gamlssCV` objects and can be use to compare models.

The functions `add1TGD()`, `drop1TGD()` and `stepTGD` behave similar to `add1()`, `drop1()` and `stepGAIC()` functions respectively but they used validation or test deviance as the selection criterion rather than the GAIC.

Value

A fitted models of a set of global deviances.

Author(s)

Mikis Stasinopoulos

References

- Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

Venables, W. N. and Ripley, B. D. (2002) *Modern Applied Statistics with S*. Fourth edition. Springer.

See Also

[stepGAIC](#)

Examples

```
data(abdom)
# generate the random split of the data
rand <- sample(2, 610, replace=TRUE, prob=c(0.6,0.4))
# the proportions in the sample
table(rand)/610
olddata<-abdom[rand==1,] # training data
newdata<-abdom[rand==2,] # validation data
#-----
# gamlssVGD
#-----
# Using rand
v1 <- gamlssVGD(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=abdom, family=N0,
               rand=rand)
v2 <- gamlssVGD(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=abdom, family=L0,
               rand=rand)
v3 <- gamlssVGD(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=abdom, family=TF,
               rand=rand)
VGD(v1,v2,v3)
#-----
## Not run:
#-----
# using two data set
v11 <- gamlssVGD(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=olddata,
               family=N0, newdata=newdata)
v12 <- gamlssVGD(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=olddata,
               family=L0, newdata=newdata)
v13 <- gamlssVGD(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=olddata,
               family=TF, newdata=newdata)
VGD(v11,v12,v13)
#-----
# function getTGD
#-----
# fit gamlss models first
```

```

g1 <- gamlss(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=olddata, family=NO)
g2 <- gamlss(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=olddata, family=L0)
g3 <- gamlss(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=olddata, family=TF)
# and then use
gg1 <-getTGD(g1, newdata=newdata)
gg2 <-getTGD(g2, newdata=newdata)
gg3 <-getTGD(g3, newdata=newdata)

TGD(gg1,gg2,gg3)
#-----
#-----
# function gamlssCV
#-----
set.seed(123)
rand1 <- sample (10 , 610, replace=TRUE)
g1 <- gamlssCV(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=abdom, family=NO,
               rand=rand1)
g2 <- gamlssCV(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=abdom, family=L0,
               rand=rand1)
g3 <- gamlssCV(y~pb(x,df=2),sigma.formula=~pb(x,df=1), data=abdom, family=TF,
               rand=rand1)
CV(g1,g2,g3)
CV(g1)
# using parallel
set.seed(123)
rand1 <- sample (10 , 610, replace=TRUE)
nC <- detectCores()

system.time(g21 <- gamlssCV(y~pb(x,df=2), sigma.formula=~pb(x,df=1), data=abdom,
                           family=NO, rand=rand1,parallel = "no", ncpus = nC ))

system.time(g22 <- gamlssCV(y~pb(x,df=2), sigma.formula=~pb(x,df=1), data=abdom,
                           family=L0, rand=rand1,parallel = "multicore", ncpus = nC ))

system.time(g23 <- gamlssCV(y~pb(x,df=2), sigma.formula=~pb(x,df=1), data=abdom,
                           family=TF, rand=rand1,parallel = "snow", ncpus = nC ))

CV(g21,g22,g23)
#-----
# functions add1TGD() drop1TGD() and stepTGD()
#-----
# the data
data(rent)
rand <- sample(2, dim(rent)[1], replace=TRUE, prob=c(0.6,0.4))
# the proportions in the sample
table(rand)/dim(rent)[1]
oldrent<-rent[rand==1,] # training set
newrent<-rent[rand==2,] # validation set

# null model
v0 <- gamlss(R~1, data=oldrent, family=GA)
# complete model

```

```

v1 <- gamlss(R~pb(Fl)+pb(A)+H+loc, sigma.fo=~pb(Fl)+pb(A)+H+loc,
            data=oldrent, family=GA)

# drop1TGDP
system.time(v3<- drop1TGD(v1, newdata=newrent, parallel="no"))
system.time(v4<- drop1TGD(v1, newdata=newrent, parallel="multicore",
                          ncpus=nC) )
system.time(v5<- drop1TGD(v1, newdata=newrent, parallel="snow", ncpus=nC))
cbind(v3,v4,v5)

# add1TGDP
system.time(d3<- add1TGD(v0,scope=~pb(Fl)+pb(A)+H+loc, newdata=newrent,
                        parallel="no"))
system.time(d4<- add1TGD(v0,scope=~pb(Fl)+pb(A)+H+loc, newdata=newrent,
                        parallel="multicore", ncpus=nC) )
system.time(d5<- add1TGD(v0, scope=~pb(Fl)+pb(A)+H+loc,newdata=newrent,
                        parallel="snow", ncpus=nC))

# stepTGD
system.time(d6<- stepTGD(v0, scope=~pb(Fl)+pb(A)+H+loc,newdata=newrent))
system.time(d7<- stepTGD(v0, scope=~pb(Fl)+pb(A)+H+loc,newdata=newrent,
                        parallel="multicore", ncpus=nC))
system.time(d8<- stepTGD(v0, scope=~pb(Fl)+pb(A)+H+loc,newdata=newrent,
                        parallel="snow", ncpus=nC))

## End(Not run)

```

gen.likelihood

A function to generate the likelihood function from a GAMLSS object

Description

This function generate a function with argument the parameters of the GAMLSS model which can evaluate the log-likelihood function.

Usage

```
gen.likelihood(object)
```

Arguments

object A gamlss fitted model

Details

The purpose of this function is to help the function `vcov()` to get the right Hessian matrix after a model has fitted. Note that at the moment smoothing terms are considered as fixed.

Value

A function of the log-likelihood

Author(s)

Mikis Stasinopoulos, Bob Rigby and Vlasios Voudouris

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[vcov](#)

Examples

```
data(aids)
m1 <- gamlss(y~x+qrt, data=aids, family=NBI)
logL<-gen.likelihood(m1)
logL()
logLik(m1)
```

getPEF

Getting the partial effect function from a continuous term in a GAMLSS model

Description

This function can be used to calculate the partial effect and the elasticity of a continuous explanatory variable x.

By ‘partial effect’ function we mean how x is influence the parameter of interest given that the rest of explanatory terms for this parameter are on (specified) fixed values.

The function takes a GAMLSS object and for the range of the continuous variable x, (by fixing the rest of the explanatory terms at specified values), calculates the effect that x has on the specific distribution parameter (or its predictor). The resulting function shows the effect that x has on

the distribution parameter. The partial effect function which is calculated on a finite grid is then approximated using the `splinefun()` in R and its is saved.

The saved function can be used to calculate the elasticity of x . The elasticity is the first derivative of the partial effect function and shows the change of the parameter of interest for a small change in x , by fixing the rest of the explanatory variables at specified values.

Usage

```
getPEF(obj = NULL, term = NULL, data = NULL, n.points = 100,
       parameter = c("mu", "sigma", "nu", "tau"),
       type = c("response", "link"), how = c("median", "last"),
       fixed.at = list(), plot = FALSE)
```

Arguments

<code>obj</code>	A <code>gamlss</code> object
<code>term</code>	the continuous explanatory variable
<code>data</code>	the <code>data.frame</code> (not needed if is declared on <code>obj</code>)
<code>n.points</code>	the number of points in which the influence function for x need to be evaluated
<code>parameter</code>	which distribution parameter
<code>type</code>	whether against the parameter, "response", or the predictor "link"
<code>how</code>	whether for continuous variables should use the median or the last observation in the data
<code>fixed.at</code>	a list indicating at which values the rest of the explanatory terms should be fixed
<code>plot</code>	whether to the plot the influence function and its first derivatives

Value

A function is created which can be used to evaluate the partial effect function at different values of x .

Author(s)

Mikis Stasinopoulos, Vlasios Voudouris, Daniil Kiose

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. and Stasinopoulos, D. M (2013) Automatic smoothing parameter selection in GAMLSS with an application to centile estimation, *Statistical methods in medical research*.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M., Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
m1 <- gamlss(R~pb(Fl)+pb(A), data=rent, family=GA)
# getting the Partial Effect function
pef <- getPEF(obj=m1,term="A", plot=TRUE)
# the value at 1980
pef(1980)
# the first derivative at 1980
pef(1980, deriv=1)
# the second derivative at 1980
pef(1980, deriv=2)
# plotting the first derivative
curve(pef(x, deriv=1), 1900,2000)
```

getQuantile

Getting the partial quantile function for a term

Description

This function can be used to calculate the partial effect that an explanatory variable has on a specific quantile.

By ‘partial effect’ function we mean how the term influence the quantile given that the rest of explanatory terms are constant.

The function takes a GAMLSS object and for the range of a specified explanatory (by fixing the rest of the terms at specified values), calculates the effect that this term has on the a quantile of the distribution. That is, it shows the effect that the particular term has on the quantile. The ‘partial’ quantile is calculated on a finite grid of values and then the function is approximated (using the `splinefun()`) and saved.

The saved function can be used to calculate the first derivative. This first derivatives shows the chance of the quantile function for a small change in the explanatory variable, by fixing the rest of the explanatory variables at a constant values.

Usage

```
getQuantile(obj = NULL, term = NULL, quantile = 0.9, data = NULL,
  n.points = 100, how = c("median", "last"),
  fixed.at = list(), plot = FALSE)
```

Arguments

obj	A gamlss object
term	an explanatory variable (at the moment works with continuous)
quantile	the required quantile of the distribution
data	the data.frame (not needed if is declared on obj)
n.points	the number of points in which the quantile function needs evaluation
how	whether for extra continuous explanatory variables should fixed at the median or the last observation in the data
fixed.at	a list indicating at which values the rest of the explanatory terms should be fixed
plot	whether to the plot the partial quantile function and its first derivatives

Details

The function `getQuantile()` relies on the `predictAll()` function to evaluate the distribution parameters at a grid (default 100 points) of the specified term (given that the the rest of the terms are fixed). Then the inverse cdf is used to calculate the partial quantile. The function then is approximated using `splinefun()` and saved.

Value

A function is created which can be used to evaluate the partial effect of the explanatory variable on a specified quantile.

Author(s)

Mikis Stasinopoulos

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [getPEF](#)

Examples

```

library(gamlss)
data(rent)
m1 <- gamlss(R~pb(Fl)+pb(A)+B+loc, data=rent, family=GA)
FF<-getQuantile(m1, quantile=0.9, term="A", plot=TRUE)
FF(1960)
FF(1060, deriv=1)
FF(1060, deriv=2)
## Not run:
# plotting partial quantile
# .05, 0.25, 0.5, 0.75, 0.95
# at the default values
# Fl = median(Fl), B=0, and loc=2
plot(R~A, data=rent, col="lightgray", pch=20)
for (i in c(.05, 0.25, 0.5, 0.75, 0.95))
{
  Qua <- getQuantile(m1, quantile=i,term="A")
  curve(Qua, 1900, 1985, lwd=1, lty=1, add=T)
}
# plotting at values Fl=60, B=1, and loc=1.
for (i in c(.05, 0.25, 0.5, 0.75, 0.95))
{
  Qua <- getQuantile(m1, quantile=i,term="A",
    fixed.at=list(Fl=60, B=1, loc=1))
  curve(Qua, 1900, 1985, lwd=1, lty=2, col="red", add=T)
}
# plotting at Fl=60, B=1 and loc=1.
for (i in c(.05, 0.25, 0.5, 0.75, 0.95))
{
  Qua <- getQuantile(m1, quantile=i,term="A",
    fixed.at=list(Fl=120, B=0, loc=3))
  curve(Qua, 1900, 1985, lwd=1, lty=3, col="blue", add=T)
}

## End(Not run)

```

getSmo

*Extracting Smoother information from a GAMLSS fitted object***Description**

The function getSmo() extracts information from a fitted smoothing additive term.

Usage

```

getSmo(object, what = c("mu", "sigma", "nu", "tau"),
  parameter= NULL, which = 1)

```

Arguments

object	a GAMLSS fitted model
what	which distribution parameter is required, default what="mu"
parameter	equivalent to what
which	which smoothing term i.e. 1, 2 etc. Note that 0 means all.

Details

This function facilitates the extraction of information from a fitted additive terms. For example `getSmo(m1,"sigma",2)` is equivalent of `m1$sigma.coefSmo[[2]]`. To get the actual fitted values type `m1$sigma.s[[2]]`

Value

A list containing information about a fitted smoother or a fitted objects

Author(s)

Mikis Stasinopoulos and Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

Examples

```
data(usair)
t1<-gamlss(y~x1+pb(x5)+pb(x6), data=usair, family=GA)
# get the value for lambda for the second fitted term in mu
getSmo(t1, parameter="mu", 2)$lambda
```

glim.control

*Auxiliary for Controlling the inner algorithm in a GAMLSS Fitting***Description**

Auxiliary function used for the inner iteration of `gamlss` algorithm. Typically only used when calling `gamlss` function through the option `i.control`.

Usage

```
glim.control(cc = 0.001, cyc = 50, glm.trace = FALSE,
             bf.cyc = 30, bf.tol = 0.001, bf.trace = FALSE,
             ...)
```

Arguments

<code>cc</code>	the convergence criterion for the algorithm
<code>cyc</code>	the number of cycles of the algorithm
<code>glm.trace</code>	whether to print at each iteration (TRUE) or not (FALSE)
<code>bf.cyc</code>	the number of cycles of the backfitting algorithm
<code>bf.tol</code>	the convergence criterion (tolerance level) for the backfitting algorithm
<code>bf.trace</code>	whether to print at each iteration (TRUE) or not (FALSE, the default)
<code>...</code>	for extra arguments

Value

A list with the arguments as components

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also[gamlss](#)**Examples**

```
data(aids)
con<-glm.control(glm.trace=TRUE)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids, i.control=con) #
rm(h,con)
```

histDist	<i>This function plots the histogram and a fitted (GAMLSS family) distribution to a variable</i>
----------	--

Description

This function fits constants to the parameters of a GAMLSS family distribution and then plots the histogram and the fitted distribution.

Usage

```
histDist(y, family = NO, freq = NULL, density = FALSE,
         nbins = 10, xlim = NULL, ylim = NULL, main = NULL,
         xlab = NULL, ylab = NULL, data = NULL,
         col.hist = "gray", border.hist = "blue",
         fg.hist = rainbow(12)[9], line.wd = 2,
         line.ty = c(1, 2), line.col = c(2, 3),
         col.main = "blue4", col.lab = "blue4",
         col.axis = "blue", ...)
```

Arguments

y	a vector for the response variable
family	a <code>gamlss.family</code> distribution
freq	the frequencies of the data in y if exist. freq is used as weights in the <code>gamlss</code> fit
density	default value is FALSE. Change to TRUE if you would like a non-parametric density plot together with the parametric fitted distribution plot (for continuous variable only)
nbins	The suggested number of bins (argument passed to <code>truehist()</code> of package MASS). Either a positive integer, or a character string naming a rule: "Scott" or "Freedman-Diaconis" or "FD". (Case is ignored.)
xlim	the minimum and the maximum x-axis value (if the default values are out of range)

ylim	the minimum and the maximum y-axis value (if the default values are out of range)
main	the main title for the plot
xlab	the label in the x-axis
ylab	the label in the y-axis
data	the data.frame
col.hist	the colour of the histogram or barplot
border.hist	the colour of the border of the histogram or barplot
fg.hist	the colour of axis in the histogram or barplot
line.wd	the line width of the fitted distribution
line.ty	the line type of the fitted distribution
line.col	the line color of the fitted distribution
col.main	the colour for the main title
col.lab	the colour of the labels
col.axis	the color of the axis
...	for extra arguments to be passed to the gamlss function

Details

This function first fits constants for each parameters of a GAMLSS distribution family using the `gamlss` function and then plots the fitted distribution together with the appropriate plot according to whether the y variable is of a continuous or discrete type. Histogram is plotted for continuous and barplot for discrete variables. The function `truehist()` of Venables and Ripley's MASS package is used for the histogram plotting.

Value

returns a plot

Author(s)

Mikis Stasinopoulos

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [gamlss.family](#)

Examples

```
data(abdom)
histDist(y,family="NO", data=abdom)
# use the ylim
histDist(y,family="NO", ylim=c(0,0.005), data=abdom)
# bad fit use PE
histDist(y,family="PE",ymax=0.005, data=abdom, line.col="blue")
# discere data counts
# Hand at al. p150 Leptinotarsa decemlineata
y <- c(0,1,2,3,4,6,7,8,10,11)
freq <- c(33,12,5,6,5,2,2,2,1,2)
histDist(y, "NBI", freq=freq)
# the same as
histDist(rep(y,freq), "NBI")
```

histSmo

Density estimation using the Poisson trick

Description

This set of functions use the old Poisson trick of discretising the data and then fitting a Poisson error model to the resulting frequencies (Lindsey, 1997). Here the model fitted is a smooth cubic spline curve. The result is a density estimator for the data.

Usage

```
histSmo(y, lambda = NULL, df = NULL, order = 3, lower = NULL,
        upper = NULL, type = c("freq", "prob"),
        plot = FALSE, breaks = NULL,
        discrete = FALSE, ...)
histSmoC(y, df = 10, lower = NULL, upper = NULL, type = c("freq", "prob"),
        plot = FALSE, breaks = NULL,
        discrete = FALSE, ...)
histSmoO(y, lambda = 1, order = 3, lower = NULL, upper = NULL,
        type = c("freq", "prob"),
        plot = FALSE, breaks = NULL,
        discrete = FALSE, ...)
histSmoP(y, lambda = NULL, df = NULL, order = 3, lower = NULL,
        upper = NULL, type = c("freq", "prob"),
        plot = FALSE, breaks = NULL, discrete = FALSE,
        ...)
```

Arguments

<code>y</code>	the variable of interest
<code>lambda</code>	the smoothing parameter
<code>df</code>	the degrees of freedom
<code>order</code>	the order of the P-spline
<code>lower</code>	the lower limit of the y-variable
<code>upper</code>	the upper limit of the y-variable
<code>type</code>	the type of histogram
<code>plot</code>	whether to plot the resulting density estimator
<code>breaks</code>	the number of break points to be used in the histogram and consequently the number of observations in the Poisson fit
<code>discrete</code>	whether to treat the fitting density as a discrete distribution or not
<code>...</code>	further arguments passed to or from other methods.

Details

Here are the methods used here:

- i) The function `histSmo0()` uses Penalised discrete splines (Eilers, 2003). This function is appropriate when the smoothing parameter is fixed.
- ii) The function `histSmoC()` uses smooth cubic splines and fits a Poisson error model to the frequencies using the `cs()` additive function of GAMLSS. This function is appropriate if the effective degrees of freedom are fixed in the model.
- iii) The function `histSmoP()` uses Penalised cubic splines (Eilers and Marx 1996). It is fitting a Poisson model to the frequencies using the `pb()` additive function of GAMLSS. This function is appropriate if automatic selection of the smoothing parameter is required.
- iv) The function `histSmo()` combines all the above functions in the sense that if `lambda` is fixed it uses `histSmo0()`, if the degrees of freedom are fixed it uses `histSmoC()` and if none of these is specified it uses `histSmoP()`.

Value

Returns a `histSmo` S3 object. The object has the following components:

<code>x</code>	the middle points of the discretise data
<code>counts</code>	how many observation are on the discretise intervals
<code>density</code>	the density value for each discrete interval
<code>hist</code>	the hist object used to discretise the data
<code>cdf</code>	The resulting cumulative distribution function useful for calculating probabilities from the estimate density
<code>nvcd</code>	The inverse cumulative distribution function
<code>model</code>	The fitted Poisson model only for <code>histSmoP()</code> and <code>histSmoC()</code>

Author(s)

Mikis Stasinopoulos, Paul Eilers, Bob Rigby and Vlasios Voudouris

References

- Eilers, P. (2003). A perfect smoother. *Analytical Chemistry*, 75: 3631-3636.
- Eilers, P. H. C. and Marx, B. D. (1996). Flexible smoothing with B-splines and penalties (with comments and rejoinder). *Statist. Sci*, **11**, 89-121.
- Lindsey, J.K. (1997) *Applying Generalized Linear Models*. New York: Springer-Verlag. ISBN 0-387-98218-3
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[pb](#), [cs](#)

Examples

```
# creating data from Pareto 2 distribution
set.seed(153)
Y <- rPARETO2(1000)
## Not run:
# getting the density
histSmo(Y, lower=0, plot=TRUE)
# more breaks a bit slower
histSmo(Y, breaks=200, lower=0, plot=TRUE)
# quick fit using lambda
histSmo0(Y, lambda=1, breaks=200, lower=0, plot=TRUE)
# or
histSmo(Y, lambda=1, breaks=200, lower=0, plot=TRUE)
# quick fit using df
histSmoC(Y, df=15, breaks=200, lower=0, plot=TRUE)
# or
histSmo(Y, df=15, breaks=200, lower=0)
# saving results
m1<- histSmo(Y, lower=0, plot=T)
plot(m1)
plot(m1, "cdf")
```

```

plot(m1, "invcdf")
# using with a histogram
library(MASS)
truehist(Y)
lines(m1, col="red")
#-----
# now generate from SHASH distribution
YY <- rSHASH(1000)
m1<- histSmo(YY)
# calculate Pr(YY>10)
1-m1$cdf(10)
# calculate Pr(-10<YY<10)
1-(1-m1$cdf(10))-m1$cdf(-10)
#-----
# from discrete distribution
YYY <- rNBI(1000, mu=5, sigma=4)
histSmo(YYY, discrete=TRUE, plot=T)
#
YYY <- rPO(1000, mu=5)
histSmo(YYY, discrete=TRUE, plot=T)
#
YYY <- rNBI(1000, mu=5, sigma=.1)
histSmo(YYY, discrete=TRUE, plot=T)
# generating from beta distribution
YYY <- rBE(1000, mu=.1, sigma=.3)
histSmo(YYY, lower=0, upper=1, plot=T)
# from truncated data
Y <- with(stylo, rep(word,freq))
histSmo(Y, lower=1, discrete=TRUE, plot=T)
histSmo(Y, lower=1, discrete=TRUE, plot=T, type="prob")
## End(Not run)

```

IC

Gives the GAIC for a GAMLSS Object

Description

The function `GAIC()` calculates the Generalised Akaike information criterion (GAIC) for a given penalty k for a fitted GAMLSS object.

The function `AIC.gamlss()` is the method associated with a GAMLSS object of the generic function `AIC()`. Note that `GAIC()` is a synonymous of the function `AIC.gamlss`.

The function `IC()` is an old version of `GAIC()`.

The function `GAIC.table()` produces a table with different models as rows and different penalties, k , as columns.

The function `GAIC.scaled()` produces, [for a given set of different fitted models or for a table produced by `chooseDist()`], the scaled Akaike values (see Burnham and Anderson (2002) section 2.9 for a similar concept the GAIC weights. The scaled Akaike should not be interpreted as posterior

probabilities of models given the data but for model selection purpose they produce a scaled ranking of the model using their relative importance i.e. from the worst to the best model.

The function `extractAIC` is a the method associated a GAMLSS object of the generic function `extractAIC` and it is mainly used in the `stepAIC` function.

The function `Rsq` compute a generalisation of the R-squared for not normal models.

Usage

```
IC(object, k = 2)
## S3 method for class 'gamlss'
AIC(object, ..., k = 2, c = FALSE)
GAIC(object, ..., k = 2, c = FALSE )
GAIC.table(object, ..., k = c(2, 3.84, round(log(length(object$y)), 2)),
            text.to.show=NULL)
GAIC.scaled(object,..., k = 2, c = FALSE, plot = TRUE,
             text.cex = 0.7, which = 1, diff.dev = 1000,
             text.to.show = NULL, col = NULL, horiz = FALSE)
## S3 method for class 'gamlss'
extractAIC(fit, scale, k = 2, c = FALSE, ...)
```

Arguments

<code>object</code>	an <code>gamlss</code> fitted model(s) [or for <code>GAIC.scaled()</code> a table produced by <code>chooseDist()</code>].
<code>fit</code>	an <code>gamlss</code> fitted model
<code>...</code>	allows several GAMLSS object to be compared using a GAIC
<code>k</code>	the penalty with default <code>k=2.5</code>
<code>c</code>	whether the corrected AIC, i.e. AICc, should be used, note that it applies only when <code>k=2</code>
<code>scale</code>	this argument is not used in <code>gamlss</code>
<code>plot</code>	whether to plot the ranking in <code>GAIC.scaled()</code> .
<code>text.cex</code>	the size of the models/families in the text of the plot of <code>GAIC.scaled()</code> .
<code>diff.dev</code>	this argument prevents models with a difference in deviance greater than <code>diff.dev</code> from the 'best' model to be considered (or plotted).
<code>which</code>	which column of GAIC scaled to plot in <code>GAIC.scaled()</code> .
<code>text.to.show</code>	if <code>NULL</code> , <code>GAIC.scaled()</code> shows the model names otherwise the character in this list
<code>col</code>	The colour of the bars in <code>GAIC.scaled()</code>
<code>horiz</code>	whether to plot the bars vertically (default) or horizontally

Value

The function `IC()` returns the GAIC for given penalty `k` of the GAMLSS object. The function `AIC()` returns a matrix contains the df's and the GAIC's for given penalty `k`. The function `GAIC()` returns identical results to `AIC`. The function `GAIC.table()` returns a table which its rows showing different models and its columns different `k`'s. The function `extractAIC()` returns vector of length two with the degrees of freedom and the AIC criterion.

Author(s)

Mikis Stasinopoulos

References

Burnham K. P. and Anderson D. R (2002). *Model Selection and Multi model Inference A Practical Information-Theoretic Approach*, Second Edition, Springer-Verlag New York, Inc.

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
data(abdom)
m1 <- gamlss(y~x, family=NO, data=abdom)
IC(m1)
extractAIC(m1,k=2)
m2 <- gamlss(y~x, sigma.fo=~x, family=NO, data=abdom)
m3 <- gamlss(y~pb(x), sigma.fo=~x, family=NO, data=abdom)
m4 <- gamlss(y~pb(x), sigma.fo=~pb(x), family=NO, data=abdom)
AIC(m1,m2, m3, m4)
AIC(m1,m2, m3, m4, c=TRUE)
AIC(m1,m2, m3, m4, k=3)
GAIC.table(m1,m2, m3, m4)
GAIC.scaled(m1,m2, m3, m4)
## Not run:
MT <- chooseDist(m3)
GAIC.scaled(MT)
GAIC.scaled(MT, which=2)
## End(Not run)
```

lms

*A function to fit LMS curves for centile estimation***Description**

This function is design to help the user to easily construct growth curve centile estimation. It is applicable when only "one" explanatory variable is available (usually age).

Usage

```
lms(y, x, families = LMS, data = NULL, k = 2,
    cent = c(0.4, 2, 10, 25, 50, 75, 90, 98, 99.6),
    calibration = TRUE, trans.x = FALSE,
    fix.power = NULL, lim.trans = c(0, 1.5),
    prof = FALSE, step = 0.1, legend = FALSE,
    mu.df = NULL, sigma.df = NULL, nu.df = NULL,
    tau.df = NULL, c.crit = 0.01,
    method.pb = c("ML", "GAIC"), ...)
```

Arguments

y	The response variable
x	The unique explanatory variable
families	a list of gamlss.families with default LMS=c("BCCGo", "BCPEo", "BCTo")
data	the data frame
k	the penalty to be used in the GAIC
cent	a vector with elements the % centile values for which the centile curves have to be evaluated
calibration	whether calibration is required with default TRUE
trans.x	whether to check for transformation in x with default FALSE
fix.power	if set it fix the power of the transformation for x
lim.trans	the limits for the search of the power parameter for x
prof	whether to use the profile GAIC of the power transformation
step	if prof=TRUE is used this determine the step for the profile GAIC
legend	whether a legend is required in the plot with default FALSE
mu.df	mu effective degrees of freedom if required otherwise are estimated
sigma.df	sigma effective degrees of freedom if required otherwise are estimated
nu.df	nu effective degrees of freedom if required otherwise are estimated
tau.df	tau effective degrees of freedom if required otherwise are estimated
c.crit	the convergence criterion to be pass to gamlss()
method.pb	the method used in the pb() for estimating the smoothing parameters. The default is local maximum likelihood "ML". "GAIC" is also permitted where k is taken from the k argument of the function.
...	extra argument which can be passed to gamlss()

Details

This function should be used if the construction of the centile curves involves only one explanatory variable.

The model assumes that the response variable has a flexible distribution i.e. $y \sim D(\mu, \sigma, \nu, \tau)$ where the parameters of the distribution are smooth functions of the explanatory variable i.e. $g(\mu) = s(x)$, where $g(\cdot)$ is a link function and $s(\cdot)$ is a smooth function. Occasionally a power transformation in the x-axis helps the construction of the centile curves. That is, in this case the parameters are modelled by x^p rather than just x, i.e. $g(\mu) = s(x^p)$. The function `lms()` uses P-splines (`pb()`) as a smoother.

If a transformation is needed for x the function `lms()` starts by finding an optimum value for p using the simple model $NO(\mu = s(x^p))$. (Note that this value of p is not the optimum for the final chosen model but it works well in practice.)

After fitting a Normal error model for starting values the function proceeds by fitting several "appropriate" distributions for the response variable. The set of `gamlss.family` distributions to fit is specified by the argument `families`. The default `families` argument is `LMS=c("BCCGo", "BCPEo", "BCTo")` that is the LMS class of distributions, Cole and Green (1992). Note that this class is only appropriate when y is positive (with no zeros). If the response variable contains negative values and zeros then use the argument `families=theSHASH` where `theSHASH <- c("NO", "SHASHo")` or add any other list of distributions which you may think is appropriate. Justification of using the specific centile (0.38 2.27 9.12 11.22 25.25, 50, 74.75, 90.88, 97.72, 99.62) is given in Cole (1994).

Value

It returns a `gamlss` fitted object

Note

The function is fitting several models and for large data can be slow

Author(s)

Mikis Stasinopoulos, Bob Rigby and Vlasios Voudouris

References

- Cole, T. J. (1994) Do growth chart centiles need a face lift? *BMJ*, 308–641.
- Cole, T. J. and Green, P. J. (1992) Smoothing reference centile curves: the LMS method and penalized likelihood, *Statist. Med.* **11**, 1305–1319
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [centiles](#), [calibration](#)

Examples

```
## Not run:
data(abdom)
m1 <- lms(y,x , data=abdom, n.cyc=30)
m2 <- lms(y,x ,data=abdom, method.pb="GAIC", k=log(610))
# this example takes time
data(db)
m1 <- lms(y=head, x=age, data=db, trans.x=TRUE)

## End(Not run)
```

lo

Specify a loess fit in a GAMLSS formula

Description

Allows the user to specify a loess fit within a GAMLSS model. This function is similar to the `lo` function in the `gam` implementation of package `gam` see Chambers and Hastie (1991).

The function `vis.lo()` allows plotting the results.

Usage

```
lo(formula, control = lo.control(...), ...)
lo.control(span = 0.75, enp.target = NULL,
           degree = 2, parametric = FALSE, drop.square = FALSE,
           normalize = TRUE, family = c("gaussian", "symmetric"),
           method = c("loess", "model.frame"),
           surface = c("interpolate", "direct"),
           statistics = c("approximate", "exact", "none"),
           trace.hat = c("exact", "approximate"),
           cell = 0.2, iterations = 4, iterTrace = FALSE, ...)
vis.lo(obj, se=-1, rug = FALSE, partial.resid = FALSE,
       col.term = "darkred", col.shaded = "gray",
       col.res = "lightblue", col.rug = "gray", lwd.term = 1.5,
       cex.res = 1, pch.res = par("pch"),
       type = c("persp", "contour"), col.surface = "gray",
       nlevels = 30, n.grid = 30, image = TRUE, ...)
```

Arguments

<code>formula</code>	a formula specifying the explanatory variables
<code>control</code>	a control to be passed to the loess function
<code>...</code>	extra arguments
<code>span</code>	the number of observations in a neighbourhood. This is the smoothing parameter for a loess fit.
<code>enp.target</code>	an alternative way to specify span, as the approximate equivalent number degrees of freedom to be used. See also the help file of the R function <code>loess</code> . For consistency with the older version of lo the effective degrees of freedom <code>df</code> can be also specified instead of span, e.g. <code>df=5</code>
<code>degree</code>	the degree of local polynomial; can be 1 or 2. See also the help file of <code>loess</code>
<code>parametric</code>	should any terms be fitted globally rather than locally? See the help file of <code>loess</code>
<code>drop.square</code>	for fits with more than one predictor and <code>degree=2</code> , should the quadratic term be dropped for particular predictors?. See also help file of <code>loess</code>
<code>normalize</code>	should the predictors be normalized to a common scale if there is more than one? See the help file of <code>loess</code>
<code>family</code>	if "gaussian" fitting is by least-squares, and if "symmetric" a re-descending M estimator is used with Tukey's biweight function. See the help file of <code>loess</code>
<code>method</code>	fit the model or just extract the model frame. See the help file of <code>loess</code>
<code>surface</code>	should the fitted surface be computed exactly or via interpolation from a kd tree? See also the help file of <code>loess.control</code>
<code>statistics</code>	should the statistics be computed exactly or approximately? See the help file of <code>loess.control</code>
<code>trace.hat</code>	should the trace of the smoother matrix be computed exactly or approximately? See the help file of <code>loess.control</code>
<code>cell</code>	if interpolation is used this controls the accuracy of the approximation via the maximum number of points in a cell in the kd tree. See the help file of <code>loess.control</code>
<code>iterations</code>	the number of iterations used in robust fitting. See the help file of <code>loess.control</code>
<code>iterTrace</code>	logical (or integer) determining if tracing information during the robust iterations (<code>iterations >= 2</code>) is produced. See the help file of <code>loess.control</code>
<code>obj</code>	an <code>lowss</code> object fitted within <code>gamlss</code>
<code>se</code>	if <code>se > 0</code> then standard errors surfaces are drawn in the 3-dimensional plot. Set <code>se</code> at the required level i.e <code>se=1.96</code> will be an approximated 95% CI.
<code>rug</code>	whether to plot a rug in the plot
<code>partial.resid</code>	whether to plot the partial residuals
<code>col.term</code>	the colour of the line of fitted term
<code>cex.res</code>	the shading of standard
<code>col.shaded</code>	the shading of standard error intervals
<code>col.res</code>	the colour of partial residuals
<code>col.rug</code>	the colour of the rug

<code>lwd.term</code>	the width of the line
<code>pch.res</code>	The character for the partial residuals
<code>type</code>	The type of the plot if the x's are two dimensional
<code>col.surface</code>	the colour of the fitted surface
<code>nlevels</code>	the number of levels used in <code>cotour()</code> plot.
<code>n.grid</code>	The number of points to evaluate the surface
<code>image</code>	whether to use <code>image()</code> or just <code>contour</code>

Details

Note that `lo` itself does no smoothing; it simply sets things up for the function `gamlss.lo()` which is used by the backfitting function `gamlss.add()`.

Value

a loess object is returned.

Warning

In this version the first argument is a formula NOT a list as in the previous one

Note

Note that `lo` itself does no smoothing; it simply sets things up for `gamlss.lo()` to do the backfitting.

Author(s)

Mikis Stasinopoulos, Bob Rigby, (The original `lo()` function was based on the Trevor Hastie's S-plus `lo()` function. See also the documentation of the `loess` function for the authorship of the function.

References

- Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[cs](#), [random](#),

Examples

```
# fitting a loess curve with span=0.4 plus the a quarterly effect
aids1<-gamlss(y~lo(~x,span=0.4)+qrt,data=aids,family=P0) #
term.plot(aids1, page=1)
## Not run:
r1 <- gamlss(R~lo(~Fl)+lo(~A), data=rent, family=GA)
term.plot(r1, pages=1)
vis.lo(getSmo(r1, which=1), partial=T)
r2 <- gamlss(R~lo(~Fl+A), data=rent, family=GA)
term.plot(r2, pages=1)
vis.lo(getSmo(r2, which=1))
vis.lo(getSmo(r2, which=1), se=1.97)
vis.lo(getSmo(r2, which=1), partial.res=T)

## End(Not run)
```

loglogSurv

Survival function plots for checking the tail behaviour of the data

Description

The log-log Survival functions are design for checking the tails of a single response variable (no explanatory should be involved). There are three different function:

- a) the function `loglogSurv1()` which plot the right tails of the empirical log-log Survival function against $\log\log(y)$, where y is the variable of interest. The coefficient of a linear fit to the plot can be used as an estimated for Type I tails (see Chapter 17 in Rigby *et al.* (2019) for definition of the different types of tails.)
- b) the function `loglogSurv2()` which plot the right tails of the empirical log-log Survival function against $\log(y)$. The coefficient of a linear fit to the plot can be used as an estimated for Type II tails.
- c) the function `loglogSurv3()` which plot the (left or right) tails of the empirical log-log Survival function against y . The coefficient of a linear fit to the plot can be used as an estimated for Type III tails.

The function `loglogSurv()` combines all the above functions.

The function `logSurv()` is design for exploring the heavy tails of a single response variable. It plots the empirical log-survival function of the right tail of the distribution or the empirical log-cdf function of the left tail against $\log(y)$ for a specified probability of the tail. Then fits a linear, a quadratic and an exponential curve to the points of the plot. For distributions defined on the positive real line a good linear fit would indicate a Pareto type tail, a good quadratic fit a log-normal type tail and good exponential fit a Weibull type tail. Note that this function is only appropriate to investigate rather heavy tails and it is not very good to discriminate between different type of tails, as the `loglogSurv()`. The function `logSurv0()` plots but do not fit the curves.

The function `loglogplot()` plot the empirical log-survival function of all data against $\log(y)$. The function `ECDF()` calculates the empirical commutative distribution function. It is similar to `ecdf()` but divides by $n+1$ rather n , the number of conservations.

Usage

```
loglogSurv(y, prob = 0.9, print = TRUE, title = NULL, lcol = gray(0.1),
           ltype = 1, plot = TRUE, ...)

loglogSurv1(y, prob = 0.9, print = TRUE, title = NULL, lcol = gray(0.1),
            ltype = 1, ...)

loglogSurv2(y, prob = 0.9, print = TRUE, title = NULL, lcol = gray(0.1),
            ltype = 1, ...)

loglogSurv3(y, prob = 0.9, print = TRUE, title = NULL, lcol = gray(0.1),
            ltype = 1, ...)

logSurv(y, prob = 0.9, tail = c("right", "left"), plot = TRUE,
        lines = TRUE, print = TRUE, title = NULL, lcol = c(gray(0.1),
        gray(0.2), gray(0.3)), ltype = c(1, 2, 3), ...)

logSurv0(y, prob = 0.9, tail = c("right", "left"), plot = TRUE,
         title = NULL, ...)

ECDF(y, weights=NULL)

loglogplot(y, nplus1 = TRUE, ...)
```

Arguments

<code>y</code>	a vector, the variable of interest
<code>prob</code>	what probability. The default is 0.90 which means 10% for "right" tail 90% for "left" tail
<code>tail</code>	which tail needs checking the right (default) of the left
<code>plot</code>	whether to plot with default equal TRUE
<code>print</code>	whether to print the coefficients with default equal TRUE
<code>title</code>	if a different title rather the default is needed
<code>lcol</code>	The line colour in the plot
<code>lines</code>	whether to plot the fitted lines
<code>ltype</code>	The line type in the plot
<code>nplus1</code>	whether to divide by $n+1$ or n when calculating the <code>ecdf</code>
<code>weights</code>	prior weights for <code>ECDF()</code>
<code>...</code>	for extra argument in the plot command

Details

The functions `loglogSurv1()`, `loglogSurv3()` and `loglogSurv3()` take the upper part of an ordered variable, create its empirical survival function, and plot the log-log of this functions against $\log(\log(y))$, $\log(y)$ and y , respectively. Then they fit a line to the plot. The coefficients of the line can be interpreted as parameters determined the behaviour of the tail. The function `loglogSurv()` fits all three models and displays the best.

The function `logSurv()` takes the upper (or lower) part of an ordered variable and plots the log empirical survival function against $\log(y)$. Also display three curves i) linear ii) quadratic and iii) exponential to determine what kind of tail relationship exist. Plotting the log empirical survival function against $\log(y)$ often call in the literature the "log-log plot".

The function `loglogplot()` plots the whole log empirical survival function against $\log(y)$ (not just the tail). The function `ECDF()` calculate the step function of the empirical cumulative distribution function.

More details can be found in Chapter 17 of "Rigby *et al.* (2019) book an old version on which can be found in <https://www.gamlss.com/>)

Value

The functions create plots.

Author(s)

Bob Rigby, Mikis Stasinopoulos and Vlassios Voudouris

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby R.A., Stasinopoulos D. M., Heller G., and De Bastiani F., (2019) *Distributions for Modelling Location, Scale and Shape: Using GAMLSS in R*, Chapman and Hall/CRC. (In press)

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

Examples

```
data(film90)
y <- film90$lborev1
op<-par(mfrow=c(3,1))
loglogSurv1(y)
loglogSurv2(y)
```

```

loglogSurv3(y)
par(op)
loglogSurv(y)

logSurv(y)

loglogplot(y)

plot(ECDF(y), main="ECDF")

```

lpred	<i>Extract Linear Predictor Values and Standard Errors For A GAMLSS Model</i>
-------	---

Description

The function `lpred()` is the GAMLSS specific method which extracts the linear predictor and its (approximate) standard errors for a specified model parameter from a GAMLSS objects. The `lpred()` can be used to extract the predictor fitted values (and its approximate standard errors) or the contribution of specific terms in the model (with their approximate standard errors) in the same way that the `predict.lm()` and `predict.glm()` functions can be used for `lm` or `glm` objects. Note that `lpred()` extract information for the predictors of `mu`, `sigma`, `nu` and `tau` at the training data values. If predictions are required for new data then use the functions `predict.gamlss()` or `predictAll()`.

The function `lp` extract only the linear predictor at the training data values.

Usage

```

lpred(obj, what = c("mu", "sigma", "nu", "tau"), parameter= NULL,
      type = c("link", "response", "terms"),
      terms = NULL, se.fit = FALSE, ...)
lp(obj, what = c("mu", "sigma", "nu", "tau"), parameter= NULL, ... )

```

Arguments

<code>obj</code>	a GAMLSS fitted model
<code>what</code>	which distribution parameter is required, default <code>what="mu"</code>
<code>parameter</code>	equivalent to <code>what</code>
<code>type</code>	<code>type="link"</code> (the default) gets the linear predictor for the specified distribution parameter. <code>type="response"</code> gets the fitted values for the parameter while <code>type="terms"</code> gets the fitted terms contribution
<code>terms</code>	if <code>type="terms"</code> , which terms to be selected (default is all terms)
<code>se.fit</code>	if <code>TRUE</code> the approximate standard errors of the appropriate type are extracted
<code>...</code>	for extra arguments

Value

If `se.fit=FALSE` a vector (or a matrix) of the appropriate type is extracted from the GAMLSS object for the given parameter in `what`. If `se.fit=TRUE` a list containing the appropriate type, `fit`, and its (approximate) standard errors, `se.fit`.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[predict.gamlss](#)

Examples

```
data(aids)
mod<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
mod.t <- lpred(mod, type = "terms", terms= "qrt")
mod.t
mod.lp <- lp(mod)
mod.lp
rm(mod, mod.t,mod.lp)
```

LR.test

Likelihood Ratio test for nested GAMLSS models

Description

The function performs a likelihood ration test for two nested fitted model.

Usage

```
LR.test(null, alternative, print = TRUE)
```

Arguments

null	The null hypothesis (simpler) fitted model
alternative	The alternative hypothesis (more complex) fitted model
print	whether to print or save the result

Details

Warning: no checking whether the models are nested is performed.

Value

If `print=FALSE` a list with `chi`, `df` and `p.val` is produced.

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [dropterm](#)

Examples

```
data(usair)
m0<-gamlss(y~x1+x2, data=usair)
m1<-gamlss(y~x1+x2+x3+x4, data=usair)
LR.test(m0,m1)
```

model.frame.gamlss	<i>Extract a model.frame, a model matrix or terms from a GAMLSS object for a given distributional parameter</i>
--------------------	---

Description

model.frame.gamlss, model.matrix.gamlss and terms.gamlss are the gamlss versions of the generic functions model.frame, model.matrix and terms respectively.

Usage

```
## S3 method for class 'gamlss'
model.frame(formula, what = c("mu", "sigma", "nu", "tau"),
             parameter= NULL, ...)
## S3 method for class 'gamlss'
terms(x, what = c("mu", "sigma", "nu", "tau"),
      parameter= NULL, ...)
## S3 method for class 'gamlss'
model.matrix(object, what = c("mu", "sigma", "nu", "tau"),
             parameter= NULL, ...)
```

Arguments

formula	a gamlss object
x	a gamlss object
object	a gamlss object
what	for which parameter to extract the model.frame, terms or model.frame
parameter	equivalent to what
...	for extra arguments

Value

a model.frame, a model.matrix or terms

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M., Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
data(aids)
mod<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
model.frame(mod)
model.matrix(mod)
terms(mod, "mu")
rm(mod)
```

numeric.deriv

An internal GAMLSS function for numerical derivatives

Description

A function to calculate numerical derivatives.

Usage

```
numeric.deriv(expr, theta, delta = NULL,
              rho = sys.frame(sys.parent()))
```

Arguments

expr	The expression to be differentiated
theta	A character vector
delta	constant for the accuracy
rho	environment

Details

This function is use by several GAMLSS functions but it is not for general use since there are more reliable function to do that in R.

Value

A vector of numerical derivatives

Note

Do not use this function unless you know what you are doing

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

par.plot

A function to plot parallel plot for repeated measurement data

Description

This function can be used to plot parallel plots for each individual in a repeated measurement study. It is based on the `coplot()` function of R.

Usage

```
par.plot(formula = NULL, data = NULL, subjects = NULL,
         color = TRUE, show.given = TRUE, ...)
```

Arguments

formula	a formula describing the form of conditioning plot. A formula of the form $y \sim x \mid a$ indicates that plots of y versus x should be produced conditional on the variable a . A formula of the form $y \sim x \mid a * b$ indicates that plots of y versus x should be produced conditional on the two variables a and b .
data	a data frame containing values for any variables in the formula. This argument is compulsory.
subjects	a factor which distinguish between the individual participants
color	whether the parallel plot are shown in colour, <code>color=TRUE</code> (the default) or not <code>color=FALSE</code>

show.given	logical (possibly of length 2 for 2 conditioning variables): should conditioning plots be shown for the corresponding conditioning variables (default 'TRUE')
...	for extra arguments

Value

It returns a plot.

Note

Note that similar plot can be found in the library nlme by Pinheiro and Bates

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *App. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
library(nlme)
data(Orthodont)
par.plot(distance~age,data=Orthodont,subject=Subject)
par.plot(distance~age|Sex,data=Orthodont,subject=Subject)
par.plot(distance~age|Subject,data=Orthodont,subject=Subject,show.given=FALSE)
```

pcat *Reduction for the Levels of a Factor.*

Description

The function is trying to merged similar levels of a given factor. Its based on ideas given by Tutz (2013).

Usage

```
pcat(fac, df = NULL, lambda = NULL, method = c("ML", "GAIC"), start = 0.001,
     Lp = 0, kappa = 1e-05, iter = 100, c.crit = 1e-04, k = 2)

gamlss.pcat(x, y, w, xeval = NULL, ...)

plotDF(y, factor = NULL, formula = NULL, data, along = seq(0, nlevels(factor)),
       kappa = 1e-06, Lp = 0, ...)

plotLambda(y, factor = NULL, formula = NULL, data, along = seq(-2, 2, 0.1),
          kappa = 1e-06, Lp = 0, ...)
```

Arguments

fac, factor	a factor to reduce its levels
df	the effective degrees of freedom df
lambda	the smoothing parameter
method	which method is used for the estimation of the smoothing parameter, "ML" or "GAIC" are allowed.
start	starting value for lambda if it estimated using "ML" or "GAIC"
Lp	The type of penalty required, Lp=0 is the default. Use Lp=1 for lasso type and different values for different required penalty.
kappa	a regulation parameters used for the weights in the penalties.
iter	the number of internal iteration allowed
c.crit	the convergent criterion
k	the penalty if "GAIC" method is used.
x	explanatory factor
y	the response or iterative response variable
w	iterative weights
xeval	indicator whether to predict
formula	A formula
data	A data frame
along	a sequence of values
...	for extra variables

Details

The `pcat()` is used for the fitting of the factor. The function shrinks the levels of the categorical factor (not towards the overall mean as the function `random()` is doing) but towards each other. This results to a reduction of the number of levels of the factors. Different norms can be used for the shrinkage by specifying the argument `Lp`.

Value

The function `pcat` reruns a vector endowed with a number of attributes. The vector itself is used in the construction of the model matrix, while the attributes are needed for the backfitting algorithms `additive.fit()`. The backfitting is done in `gamlss.pcat`.

Note

Note that `pcat` itself does no smoothing; it simply sets things up for `gamlss.pcat()` to do the smoothing within the backfitting.

Author(s)

Mikis Stasinopoulos, Paul Eilers and Marco Enea

References

Tutz G. (2013) Regularization and Sparsity in Discrete Structures in the *Proceedings of the 29th International Workshop on Statistical Modelling*, Volume 1, p 29-42, Gottingen, Germany

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[random](#)

Examples

```
# Simulate data 1
n <- 10 # number of levels
m <- 200 # number of observations
set.seed(2016)
level <- as.factor(floor(runif(m) * n) + 1)
a0 <- rnorm(n)
sigma <- 0.4
mu <- a0[level]
```

```

    y <- mu + sigma * rnorm(m)
plot(y~level)
points(1:10,a0, col="red")
da1 <- data.frame(y, level)
#-----
mn <- gamlss(y~1,data=da1 ) # null model
ms <- gamlss(y~level-1, data=da1) # saturated model
m1 <- gamlss(y~pcat(level), data=da1) # calculating lambda ML
AIC(mn, ms, m1)
## Not run:
m11 <- gamlss(y~pcat(level, method="GAIC", k=log(200)), data=da1) # GAIC
AIC(mn, ms, m1, m11)
#getting the fitted object -----
getSmo(m1)
coef(getSmo(m1))
fitted(getSmo(m1))[1:10]
plot(getSmo(m1)) #
# After the fit a new factor is created this factor has the reduced levels
levels(getSmo(m1)$factor)
# -----

## End(Not run)

```

pdf.plot

*Plots Probability Distribution Functions for GAMLSS Family***Description**

A function to plot probability distribution functions (pdf) belonging to the gamlss family of distributions. This function allows either plotting of the fitted distributions for up to eight observations or plotting specified distributions belonging in the gamlss family

Usage

```
pdf.plot(obj = NULL, obs = c(1), family = NO(), mu = NULL,
        sigma = NULL, nu = NULL, tau = NULL, from = 0,
        to = 10, min = NULL, max = NULL, no.points = 201,
        no.title = FALSE, col = gray(0.4), y.axis.lim = 1.1,
        frame.plot = TRUE, ...)
```

Arguments

obj	An gamlss object e.g. obj=model1 where model1 is a fitted gamlss object
obs	A number or vector of up to length eight indicating the case numbers of the observations for which fitted distributions are to be displayed, e.g. obs=c(23,58) will display the fitted distribution for the 23th and 58th observations
family	This must be a gamlss family i.e. family=NO

<code>mu</code>	The value(s) of the location parameter <code>mu</code> for which the distribution has to be evaluated e.g <code>mu=c(3,7)</code>
<code>sigma</code>	The value(s) the scale parameter <code>sigma</code> for which the distribution has to be evaluated e.g <code>sigma=c(3,7)</code>
<code>nu</code>	The value(s) the parameter <code>nu</code> for which the distribution has to be evaluated e.g. <code>nu=3</code>
<code>tau</code>	The value(s) the parameter <code>tau</code> for which the distribution has be evaluated e.g. <code>tau=5</code>
<code>from</code>	Minimum value of the random variable <code>y</code> (identical to <code>min</code>)
<code>to</code>	Maximum value of the random variable <code>y</code> (identical to <code>max</code>)
<code>min</code>	Minimum value of the random variable <code>y</code> e.g. <code>min=0</code>
<code>max</code>	Maximum value of <code>y</code> e.g. <code>max=10</code>
<code>no.points</code>	the number fo point in which the function will be evaluated
<code>no.title</code>	Whether you need title in the plot, default is <code>no.title=FALSE</code>
<code>col</code>	the colot of the lines
<code>y.axis.lim</code>	the limits for the y-axis
<code>frame.plot</code>	whether to frame the individual plots
<code>...</code>	for extra arguments, Note that a useful argument can be <code>col.axis</code> , <code>col.lab</code> , <code>cex.axis</code> , <code>cex.lab</code> etc.

Details

This function can be used to plot distributions of the GAMLSS family. If the first argument `obj` is specified and it is a GAMLSS fitted object, then the fitted distribution of this model at specified observation values (given by the second argument `obs`) is plotted for a specified y-variable range (arguments `min`, `max`, and `step`).

If the first argument is not given then the family argument has to be specified and the pdf is plotted at specified values of the parameters `mu`, `sigma`, `nu`, `tau`. Again the range of the y-variable has to be given.

Value

plot(s) of the required pdf(s) are returned

Warning

The range of some distributions depends on the fitted parameters

Note

The range of the y values given by `min`, `max` and `step` are very important in the plot

Author(s)

Mikis Stasinopoulos and Calliope Akantziliotou

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
pdf.plot(family=BCT, min=1, max=20, mu=10, sigma=0.15, nu=-1, tau=c(4,10,20,40) )
## Not run:
# now using an gamlss object
data(abdom)
h<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom) # fits
pdf.plot(obj=h , obs=c(23,67), min=50, max=150)

## End(Not run)
```

plot.gamlss

Plot Residual Diagnostics for an GAMLSS Object

Description

This function provides four plots for checking the normalized (randomized for a discrete response distribution) quantile residuals of a fitted GAMLSS object, referred to as residuals below : a plot of residuals against fitted values, a plot of the residuals against an index or a specific explanatory variable, a density plot of the residuals and a normal Q-Q plot of the residuals. If argument `ts=TRUE` then the first two plots are replaced by the autocorrelation function (ACF) and partial autocorrelation function (PACF) of the residuals

Usage

```
## S3 method for class 'gamlss'
plot(x, xvar = NULL, parameters = NULL, ts = FALSE,
      summaries = TRUE, ...)
```

Arguments

x	a GAMLSS fitted object
xvar	an explanatory variable to plot the residuals against
parameters	plotting parameters can be specified here
ts	set this to TRUE if ACF and PACF plots of the residuals are required
summaries	set this to FALSE if no summary statistics of the residuals are required
...	further arguments passed to or from other methods.

Details

This function provides four plots for checking the normalized (randomized) quantile residuals (called residuals) of a fitted GAMLSS object. Randomization is only performed for discrete response variables. The four plots are

- residuals against the fitted values (or ACF of the residuals if ts=TRUE)
- residuals against an index or specified x-variable (or PACF of the residuals if ts=TRUE)
- kernel density estimate of the residuals
- QQ-normal plot of the residuals

For time series response variables option ts=TRUE can be used to plot the ACF and PACF functions of the residuals.

Value

Returns four plots related to the residuals of the fitted GAMLSS model and prints summary statistics for the residuals if the summary=T

Author(s)

Mikis Stasinopoulos, Bob Rigby and Kalliope Akantziliotou

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also[gamlss](#)**Examples**

```
data(aids)
a<-gamlss(y~pb(x)+qrt,family=P0,data=aids)
plot(a)
rm(a)
```

plot.histSmo

*A Plotting Function for density estimator object histSmo***Description**

Plots the estimated density or its c.d.f function or its inverse cdf function

Usage

```
## S3 method for class 'histSmo'
plot(x, type = c("hist", "cdf", "invcdf"), ...)
```

Arguments

x	An histSmo object
type	Different plots: a histogram and density estimator, a cdf function or an inverse cdf function.
...	for further arguments

Value

returns the relevant plot

Author(s)

Mikis Stasinopoulos, Paul Eilers, Bob Rigby, Vlasios Voudouris and Majid Djennad

References

- Eilers, P. (2003). A perfect smoother. *Analytical Chemistry*, 75: 3631-3636.
- Eilers, P. H. C. and Marx, B. D. (1996). Flexible smoothing with B-splines and penalties (with comments and rejoinder). *Statist. Sci*, **11**, 89-121.
- Lindsey, J.K. (1997) *Applying Generalized Linear Models*. New York: Springer-Verlag. ISBN 0-387-98218-3
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[histSmo](#)

Examples

```
Y <- rPARETO2(1000)
m1<- histSmo(Y, lower=0, save=TRUE)
plot(m1)
plot(m1, "cdf")
plot(m1, "invcdf")
```

plot2way

Function to plot two interaction in a GAMLSS model

Description

This function is designed to plot a factor to factor interaction in a GAMLSS model.

Usage

```
plot2way(obj, terms = list(), what = c("mu", "sigma", "nu", "tau"),
         parameter= NULL, show.legend = TRUE, ...)
```

Arguments

obj	A gamlss model
terms	this should be a character vector with the names of the two factors to be plotted
what	which parameters? mu, sigma, nu, or tau
parameter	equivalent to what
show.legend	whether to show the legend in the two way plot
...	Further arguments

Details

This is an experimental function which should be use with prudence since no other check is done on whether this interaction interfere with other terms in the model

Value

The function creates a 2 way interaction plot

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[term.plot](#),

Examples

```
data(aids)
ti <- factor(c(rep(1,18),rep(2,27)))
m1 <- gamlss(y~x+qrt*ti, data=aids, family=NBI)
m2 <- gamlss(y~x+qrt*ti, data=aids, family=NO)
plot2way(m1, c("qrt","ti"))
plot2way(m1, c("ti", "qrt"))
```

polyS

Auxiliary support for the GAMLSS

Description

These two functions are similar to the poly and polym in R. Are needed for the `gamlss.lo` function of GAMLSS and should not be used on their own.

Usage

```
polyS(x, ...)
poly.matrix(m, degree = 1)
```

Arguments

x	a variable
m	a variable
degree	the degree of the polynomial
...	for extra arguments

Value

Returns a matrix of orthogonal polynomials

Warning

Not be use by the user

Author(s)

Mikis Stasinopoulos

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [gamlss.lo](#)

predict.gamlss	<i>Extract Predictor Values and Standard Errors For New Data In a GAMLSS Model</i>
----------------	--

Description

predict.gamlss is the GAMLSS specific method which produce predictors for a new data set for a specified parameter from a GAMLSS objects. The predict.gamlss can be used to extract the linear predictors, fitted values and specific terms in the model at new data values in the same way that the predict.lm() and predict.glm() functions can be used for lm or glm objects. Note that linear predictors, fitted values and specific terms in the model at the current data values can also be extracted using the function lpred() (which is called from predict if new data is NULL).

Usage

```
## S3 method for class 'gamlss'
predict(object, what = c("mu", "sigma", "nu", "tau"),
        parameter= NULL,
        newdata = NULL, type = c("link", "response", "terms"),
        terms = NULL, se.fit = FALSE, data = NULL, ...)
predictAll(object, newdata = NULL, type = c("response", "link", "terms"),
           terms = NULL, se.fit = FALSE, use.weights = FALSE,
           data = NULL, y.value = "median",
           set.to = .Machine$double.xmin,
           output = c("list","data.frame", "matrix"), ...)
```

Arguments

object	a GAMLSS fitted model
what	which distribution parameter is required, default what="mu"
parameter	equivalent to what
newdata	a data frame containing new values for the explanatory variables used in the model
type	the default, gets the linear predictor for the specified distribution parameter. type="response" gets the fitted values for the parameter while type="terms" gets the fitted terms contribution
terms	if type="terms", which terms to be selected (default is all terms)
se.fit	if TRUE the approximate standard errors of the appropriate type are extracted if exist
use.weights	if use.weights=TRUE the old data and the newdata are merged and the model is refitted with weights equal to the prior weights for the old data observational and equal to a very small value (see option set.to) for the .newdata values. This trick allows to obtain standard errors for all parameters
data	the data frame used in the original fit if is not defined in the call

y.value	how to get the response values for the newdata if they do not exist. The default is taking the median, y.value="median". Other function like "max", "min" are allowed. Also numerical values.
set.to	what values the weights for the newdata should take
output	whether the output to be a 'list' (default) or a 'matrix'
...	for extra arguments

Details

The predict function assumes that the object given in newdata is a data frame containing the right x-variables used in the model. This could possible cause problems if transformed variables are used in the fitting of the original model. For example, let us assume that a transformation of age is needed in the model i.e. `nage<-age^.5`. This could be fitted as `mod<-gamlss(y~cs(age^.5), data=mydata)` or as `nage<-age^.5; mod<-gamlss(y~cs(nage), data=mydata)`. The later could more efficient if the data are in thousands rather in hundreds. In the first case, the code `predict(mod, newdata=data.frame(age=c(34, 56)))` would produce the right results. In the second case a new data frame has to be created containing the old data plus any new transform data. This data frame has to be declared in the data option. The option newdata should contain a data.frame with the new names and the transformed values in which prediction is required, (see the last example).

Value

A vector or a matrix depending on the options.

Note

This function is under development

Author(s)

Mikis Stasinopoulos

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also[lp](#), [lpred](#)**Examples**

```

data(aids)
a<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
newaids<-data.frame(x=c(45,46,47), qrt=c(2,3,4))
ap <- predict(a, newdata=newaids, type = "response")
ap
# now getting all the parameters
predictAll(a, newdata=newaids)
rm(a, ap)
data(abdom)
# transform x
aa<-gamlss(y~cs(x^.5),data=abdom)
# predict at old values
predict(aa)[610]
# predict at new values
predict(aa,newdata=data.frame(x=42.43))
# now transform x first
nx<-abdom$x^.5
aaa<-gamlss(y~cs(nx),data=abdom)
# create a new data frame
newd<-data.frame( abdom, nx=abdom$x^.5)
# predict at old values
predict(aaa)[610]
# predict at new values
predict(aaa,newdata=data.frame(nx=42.43^.5), data=newd)

```

print.gamlss*Prints a GAMLSS fitted model*

Description

print.gamlss is the GAMLSS specific method for the generic function print which prints objects returned by modelling functions.

Usage

```

## S3 method for class 'gamlss'
print(x, digits = max(3, getOption("digits") - 3), ...)

```

Arguments

x	a GAMLSS fitted model
digits	the number of significant digits to use when printing
...	for extra arguments

Value

Prints a gamlss object

Author(s)

Mikis Stasinopoulos, Bob Rigby and Calliope Akantziliotou

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [deviance.gamlss](#), [fitted.gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids)
print(h) # or just h
rm(h)
```

prodist.gamlss	<i>Extracting Fitted or Predicted Probability Distributions from gamlss Models</i>
----------------	--

Description

Methods for **gamlss** model objects for extracting fitted (in-sample) or predicted (out-of-sample) probability distributions as **distributions3** objects.

Usage

```
## S3 method for class 'gamlss'
prodist(object, ...)
```

Arguments

object A model object of class `gamlss`.
 ... Arguments passed on to `predictAll`, e.g., `newdata`.

Details

To facilitate making probabilistic forecasts based on `gamlss` model objects, the `prodist` method extracts fitted or predicted probability distribution objects. Internally, the `predictAll` method is used first to obtain the distribution parameters (`mu`, `sigma`, `tau`, `nu`, or a subset thereof). Subsequently, the corresponding distribution object is set up using the `GAMLSS` class from the `gamlss.dist` package, enabling the workflow provided by the `distributions3` package (see Zeileis et al. 2022).

Note that these probability distributions only reflect the random variation in the dependent variable based on the model employed (and its associated distributional assumption for the dependent variable). This does not capture the uncertainty in the parameter estimates.

Value

An object of class `GAMLSS` inheriting from `distribution`.

References

Zeileis A, Lang MN, Hayes A (2022). “distributions3: From Basic Probability to Probabilistic Regression.” Presented at *useR! 2022 - The R User Conference*. Slides, video, vignette, code at <https://www.zeileis.org/news/user2022/>.

See Also

`GAMLSS`, `predictAll`

Examples

```
## packages, code, and data
library("gamlss")
library("distributions3")
data("cars", package = "datasets")

## fit heteroscedastic normal GAMLSS model
## stopping distance (ft) explained by speed (mph)
m <- gamlss(dist ~ pb(speed), ~ pb(speed), data = cars, family = "NO")

## obtain predicted distributions for three levels of speed
d <- prodist(m, newdata = data.frame(speed = c(10, 20, 30)))
print(d)

## obtain quantiles (works the same for any distribution object 'd' !)
quantile(d, 0.5)
quantile(d, c(0.05, 0.5, 0.95), elementwise = FALSE)
quantile(d, c(0.05, 0.5, 0.95), elementwise = TRUE)

## visualization
```

```

plot(dist ~ speed, data = cars)
nd <- data.frame(speed = 0:240/4)
nd$dist <- prodist(m, newdata = nd)
nd$fit <- quantile(nd$dist, c(0.05, 0.5, 0.95))
matplot(nd$speed, nd$fit, type = "l", lty = 1, col = "slategray", add = TRUE)

## moments
mean(d)
variance(d)

## simulate random numbers
random(d, 5)

## density and distribution
pdf(d, 50 * -2:2)
cdf(d, 50 * -2:2)

## Poisson example
data("FIFA2018", package = "distributions3")
m2 <- gamlss(goals ~ pb(difference), data = FIFA2018, family = "P0")
d2 <- prodist(m2, newdata = data.frame(difference = 0))
print(d2)
quantile(d2, c(0.05, 0.5, 0.95))

## note that log_pdf() can replicate logLik() value
sum(log_pdf(prodist(m2), FIFA2018$goals))
logLik(m2)

```

prof.dev

Plotting the Profile Deviance for one of the Parameters in a GAMLSS model

Description

This functions plots the profile deviance of one of the (four) parameters in a GAMLSS model. It can be used if one of the parameters μ , σ , ν or τ is a constant (not a function of explanatory variables) to obtain a profile confidence intervals.

Usage

```

prof.dev(object, which = NULL, min = NULL, max = NULL,
         step = NULL, length = 7, startlastfit = TRUE,
         plot = TRUE, perc = 95, col="darkgreen")

```

Arguments

object	A fitted GAMLSS model
which	which parameter to get the profile deviance e.g. which="tau"
min	the minimum value for the parameter e.g. min=1

max	the maximum value for the parameter e.g. max=20
step	how often to evaluate the global deviance (defines the step length of the grid for the parameter) e.g. step=1
length	the length if step is not set, default equal 7
startlastfit	whether to start fitting from the last fit or not, default value is startlastfit=TRUE
plot	whether to plot, plot=TRUE or save the results, plot=FALSE
perc	what % confidence interval is required
col	The colour of the profile line

Details

This function can be used to provide likelihood based confidence intervals for a parameter for which a constant model (i.e. no explanatory model) is fitted and consequently for checking the adequacy of a particular value of the parameter. This can be used to check the adequacy of one distribution (e.g. Box-Cox Cole and Green) nested within another (e.g. Box-Cox power exponential). For example one can test whether a Box-Cox Cole and Green (Box-Cox-normal) distribution or a Box-Cox power exponential is appropriate by plotting the profile of the parameter tau. A profile deviance showing support for tau=2 indicates adequacy of the Box-Cox Cole and Green (i.e. Box-Cox normal) distribution.

Value

Return a profile plot (if the argument plot=TRUE) and an `ProfLikelihood.gamlss` object if saved. The object contains:

values	the values at the grid where the parameter was evaluated
fun	the function which approximates the points using splines
min	the minimum values in the grid
max	the maximum values in the grid
max.value	the value of the parameter maximising the Profile deviance (or GAIC)
CI	the profile confidence interval (if global deviance is used)
criterion	which criterion was used

Warning

A dense grid (i.e. small step) evaluation of the global deviance can take a long time, so start with a sparse grid (i.e. large step) and decrease gradually the step length for more accuracy.

Author(s)

Calliope Akantziliotou, Mikis Stasinopoulos and Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [prof.term](#)

Examples

```
## Not run:
data(abdom)
h<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom)
prof.dev(h,"nu",min=-2.000,max=2)
rm(h)
## End(Not run)
```

prof.term

Plotting the Profile: deviance or information criterion for one of the terms (or hyper-parameters) in a GAMLSS model

Description

This functions plots the profile deviance for a chosen parameter included in the linear predictor of any of the mu,sigma, nu or tau models so profile confidence intervals can be obtained. In can also be used to plot the profile of a specified information criterion for any hyper-parameter when smooth additive terms are used.

Usage

```
prof.term(model = NULL, criterion = c("GD", "GAIC"), penalty = 2.5,
          other = NULL, min = NULL, max = NULL, step = NULL,
          length = 7, xlabel = NULL, plot = TRUE, perc = 95,
          start.prev = TRUE, col="darkgreen")
```

Arguments

model	this is a GAMLSS model, e.g. <code>model=gamlss(y~cs(x,df=this),sigma.fo=~cs(x,df=3),data=abdom)</code> , where this indicates the (hyper)parameter to be profiled
criterion	whether global deviance ("GD") or information criterion ("GAIC") is profiled. The default is global deviance <code>criterion="GD"</code>
penalty	The penalty value if information criterion is used in criterion, default <code>penalty=2.5</code>
other	this can be used to evaluate an expression before the actual fitting of the model (Make sure that those expressions are well define in the global environment)
min	the minimum value for the parameter e.g. <code>min=1</code>
max	the maximum value for the parameter e.g. <code>max=20</code>
step	how often to evaluate the global deviance (defines the step length of the grid for the parameter) e.g. <code>step=1</code>
length	if the step is left NULL then length is considered for evaluating the grid for the parameter. It has a default value of 11
xlabel	if a label for the axis is required
plot	whether to plot, <code>plot=TRUE</code> the resulting profile deviance (or GAIC)
perc	what % confidence interval is required
start.prev	whether to start from the previous fitted model parameters values or not (default is TRUE)
col	the color of the profile line

Details

This function can be use to provide likelihood based confidence intervals for a parameter involved in terms in the linear predictor(s). These confidence intervals are more accurate than the ones obtained from the parameters' standard errors. The function can also be used to plot a profile information criterion (with a given penalty) against a hyper-parameter. This can be used to check the uniqueness in hyper-parameter determination using for example `find.df`.

Value

Return a profile plot (if the argument `plot=TRUE`) and an `ProfLikelihood.gamlss` object if saved. The object contains:

values	the values at the grid where the parameter was evaluated
fun	the function which approximates the points using splines
min	the minimum values in the grid
max	the maximum values in the grid
max.value	the value of the parameter maximising the Profile deviance (or GAIC)
CI	the profile confidence interval (if global deviance is used)
criterion	which criterion was used

Warning

A dense grid (i.e. small step) evaluation of the global deviance can take a long time, so start with a sparse grid (i.e. large step) and decrease gradually the step length for more accuracy.

Author(s)

Mikis Stasinopoulos and Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [prof.dev](#)

Examples

```
data(aids)
# fitting a linear model
gamlss(y~x+qrt,family=NBI,data=aids)
# testing the linear beta parameter
mod<-quote(gamlss(y ~ offset(this * x) + qrt, data = aids, family = NBI))
prof.term(mod, min=0.06, max=0.11)
# find the hyper parameter using cubic splines smoothing
mod1<-quote(gamlss(y ~ cs(x,df=this) + qrt, data = aids, family = NBI))
prof.term(mod1, min=1, max=15, step=1, criterion="GAIC", penalty=log(45))
# find a break point in x
mod2 <- quote(gamlss(y ~ x+I((x>this)*(x-this))+qrt,family=NBI,data=aids))
prof.term(mod2, min=1, max=45, step=1, criterion="GD")
rm(mod,mod1,mod2)
```

Description

There are several function which use P-spline methodology:

- a) `pb()`, the current version of P-splines which uses SVD in the fitting and therefore is the most reliable
- b) `pbo()` and `pbp()`, older versions of P-splines. The first uses a simple matrix algebra in the fits. The second is the last version of `pb()` with SVD but uses different method for prediction.
- c) `pbk()` the new version of cycle P-splines (using SVD)
- d) `cy()` the older version of cycle P-splines.
- e) `pbm()` for fitting monotonic P-splines (using SVD)
- f) `pbz()` for fitting P-splines which allow the fitted curve to shrink to zero degrees of freedom
- g) `ps()` the original P-splines with no facility of estimating the smoothing parameters and
- j) `pvc()` penalised varying coefficient models.
- k) `pvp()` older version of `pb()` where the prediction was different (it is here in case someone would like to compare the results).

Theoretical explanation of the above P-splines can be found in Eilers *et al.* (2016)

The functions take a vector and return it with several attributes. The vector is used in the construction of the design matrix X used in the fitting. The functions do not do the smoothing, but assign the attributes to the vector to aid `gamlss` in the smoothing. The functions doing the smoothing are `gamlss.pb()`, `gamlss.pbo()`, `gamlss.pbc()`, `gamlss.cy()`, `gamlss.pvc()`, `gamlss.pbm()`, `gamlss.pbz` and `gamlss.ps()` which are used in the backfitting function `additive.fit`.

The function `pb()` is more efficient and faster than the original penalised smoothing function `ps()`. After December 2014 the `pb()` has changed radically to improved performance. The older version of the `pb()` function is called now `pbo()`. `pb()` allows the estimation of the smoothing parameters using different local (performance iterations) methods. The method are "ML", "ML-1", "EM", "GAIC" and "GCV".

The function `pbm()` fits monotonic smooth functions, that is functions which increase or decrease monotonically depending on the value of the argument `mono` which takes the values "up" or "down".

The function `pbz()` is similar to `pb()` with the extra property that when `lambda` becomes very large the resulting smooth function goes to a constant rather than to a linear function. This is very useful for model selection. The function is based on Maria Durban idea of using a double penalty, one of order 2 and one of order 1. The second penalty only applies if the effective df are close to 2 (that is if a linear is already selected).

The function `pbk()` fits a cycle penalised beta regression spline such as the last fitted value of the smoother is equal to the first fitted value. `cy()` is the older version.

The function `pvc()` fits varying coefficient models see Hastie and Tibshirani(1993) and it is more general and flexible than the old `vc()` function which was based on cubic splines.

The function `getZmatrix()` creates a (random effect) design matrix Z which can be used to fit a P-splines smoother using the `re()` function. (The `re()` is an interface with the random effect function `lme` of the package **nlme**.)

The function `.hat.WX()` is for internal use only.

Usage

```
pb(x, df = NULL, lambda = NULL, max.df=NULL,
   control = pb.control(...), ...)
pbo(x, df = NULL, lambda = NULL, control = pbo.control(...), ...)
pbp(x, df = NULL, lambda = NULL, control = pbp.control(...), ...)
pbo.control(inter = 20, degree = 3, order = 2, start = 10, quantiles = FALSE,
            method = c("ML", "GAIC", "GCV", "EM", "ML-1"), k = 2, ...)
pb.control(inter = 20, degree = 3, order = 2, start = 10, quantiles = FALSE,
           method = c("ML", "GAIC", "GCV"), k = 2, ...)
pbp.control(inter = 20, degree = 3, order = 2, start = 10, quantiles = FALSE,
            method = c("ML", "GAIC", "GCV"), k = 2, ...)
pbc(x, df = NULL, lambda = NULL, max.df=NULL,
   control = pbc.control(...), ...)
pbc.control(inter = 20, degree = 3, order = 2, start = 10,
            method = c("ML", "GAIC", "GCV"), k = 2, sin = TRUE, ...)
cy(x, df = NULL, lambda = NULL, control = cy.control(...), ...)
cy.control(inter = 20, degree = 3, order = 2, start = 10,
           method = c("ML", "GAIC", "GCV", "EM", "ML-1"), k = 2, ts=FALSE, ...)
pvc(x, df = NULL, lambda = NULL, by = NULL, control = pvc.control(...), ...)
pvc.control(inter = 20, degree = 3, order = 2, start = 10, quantiles = FALSE,
           method = c("ML", "GAIC", "GCV"), k = 2, ...)
pbm(x, df = NULL, lambda = NULL, mono=c("up", "down"),
   control = pbm.control(...), ...)
pbm.control(inter = 20, degree = 3, order = 2, start = 10, quantiles = FALSE,
           method=c("ML", "GAIC", "GCV"), k=2, kappa = 1e10, ...)
pbz(x, df = NULL, lambda = NULL, control = pbz.control(...), ...)
pbz.control(inter = 20, degree = 3, order = 2, start = c(1e-04, 1e-04),
           quantiles = FALSE, method = c("ML", "GAIC", "GCV"), k = 2, lim = 3, ...)

ps(x, df = 3, lambda = NULL, ps.intervals = 20, degree = 3, order = 3)

getZmatrix(x, xmin = NULL, xmax = NULL, inter = 20, degree = 3, order = 2)

.hat.WX(w, x)
```

Arguments

<code>x</code>	the univariate predictor
<code>df</code>	the desired equivalent number of degrees of freedom (trace of the smoother matrix minus two for the constant and linear fit)
<code>lambda</code>	the smoothing parameter
<code>max.df</code>	the limit of how large the effective degrees of freedom should be allowed to be

<code>control</code>	setting the control parameters
<code>by</code>	a factor, for fitting different smoothing curves to each level of the factor or a continuous explanatory variable in which case the coefficients of the by variable change smoothly according to x i.e. $\beta(x) \cdot z$ where z is the by variable.
<code>...</code>	for extra arguments
<code>inter</code>	the no of break points (knots) in the x-axis
<code>degree</code>	the degree of the piecewise polynomial
<code>order</code>	the required difference in the vector of coefficients
<code>start</code>	the lambda starting value if the local methods are used, see below
<code>quantiles</code>	if TRUE the quantile values of x are use to determine the knots
<code>ts</code>	if TRUE assumes that it is a seasonal factor
<code>method</code>	The method used in the (local) performance iterations. Available methods are "ML", "ML-1", "EM", "GAIC" and "GCV"
<code>k</code>	the penalty used in "GAIC" and "GCV"
<code>mono</code>	for monotonic P-splines whether going "up" or "down"
<code>kappa</code>	the smoothing hyper-parameter for the monotonic part of smoothing
<code>ps.intervals</code>	the no of break points in the x-axis
<code>xmin</code>	minimum value for creating the B-spline
<code>xmax</code>	maximum value for creating the B-spline
<code>sin</code>	whether to use the sin penalty or not
<code>lim</code>	at which level the second penalty of order 1 should start
<code>w</code>	iterative weights only for function <code>.hat.WX</code>

Details

The `ps()` function is based on Brian Marx function which can be found in his website. The `pb()`, `cy()`, `pvc()` and `pbm()` functions are based on Paul Eilers's original R functions. Note that `ps()` and `pb()` functions behave differently at their default values if `df` and `lambda` are not specified. `ps(x)` by default uses 3 extra degrees of freedom for smoothing x . `pb(x)` by default estimates `lambda` (and therefore the degrees of freedom) automatically using a "local" method. The local (or performance iterations) methods available are: (i) local Maximum Likelihood, "ML", (ii) local Generalized Akaike information criterion, "GAIC", (iii) local Generalized Cross validation "GCV" (iv) local EM-algorithm, "EM" (which is very slow) and (v) a modified version of the ML, "ML-1" which produce identical results with "EM" but faster.

The function `pb()` fits a P-spline smoother.

The function `pbm()` fits a monotonic (going up or down) P-spline smoother.

The function `pbc()` fits a P-spline smoother where the beginning and end are the same.

The `pvc()` fits a varying coefficient model.

Note that the local (or performance iterations) methods can occasionally make the convergence of `gamlss` less stable compared to models where the degrees of freedom are fixed.

Value

the vector `x` is returned, endowed with a number of attributes. The vector itself is used in the construction of the model matrix, while the attributes are needed for the backfitting algorithms `additive.fit()`.

Warning

There are occasions where the automatic local methods do not work. One accusation which came to our attention is when the range of the response variable values is very large. Scaling the response variable will solve the problem.

Author(s)

Mikis Stasinopoulos, Bob Rigby and Paul Eilers

References

- Eilers, P. H. C. and Marx, B. D. (1996). Flexible smoothing with B-splines and penalties (with comments and rejoinder). *Statist. Sci.*, **11**, 89-121.
- Eilers, Paul HC, Marx, Brian D and Durban, Maria, (2016) Twenty years of P-splines. *SORT-Statistics and Operations Research Transactions*, **39**, 149–186.
- Hastie, T. J. and Tibshirani, R. J. (1993), Varying coefficient models (with discussion), *J. R. Statist. Soc. B.*, **55**, 757-796.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [gamlss.ps](#), [cs](#)

Examples

```
#=====
# pb() and ps() functions
data(aids)
# fitting a smoothing cubic spline with 7 degrees of freedom
# plus the a quarterly effect
aids1<-gamlss(y~ps(x,df=7)+qrt,data=aids,family=P0) # fix df's
```

```

aids2<-gamlss(y~pb(x,df=7)+qrt,data=aids,family=P0) # fix df's
aids3<-gamlss(y~pb(x)+qrt,data=aids,family=P0) # estimate lambda
with(aids, plot(x,y))
with(aids, lines(x,fitted(aids1),col="red"))
with(aids, lines(x,fitted(aids2),col="green"))
with(aids, lines(x,fitted(aids1),col="yellow"))
rm(aids1, aids2, aids3)
#=====
## Not run:
# pbc()
# simulate data
set.seed(555)
x = seq(0, 1, length = 100)
y = sign(cos(1 * x * 2 * pi + pi / 4)) + rnorm(length(x)) * 0.2
plot(y~x)
m1<-gamlss(y~pbc(x))
lines(fitted(m1)~x)
rm(y,x,m1)
#=====
# the pvc() function
# function to generate data
genData <- function(n=200)
{
  f1 <- function(x)-60+15*x-0.10*x^2
  f2 <- function(x)-120+10*x+0.08*x^2
  set.seed(1441)
  x1 <- runif(n/2, min=0, max=55)
  x2 <- runif(n/2, min=0, max=55)
  y1 <- f1(x1)+rNO(n=n/2,mu=0,sigma=20)
  y2 <- f2(x2)+rNO(n=n/2,mu=0,sigma=30)
  y <- c(y1,y2)
  x <- c(x1,x2)
  f <- gl(2,n/2)
  da<-data.frame(y,x,f)
  da
}
da<-genData(500)
plot(y~x, data=da, pch=21,bg=c("gray","yellow3")[unclass(f)])
# fitting models
# smoothing x
m1 <- gamlss(y~pb(x), data=da)
# parallel smoothing lines
m2 <- gamlss(y~pb(x)+f, data=da)
# linear interaction
m3 <- gamlss(y~pb(x)+f*x, data=da)
# varying coefficient model
m4 <- gamlss(y~pvc(x, by=f), data=da)
GAIC(m1,m2,m3,m4)
# plotting the fit
lines(fitted(m4)[da$f==1][order(da$x[da$f==1])~da$x[da$f==1]
      [order(da$x[da$f==1])], col="blue", lwd=2)
lines(fitted(m4)[da$f==2][order(da$x[da$f==2])~da$x[da$f==2]
      [order(da$x[da$f==2])], col="red", lwd=2)

```

```

rm(da,m1,m2,m3,m4)
#=====
# the rent data
# first with a factor
data(rent)
plot(R~F1, data=rent, pch=21,bg=c("gray","blue")[unclass(rent$B)])
r1 <- gamlss(R~pb(F1), data=rent)
# identical to model
r11 <- gamlss(R~pvc(F1), data=rent)
# now with the factor
r2 <- gamlss(R~pvc(F1, by=B), data=rent)
lines(fitted(r2)[rent$B==1][order(rent$F1[rent$B==1])~rent$F1[rent$B==1]
      [order(rent$F1[rent$B==1])], col="blue", lwd=2)
lines(fitted(r2)[rent$B==0][order(rent$F1[rent$B==0])~rent$F1[rent$B==0]
      [order(rent$F1[rent$B==0])], col="red", lwd=2)
# probably not very sensible model
rm(r1,r11,r2)
#-----
# now with a continuous variable
# additive model
h1 <-gamlss(R~pb(F1)+pb(A), data=rent)
# varying-coefficient model
h2 <-gamlss(R~pb(F1)+pb(A)+pvc(A,by=F1), data=rent)
AIC(h1,h2)
rm(h1,h2)
#-----
# monotone function
set.seed(1334)
x = seq(0, 1, length = 100)
p = 0.4
y = sin(2 * pi * p * x) + rnorm(100) * 0.1
plot(y~x)
m1 <- gamlss(y~pbm(x))
points(fitted(m1)~x, col="red")
yy <- -y
plot(yy~x)
m2 <- gamlss(yy~pbm(x, mono="down"))
points(fitted(m2)~x, col="red")
#=====
# the pbz() function
# creating uncorrelated data
set.seed(123)
y<-rNO(100)
x<-1:100
plot(y~x)
#-----
# ML estimation
m1<-gamlss(y~pbz(x))
m2 <-gamlss(y~pb(x))
AIC(m1,m2)
op <- par( mfrow=c(1,2))
term.plot(m1, partial=T)
term.plot(m2, partial=T)

```

```

par(op)
# GAIC estimation
m11<-gamlss(y~pbz(x, method="GAIC", k=2))
m21 <-gamlss(y~pb(x, method="GAIC", k=2))
AIC(m11,m21)
op <- par( mfrow=c(1,2))
term.plot(m11, partial=T)
term.plot(m21, partial=T)
par(op)
# GCV estimation
m12<-gamlss(y~pbz(x, method="GCV"))
m22 <-gamlss(y~pb(x, method="GCV"))
AIC(m12,m22)
op <- par( mfrow=c(1,2))
term.plot(m12, partial=T)
term.plot(m22, partial=T)
par(op)
# fixing df is more trycky since df are the extra df
m13<-gamlss(y~pbz(x, df=0))
m23 <-gamlss(y~pb(x, df=0))
AIC(m13,m23)
# here the second penalty is not take effect therefore identical results
m14<-gamlss(y~pbz(x, df=1))
m24 <-gamlss(y~pb(x, df=1))
AIC(m14,m24)
# fixing lambda
m15<-gamlss(y~pbz(x, lambda=1000))
m25 <-gamlss(y~pb(x, lambda=1000))
AIC(m15,m25)
#-----
# prediction
m1<-gamlss(y~pbz(x), data=data.frame(y,x))
m2 <-gamlss(y~pb(x), data=data.frame(y,x))
AIC(m1,m2)
predict(m1, newdata=data.frame(x=c(80, 90, 100, 110)))
predict(m2, newdata=data.frame(x=c(80, 90, 100, 110)))
#-----

## End(Not run)

```

Q.stats

A function to calculate the Q-statistics

Description

This function calculates and prints the Q-statistics (or Z-statistics) which are useful to test normality of the residuals within a range of an independent variable, for example age in centile estimation, see Royston and Wright (2000).

Usage

```
Q.stats(obj = NULL, xvar = NULL, resid = NULL, xcut.points = NULL, n.inter = 10,
        zvals = TRUE, save = TRUE, plot = TRUE, digits.xvar = getOption("digits"),
        ...)
```

Arguments

obj	a GAMLSS object
xvar	a unique explanatory variable
resid	quantile or standardised residuals can be given here instead of a GAMLSS object in obj. In this case the function behaves differently (see details below)
xcut.points	the x-axis cut off points e.g. c(20, 30). If xcut.points=NULL then the n.inter argument is activated
n.inter	if xcut.points=NULL this argument gives the number of intervals in which the x-variable will be split, with default 10
zvals	if TRUE the output matrix contains the individual Z-statistics rather than the Q statistics
save	whether to save the Q-statistics or not with default equal to TRUE. In this case the functions produce a matrix giving individual Q (or z) statistics and the final aggregate Q's
plot	whether to plot a visual version of the Q statistics (default is TRUE)
digits.xvar	to control the number of digits of the xvar in the plot
...	for extra arguments

Details

Note that the function `Q.stats` behaves differently depending whether the `obj` or the `resid` argument is set. The `obj` argument produces the Q-statistics (or Z-statistics) table appropriate for centile estimation (therefore it expects a reasonable large number of observations). The argument `resid` allows any model residuals, (not necessary GAMLSS), suitable standardised and is appropriate for any size of data. The resulting table contains only the individuals Z-statistics.

Value

A table containing the Q-statistics or Z-statistics. If `plot=TRUE` it produces also an graphical representation of the table.

Author(s)

Mikis Stasinopoulos, Bob Rigby with contributions from Elaine Borghie

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Royston P. and Wright E. M. (2000) Goodness of fit statistics for the age-specific reference intervals. *Statistics in Medicine*, 19, pp 2943-2962.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [centiles.split](#), [wp](#)

Examples

```
data(abdom)
h<-gamlss(y~pb(x), sigma.formula=~pb(x), family=BCT, data=abdom)
Q.stats(h,xvar=abdom$x,n.inter=8)
Q.stats(h,xvar=abdom$x,n.inter=8,zvals=FALSE)
Q.stats(resid=resid(h), xvar=abdom$x, n.inter=5)
rm(h)
```

quantSheets

Quantile Sheets

Description

The quantile sheets function `quantSheets()` is based on the work of Sabine Schnabe and Paul Eiler (see references below). The estimation of the quantile curves is done simultaneously by also smoothing in the direction of y as well as x . This avoids (but do not eliminate completely) the problem of crossing quantiles.

Usage

```
quantSheets(y, x, x.lambda = 1, p.lambda = 1, data = NULL,
            cent = 100 * pnorm((-4:4) * 2/3),
            control = quantSheets.control(...), print = TRUE, ...)

quantSheets.control(x.inter = 10, p.inter = 10, degree = 3, logit = FALSE,
                    order = 2, kappa = 0, n.cyc = 100, c.crit = 1e-05, plot = TRUE,
                    power = NULL, ...)

findPower(y, x, data = NULL, lim.trans = c(0, 1.5), prof = FALSE,
          k = 2, c.crit = 0.01, step = 0.1)
```

```
z.scoresQS(object, y, x, plot = FALSE, tol = NULL)
```

Arguments

y	the y variable
x	the x variable
x.lambda	smoothing parameter in the direction of x
p.lambda	smoothing parameter in the direction of y (probabilities)
data	the data frame
cent	the centile values where the quantile sheets is evaluated
control	for the parameters controlling the algorithm
print	whether to print the sample percentages
x.inter	number of intervals in the x direction for the B-splines
p.inter	number of intervals in the probabilities (y-direction) for the B-splines
degree	the degree for the B-splines
logit	whether to use <code>logit(p)</code> instead of <code>p</code> (probabilities) for the y-axis
order	the order of the penalty
kappa	is a ridge parameter set to zero (for no ridge effect)
n.cyc	number of cycles of the algorithm
c.crit	convergence criterion of the algorithm
plot	whether to plot the resulting quantile sheets
power	The value of the power transformation in the x axis if needed
lim.trans	the limits for looking for the power transformation parameter using <code>findPower()</code>
prof	whether to use the profile GAIC or <code>optim()</code> to the parameter the power transformation
k	the GAIC penalty
step	the steps for the profile GAIC if the argument <code>prof</code> of <code>findPower()</code> is TRUE
object	a fitted <code>quantSheets</code> object
tol	how far out from the range of the y variable should go for estimating the distribution of y using the <code>flexDist()</code> function
...	for further arguments

Details

The advantage of quantile sheets is that they estimates simultaneously all the quantiles. This almost eliminates the problem of crossing quantiles. The method is very fast and useful for exploratory tool. The function needs two smoothing parameters. Those two parameters have to specified by the user. They are *not* estimated automatically. They can be selected by visual inspection.

The disadvantages of quantile sheets comes from the fact that like all non-parametric techniques do not have a goodness of fit measure to change how good is the models and the residuals based diagnostics are not existence since it is difficult to define residuals in this set up.

In this implementation we do provide residuals by using the `flexDist()` function from package **gamlss.dist**. This is based on the idea that by knowing the quantiles of the distribution we can reconstruct non parametrically the distribution itself and this is what `flexDist()` is doing. As a word of caution, such a construct is based on several assumptions and depends on several smoothing parameters. Treat those residuals with caution. The same caution should apply to the function `z.scoresQS()`.

Value

Using the function `quantSheets()` a `quantSheets` object is returned having the following methods: `print()`, `fitted()`, `predict()` and `resid()`.

Using `findPower()` a single values of the power parameter is returned.

Using `z.scoresQS` a vector of z-scores is returned.

Author(s)

Mikis Stasinopoulos based on function provided by Paul Eiler and Sabine Schnabe

References

Schnabel, S.K. (2011) *Expectile smoothing: new perspectives on asymmetric least squares. An application to life expectancy*, Utrecht University.

Schnabel, S. K and Eilers, P. H. C.(2013) Simultaneous estimation of quantile curves using quantile sheets, *AStA Advances in Statistical Analysis*, **97**, 1, pp 77-87, Springer.

Schnabel, S. K and Eilers, P. H. (2013) A location-scale model for non-crossing expectile curves, *Stat*, **2**, 1, pp 171-183.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[lms](#): for a parametric equivalent results.

Examples

```
data(abdom)
m1 <- quantSheets(y,x, data=abdom)
head(fitted(m1))
p1 <- predict(m1, newdata=c(20,30,40))
matpoints(c(20,30,40), p1)
```

```

z.scoresQS(m1,y=c(150, 300),x=c(20, 30) )
# If we needed a power transformation not appropriate for this data
findPower(y,x, data=abdom)

```

random

Specify a random intercept model in a GAMLSS formula

Description

They are two functions for fitting random effects within a GAMLSS model, `random()` and `re()`.

The function `random()` is based on the original `random()` function of Trevor Hastie in the package `gam`. In our version the function has been modified to allow a "local" maximum likelihood estimation of the smoothing parameter `lambda`. This method is equivalent to the PQL method of Breslow and Clayton (1993) applied at the local iterations of the algorithm. In fact for a GLM model and a simple random effect it is equivalent to `glmmPQL()` function in the package `MASS` see Venables and Ripley (2002). Venables and Ripley (2002) claimed that this iterative method was first introduced by Schall (1991). Note that in order for the "local" maximum likelihood estimation procedure to operate both argument `df` and `lambda` has to be `NULL`.

The function `re()` is an interface for calling the `lme()` function of the package **nlme**. This gives the user the ability to fit complicated random effect models while the assumption of the normal distribution for the response variable is relaxed. The theoretical justification comes again from the fact that this is a PQL method, Breslow and Clayton (1993).

Usage

```
random(x, df = NULL, lambda = NULL, start=10)
```

```
re(fixed = ~1, random = NULL, correlation = NULL, method = "ML",
   level = NULL, ...)
```

Arguments

<code>x</code>	a factor
<code>df</code>	the target degrees of freedom
<code>lambda</code>	the smoothing parameter <code>lambda</code> which can be viewed as a shrinkage parameter.
<code>start</code>	starting value for <code>lambda</code> if local Maximul likelihood is used.
<code>fixed</code>	a formula specify the fixed effects of the <code>lme()</code> model. This, in most cases can be also included in the <code>gamlss</code> parameter formula
<code>random</code>	a formula or list specifying the random effect part of the model as in <code>lme()</code> function
<code>correlation</code>	the correlation structure of the <code>lme()</code> model
<code>method</code>	which method, "ML" (the default), or "REML"
<code>level</code>	this argument has to be set to zero (0) if when use <code>predict()</code> you want to get the marginal contribution
<code>...</code>	this can be used to pass arguments for <code>lmeControl()</code>

Details

The function `random()` can be seen as a smoother for use with factors in `gamlss()`. It allows the fitted values for a factor predictor to be shrunk towards the overall mean, where the amount of shrinking depends either on `lambda`, or on the equivalent degrees of freedom or on the estimated sigma parameter (default). Similar in spirit to smoothing splines, this fitting method can be justified on Bayesian grounds or by a random effects model. Note that the behaviour of the function is different from the original Hastie function. Here the function behaves as follows: i) if both `df` and `lambda` are NULL then the PQL method is used ii) if `lambda` is not NULL, `lambda` is used for fitting iii) if `lambda` is NULL and `df` is not NULL then `df` is used for fitting.

Since factors are coded by `model.matrix()` into a set of contrasts, care has been taken to add an appropriate "contrast" attribute to the output of `random()`. This zero contrast results in a column of zeros in the model matrix, which is aliased with any column and is hence ignored.

The use of the function `re()` requires knowledge of the use of the function `lme()` of the package **nlme** for the specification of the appropriate random effect model. Some care should be taken whether the data set is

Value

`x` is returned with class "smooth", with an attribute named "call" which is to be evaluated in the backfitting `additive.fit()` called by `gamlss()`

Author(s)

For `re()` Mikis Stasinopoulos and Marco Enea and for `random()` Trevor Hastie (amended by Mikis Stasinopoulos),

References

- Breslow, N. E. and Clayton, D. G. (1993) Approximate inference in generalized linear mixed models. *Journal of the American Statistical Association* **88**, 9??25.
- Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.
- Pinheiro, Jose C and Bates, Douglas M (2000) *Mixed effects models in S and S-PLUS* Springer.
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Schall, R. (1991) Estimation in generalized linear models with random effects. *Biometrika* **78**, 719??727.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).
- Venables, W. N. and Ripley, B. D. (2002) *Modern Applied Statistics with S*. Fourth edition. Springer.

See Also

[gamlss](#), [gamlss.random](#)

Examples

```
#----- Example 1 from Pinheiro and Bates (2000) page 15-----
# bring nlme
library(nlme)
data(ergoStool)
# lme model
l1<-lme(effort~Type, data=ergoStool, random=~1|Subject, method="ML")
# use random()
t1<-gamlss(effort~Type+random(Subject), data=ergoStool )
# use re() with fixed effect within re()
t2<-gamlss(effort~re(fixed=~Type, random=~1|Subject), data=ergoStool )
# use re() with fixed effect in gamlss formula
t3<-gamlss(effort~Type+re(random=~1|Subject), data=ergoStool )
# compare lme fitted values with random
plot(fitted(l1), fitted(t1))
# compare lme fitted values with random
plot(fitted(l1), fitted(t2))
lines(fitted(l1), fitted(t3), col=2)
# getting the fitted coefficients
getSmo(t2)
#-----
## Not run:
#-----Example 2 Hodges data-----
data(hodges)
plot(prind~state, data=hodges)
m1<- gamlss(prind~random(state), sigma.fo=~random(state), nu.fo=~random(state),
            tau.fo=~random(state), family=BCT, data=hodges)
m2<- gamlss(prind~re(random=~1|state), sigma.fo=~re(random=~1|state),
            nu.fo=~re(random=~1|state), tau.fo=~re(random=~1|state), family=BCT,
            data=hodges)
# comparing the fitted effective degrees of freedom
m1$mu.df
m2$mu.df
m1$sigma.df
m2$sigma.df
m1$nu.df
m2$nu.df
m1$tau.df
m2$tau.df
# random effect for tau is not needed
m3<- gamlss(prind~random(state), sigma.fo=~random(state), nu.fo=~random(state),
            family=BCT, data=hodges, start.from=m1)
plot(m3)
# term plots work for random but not at the moment for re()
op <- par(mfrow=c(2,2))
term.plot(m3, se=TRUE)
term.plot(m3, se=TRUE, what="sigma")
term.plot(m3, se=TRUE, what="nu")
```

```

par(op)
# getting information from a fitted lme object
coef(getSmo(m2))
ranef(getSmo(m2))
VarCorr(getSmo(m2))
summary(getSmo(m2))
intervals(getSmo(m2))
fitted(getSmo(m2))
fixef(getSmo(m2))
# plotting
plot(getSmo(m2))
qqnorm(getSmo(m2))
#-----Example 3 from Pinheiro and Bates (2000) page 42-----
data(Pixel)
l1 <- lme(pixel~ day+I(day^2), data=Pixel, random=list(Dog=~day, Side=~1),
          method="ML")
# this will fail
#t1<-gamlss(pixel~re(fixed=~day+I(day^2), random=list(Dog=~day, Side=~1)),
#           data=Pixel)
# but this is working
t1<-gamlss(pixel~re(fixed=~day+I(day^2), random=list(Dog=~day, Side=~1),
              opt="optim"), data=Pixel)
plot(fitted(l1)~fitted(t1))
#-----Example 4 from Pinheiro and Bates (2000)page 146-----
data(Orthodont)
l1 <- lme(distance~ I(age-11), data=Orthodont, random=~I(age-11)|Subject,
          method="ML")

t1<-gamlss(distance~I(age-11)+re(random=~I(age-11)|Subject), data=Orthodont)
plot(fitted(l1)~fitted(t1))
# checking the model
plot(t1)
wp(t1, ylim.all=2)
# two observation fat try L0
t2<-gamlss(distance~I(age-11)+re(random=~I(age-11)|Subject, opt="optim",
          numIter=100), data=Orthodont, family=L0)
plot(t2)
wp(t2,ylim.all=2)
# a bit better but not satisfactory Note that 3 paramters distributions fail
#-----example 5 from Venable and Ripley (2002)-----
library(MASS)
data(bacteria)
summary(glmPQL(y ~ trt + I(week > 2), random = ~ 1 | ID,
               family = binomial, data = bacteria))
s1 <- gamlss(y ~ trt + I(week > 2)+random(ID), family = BI, data = bacteria)
s2 <- gamlss(y ~ trt + I(week > 2)+re(random=~1|ID), family = BI,
             data = bacteria)
s3 <- gamlss(y ~ trt + I(week > 2)+re(random=~1|ID, method="REML"), family = BI,
             data = bacteria)
# the esimate of the random effect sd sigma_b
sqrt(getSmo(s1)$tau2)
getSmo(s2)
getSmo(s3)

```

```

#-----Example 6 from Pinheiro and Bates (2000) page 239-244-----
# using corAR1()
data(Ovary)
# AR1
l1 <- lme(follicles~sin(2*pi*Time)+cos(2*pi*Time), data=Ovary,
          random=pdDiag(~sin(2*pi*Time)), correlation=corAR1())
# ARMA
l2 <- lme(follicles~sin(2*pi*Time)+cos(2*pi*Time), data=Ovary,
          random=pdDiag(~sin(2*pi*Time)), correlation=corARMA(q=2))
# now gamlss
# AR1
t1 <- gamlss(follicles~re(fixed=~sin(2*pi*Time)+cos(2*pi*Time),
                        random=pdDiag(~sin(2*pi*Time)),
                        correlation=corAR1()), data=Ovary)
plot(fitted(l1)~fitted(t1))
# ARMA
t2 <- gamlss(follicles~re(fixed=~sin(2*pi*Time)+cos(2*pi*Time),
                        random=pdDiag(~sin(2*pi*Time)),
                        correlation=corARMA(q=2)), data=Ovary)
plot(fitted(l2)~fitted(t2))
AIC(t1,t2)
wp(t2, ylim.all=1)
#-----

## End(Not run)

```

refit

Refit a GAMLSS model

Description

This function refits a GAMLSS model. It is useful when the algorithm has not converged after 20 outer iteration (the default value)

Usage

```
refit(object, ...)
```

Arguments

object	a GAMLSS fitted model which has not converged
...	for extra arguments

Details

This function is useful when the iterations have reach the maximum value set by the code(n.cyc) of the gamlss.control function and the model has not converged yet

Value

Returns a GAMLSS fitted model

Note

The function `update` does a very similar job

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

`gamlss`, `update.gamlss`

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
refit(h)
rm(h)
```

`residuals.gamlss`*Extract Residuals from GAMLSS model*

Description

`residuals.gamlss` is the GAMLSS specific method for the generic function `residuals` which extracts the residuals for a fitted model. The abbreviated form `resid` is an alias for `residuals`.

Usage

```
## S3 method for class 'gamlss'
residuals(object, what = c("z-scores", "mu", "sigma", "nu", "tau"),
          type = c("simple", "weighted", "partial"),
          terms=NULL, ...)
```

Arguments

object	a GAMLSS fitted model
what	specify whether the standardized residuals are required, called here the "z-scores", or residuals for a specific parameter
type	the type of residual if residuals for a parameter are required
terms	if type is "partial" this specifies which term is required
...	for extra arguments

Details

The "z-scores" residuals saved in a GAMLSS object are the normalized (randomized) quantile residuals (see Dunn and Smyth, 1996). Randomization is only needed for the discrete family distributions, see also [rqres.plot](#). Residuals for a specific parameter can be "simple" = (working variable - linear predictor), "weighted" = $\sqrt{\text{working weights}} \times (\text{working variable} - \text{linear predictor})$ or "partial" = (working variable - linear predictor) + contribution of specific terms.

Value

a vector or a matrix of the appropriate residuals of a GAMLSS model. Note that when weights are used in the fitting the length of the residuals can be different from N the length of the fitted values. Observations with weights equal to zero are not appearing in the residuals. Also observations with frequencies as weights will appear more than once according to their frequencies.

Note

The "weighted" residuals of a specified parameter can be zero and one if the square of first derivative have been used in the fitting of this parameter

Author(s)

Mikis Stasinopoulos and Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M., Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[print.gamlss](#), [summary.gamlss](#), [fitted.gamlss](#), [coef.gamlss](#), [residuals.gamlss](#), [update.gamlss](#), [plot.gamlss](#), [deviance.gamlss](#), [formula.gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=NB1, data=aids) #
plot(aids$x,resid(h))
plot(aids$x,resid(h,"sigma") )
rm(h)
```

ri

Specify ridge or lasso Regression within a GAMLSS Formula

Description

The function `ri()` allow the user to fit a ridge regression within GAMLSS. It allows the coefficients of a set of explanatory variables to be shrunk towards zero. The amount of shrinking depends either on λ , or on the equivalent degrees of freedom (df). The type of shrinking depends on the argument `Lp` see example.

Usage

```
ri(X = NULL, x.vars = NULL, df = NULL, lambda = NULL,
   method = c("ML", "GAIC"), order = 0, start = 10, Lp = 2,
   kappa = 1e-05, iter = 100, c.crit = 1e-06, k = 2)
```

Arguments

X	A matrix of explanatory variables X which is standardised (mean=0, sd=1) automatically. Note that in order to get predictions you should use the option <code>x.vars</code>
x.vars	which variables from the data.frame declared in data needs to be included. This is a way to fit the model if predictions are required.
df	the effective degrees of freedom df
lambda	the smoothing parameter lambda
method	which method is used for the estimation of the smoothing parameter, 'ML' or 'GAIC' are allowed.

order	the order of the difference applied to the coefficients with default zero. (Do not change this unless there is some ordering in the explanatory variables.)
start	starting value for lambda if it estimated using 'ML' or 'GAIC'
Lp	The type of penalty required, Lp=2 a proper ridge regression is the default. Use Lp=1 for lasso and different values for different penalties.
kappa	a regulation parameters used for the weights in the penalties.
iter	the number of internal iteration allowed see details.
c.crit	c.crit is the convergent criterion
k	k is the penalty if 'GAIC' method is used.

Details

This implementation of ridge and related regressions is based on an idea of Paul Eilers which used weights in the penalty matrix. The type of weights are defined by the argument Lp. Lp=2 is the standard ridge regression, Lp=1 fits a lasso regression while Lp=0 allows a "best subset" regression see Hastie et al (2009) page 71.

Value

x is returned with class "smooth", with an attribute named "call" which is to be evaluated in the backfitting `additive.fit()` called by `gamlss()`

Author(s)

Mikis Stasinopoulos, Bob Rigby and Paul Eilers

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. and Stasinopoulos, D. M (2013) Automatic smoothing parameter selection in GAMLSS with an application to centile estimation, *Statistical methods in medical research*.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#)

Examples

```
# USAIR DATA
# standarise data 1-----
# ridge
m1<- gamlss(y~ri(x.vars=c("x1","x2","x3","x4","x5","x6")),
            data=usair)
# lasso
m2<- gamlss(y~ri(x.vars=c("x1","x2","x3","x4","x5","x6"), Lp=1),
            data=usair)
# best subset
m3<- gamlss(y~ri(x.vars=c("x1","x2","x3","x4","x5","x6"), Lp=0),
            data=usair)
#----- plotting the coefficients
op <- par(mfrow=c(3,1))
plot(getSmo(m1)) #
plot(getSmo(m2))
plot(getSmo(m3))
par(op)
```

rqres.plot

Creating and Plotting Randomized Quantile Residuals

Description

This function plots worm plots, van Buuren and Fredriks M. (2001), or QQ-plots of the normalized randomized quantile residuals (Dunn and Smyth, 1996) for a model using a discrete GAMLSS family distribution.

Usage

```
rqres.plot(obj = NULL, howmany = 6, plot.type = c("few", "all"),
           type = c("wp", "QQ"), xlim = NULL, ylim = NULL, ...)
get.rqres(obj = NULL, howmany = 10, order = FALSE)
```

Arguments

obj	a fitted GAMLSS model object from a "discrete" type of family
howmany	The number randomise quantile residuals required i.e. howmany=6
plot.type	whether to plot few of the randomised quantile residual realisations, "few" in a separate plots (there must be less than 8) or all "all" in one plot (with their median)
type	whether to plot worm plots "wp" or QQ plots "QQ" with default worm plots
xlim	setting manually the xlim of the graph
ylim	setting manually the ylim of the graph
order	whether to order the ealization of randomised quantile residuals
...	for extra arguments to be passed to wp()

Details

For discrete family distributions, the `gamlss()` function saves on exit one realization of randomized quantile residuals which can be plotted using the generic function `plot` which calls the `plot.gamlss`. Looking at only one realization can be misleading, so the current function creates QQ-plots for several realizations. The function allows up to 10 QQ-plots to be plotted. Occasionally one wishes to create a lot of realizations and then take a median of them (separately for each ordered value) to create a single median realization. The option `all` in combinations with the option `howmany` creates a QQ-plot of the medians of the normalized randomized quantile residuals. These 'median' randomized quantile residuals can be saved using the option (`save=TRUE`).

Value

If `save` it is `TRUE` then the vector of the median residuals is saved.

Author(s)

Mikis Stasinopoulos

References

- Dunn, P. K. and Smyth, G. K. (1996) Randomised quantile residuals, *J. Comput. Graph. Statist.*, **5**, 236–244
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).
- van Buuren and Fredriks M. (2001) Worm plot: simple diagnostic device for modelling growth reference curves. *Statistics in Medicine*, **20**, 1259–1277

See Also

[plot.gamlss](#), [gamlss](#)

Examples

```
data(aids) # fitting a model from a discrete distribution
h<-gamlss(y~pb(x)+qrt, family=NBI, data=aids) #
plot(h)
# plot qq- plots from 6 realization of the randomized quantile residuals
rqres.plot(h)
# a worm-plot of the medians from 10 realizations
```

```
rqres.plot(h,howmany=40,plot="all") #
```

Rsq

Generalised (Pseudo) R-squared for GAMLSS models

Description

This function gives the generalised R-squared of Nagelkerke (1991) for a GAMLSS model.

Usage

```
Rsq(object, type = c("Cox Snell", "Cragg Uhler", "both"))
```

Arguments

object	a GAMLSS object
type	which definition of R squared. Can be the "Cox Snell" or the Nagelkerke, "Cragg Uhler" or "both".

Details

The Rsq() function uses the definition for R-squared:

$$R^2 = 1 - \left(\frac{L(0)}{L(\hat{\theta})} \right)^{2/n}$$

where $L(0)$ is the null model (only a constant is fitted to all parameters) and $L(\hat{\theta})$ is the current fitted model. This definition sometimes is referred to as the Cox & Snell R-squared. The Nagelkerke /Cragg & Uhler's definition divides the above with

$$1 - L(0)^{2/n}$$

Value

The Rsq() produces a single value if type="Cox Snell" or "Cragg Uhler" and a list if type="both".

Note

The null model is fitted using the function gamlssML() which can create warning messages

Author(s)

Mikis Stasinopoulos

References

- Nagelkerke, N. J. (1991). A note on a general definition of the coefficient of determination. *Biometrika*, 78(3), 691-692.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[GAIC](#)

Examples

```
data(aids)
m1 <- gamlss(y~x+qrt, data=aids, family=NBI)
Rsq(m1)
Rsq(m1, type="both")
```

rvcov	<i>Robust Variance-Covariance matrix of the parameters from a fitted GAMLSS model</i>
-------	---

Description

The function `rvcov()` is design for providing robust standard errors for the parameters estimates of a GAMLSS fitted model. The same result can be achieved by using `vcov(fitted_model, robust=TRUE)`. The function `get.()` gets the K matrix (see details below).

Usage

```
rvcov(object, type = c("vcov", "cor", "se", "coef", "all"),
      hessian.fun = c("R", "PB") )
get.K(object, what = c("K", "Deriv"))
```

Arguments

object	a GAMLSS fitted object
type	this argument for <code>rvcov()</code> function whether variance-covariance matrix, correlation matrix, standard errors or all of them

what	this an argument for the function <code>ket.K()</code> allowing to get either K or the first derivative of the likelihood with respect to the parameters (the β 's in the GAMLSS notation).
<code>hessian.fun</code>	How to obtain numerically the Hessian i) using <code>optimHess()</code> , option "R" ii) using a function by Pinheiro and Bates taken from package <code>nlme</code> , option "PB".

Details

The robust standard errors are calculated for the robust sandwich estimator of the variance-covariance given by $S = VKV$ where V is the standard variance-covariance matrix (the inverse of the information matrix) and K is an estimate of the variance of the first derivatives of the likelihood. The function `ket.K()` is used to get the required K matrix.

Value

A variance covariance matrix or other relevant output

Author(s)

Mikis Stasinopoulos, Bob Rigby and Vlasios Voudouris

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape, (with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in *R. Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[vcov](#), [~~~](#)

Examples

```
# generate from a gamma distribution
Y <- rGA(200, mu=1, sigma=2)
hist(Y)
# fitting the wrong model i.e. sigma=1
m1 <- gamlss(Y~1, family=EXP)
# the conventional se is too precise
vcov(m1, type="se")
# the sandwich se is wider
```

```

rvcov(m1, type="se")
# fitting the correct model
m2 <- gamlss(Y~1, family=GA)
vcov(m2, type="se")
rvcov(m2, type="se")
# similar stadard errors
# also obtained using
vcov(m2, type="se", robust=TRUE)

```

stepGAIC

Choose a model by GAIC in a Stepwise Algorithm

Description

The function `stepGAIC()` performs stepwise model selection using a Generalized Akaike Information Criterion (GAIC). It is based on the function `stepAIC()` given in the library MASS of Venables and Ripley (2002). The function has been changed recently to allow parallel computation. The parallel computations are similar to the ones performed in the function `boot()` of the **boot** package. Note that since version 4.3-5 of **gamlss** the `stepGAIC()` do not have the option of using the function `stepGAIC.CH` through the argument `additive`.

Note that `stepGAIC()` is relying to the `dropterm()` and `addterm()` methods applied to `gamlss` objects. `drop1()` and `add1()` are equivalent methods to the `dropterm()` and `addterm()` respectively but with different default arguments (see the examples).

The function `stepGAIC.VR()` is the old version of `stepGAIC()` with no parallel computations.

The function `stepGAIC.CH` is based on the S function `step.gam()` (see Chambers and Hastie (1991)) and it is more suited for model with smoothing additive terms when the degrees of freedom for smoothing are fixed in advance. This is something which rarely used these days, as most of the smoothing functions allow the calculations of the smoothing parameter, see for example the additive function `pb()`.

The functions `stepGAIC.VR()` and `stepGAIC.CH()` have been adapted to work with `gamlss` objects and the main difference is the `scope` argument, see below.

While the functions `stepGAIC()` is used to build models for individual parameters of the distribution of the response variable, the functions `stepGAICAll.A()` and `stepGAICAll.B()` are building models for all the parameters.

The functions `stepGAICAll.A()` and `stepGAICAll.B()` are based on the `stepGAIC()` function but use different strategies for selecting a appropriate final model.

`stepGAICAll.A()` has the following strategy:

Strategy A:

- i) build a model for μ using a forward approach.
- ii) given the model for μ build a model for σ (forward)
- iii) given the models for μ and σ build a model for ν (forward)
- iv) given the models for μ , σ and ν build a model for τ (forward)

v) given the models for μ , σ , ν and τ check whether the terms for ν are needed using backward elimination.

vi) given the models for μ , σ , ν and τ check whether the terms for σ are needed (backward).

vii) given the models for μ , σ , ν and τ check whether the terms for μ are needed (backward).

Note for this strategy to work the scope argument should be set appropriately.

`stepGAICall.B()` uses the same procedure as the function `stepGAIC()` but each term in the scope is fitted to all the parameters of the distribution, rather than the one specified by the argument `what` of `stepGAIC()`. The `stepGAICall.B()` relies on the `add1All()` and `drop1All()` functions for the selection of variables.

Usage

```
stepGAIC(object, scope, direction = c("both", "backward", "forward"),
         trace = TRUE, keep = NULL, steps = 1000, scale = 0,
         what = c("mu", "sigma", "nu", "tau"), parameter = NULL, k = 2,
         parallel = c("no", "multicore", "snow"), ncpus = 1L, cl = NULL,
         ...)

stepGAIC.VR(object, scope, direction = c("both", "backward", "forward"),
            trace = TRUE, keep = NULL, steps = 1000, scale = 0,
            what = c("mu", "sigma", "nu", "tau"), parameter = NULL, k = 2,
            ...)

stepGAIC.CH(object, scope = gamlss.scope(model.frame(object)),
            direction = c("both", "backward", "forward"), trace = TRUE,
            keep = NULL, steps = 1000, what = c("mu", "sigma", "nu", "tau"),
            parameter = NULL, k = 2, ...)

stepGAICall.A(object, scope = NULL, sigma.scope = NULL, nu.scope = NULL,
             tau.scope = NULL, mu.try = TRUE, sigma.try = TRUE,
             nu.try = TRUE, tau.try = TRUE, direction = NULL,
             parallel = c("no", "multicore", "snow"), ncpus = 1L,
             cl = NULL, ...)

stepGAICall.B(object, scope, direction = c("both", "backward", "forward"),
             trace = T, keep = NULL, steps = 1000, scale = 0, k = 2,
             parallel = c("no", "multicore", "snow"), ncpus = 1L,
             cl = NULL, ...)

drop1All(object, scope, test = c("Chisq", "none"), k = 2, sorted = FALSE,
         trace = FALSE, parallel = c("no", "multicore", "snow"),
         ncpus = 1L, cl = NULL, ...)

add1All(object, scope, test = c("Chisq", "none"), k = 2, sorted = FALSE,
        trace = FALSE, parallel = c("no", "multicore", "snow"),
        ncpus = 1L, cl = NULL, ...)
```

Arguments

object	an <code>gamlss</code> object. This is used as the initial model in the stepwise search.
scope	defines the range of models examined in the stepwise search. For the function <code>stepAIC()</code> this should be either a single formula, or a list containing components upper and lower, both formulae. See the details for how to specify the formulae and how they are used. For the function <code>stepGAIC</code> the scope defines the range of models examined in the step-wise search. It is a list of formulas, with each formula corresponding to a term in the model. A 1 in the formula allows the additional option of leaving the term out of the model entirely. +
direction	the mode of stepwise search, can be one of both, backward, or forward, with a default of both. If the scope argument is missing the default for direction is backward
.	
trace	if positive, information is printed during the running of <code>stepAIC</code> . Larger values may give more information on the fitting process.
keep	a filter function whose input is a fitted model object and the associated 'AIC' statistic, and whose output is arbitrary. Typically 'keep' will select a subset of the components of the object and return them. The default is not to keep anything.
steps	the maximum number of steps to be considered. The default is 1000 (essentially as many as required). It is typically used to stop the process early.
scale	scale is not used in <code>gamlss</code>
what	which distribution parameter is required, default <code>what="mu"</code>
parameter	equivalent to <code>what</code>
k	the multiple of the number of degrees of freedom used for the penalty. Only 'k = 2' gives the genuine AIC: 'k = log(n)' is sometimes referred to as BIC or SBC.
parallel	The type of parallel operation to be used (if any). If missing, the default is "no".
ncpus	integer: number of processes to be used in parallel operation: typically one would choose this to the number of available CPUs.
cl	An optional parallel or snow cluster for use if <code>parallel = "snow"</code> . If not supplied, a cluster on the local machine is created for the duration of the call.
sigma.scope	scope for sigma if different to scope in <code>stepGAICall.A()</code>
nu.scope	scope for nu if different to scope in <code>stepGAICall.A()</code>
tau.scope	scope for tau if different to scope in <code>stepGAICall.A()</code>
mu.try	The default value is TRUE, set to FALSE if no model for mu is needed
sigma.try	The default value is TRUE, set to FALSE if no model for sigma is needed
nu.try	The default value is TRUE, set to FALSE if no model for nu is needed
tau.try	The default value is TRUE, set to FALSE if no model for tau is needed
test	whether to print the chi-square test or not
sorted	whether to sort the results
...	any additional arguments to 'extractAIC'. (None are currently used.)

Details

The set of models searched is determined by the `scope` argument.

For the function `stepGAIC.VR()` the right-hand-side of its lower component is always included in the model, and right-hand-side of the model is included in the upper component. If `scope` is a single formula, it specifies the upper component, and the lower model is empty. If `scope` is missing, the initial model is used as the upper model.

Models specified by `scope` can be templates to update object as used by `update.formula`.

For the function `stepGAIC.CH()` each of the formulas in `scope` specifies a "regimen" of candidate forms in which the particular term may enter the model. For example, a term formula might be

```
~ x1 + log(x1) + cs(x1, df=3)
```

This means that `x1` could either appear linearly, linearly in its logarithm, or as a smooth function estimated non-parametrically. Every term in the model is described by such a term formula, and the final model is built up by selecting a component from each formula.

The function `gamlss.scope` similar to the S `gam.scope()` in Chambers and Hastie (1991) can be used to create automatically term formulae from specified data or model frames.

The supplied model object is used as the starting model, and hence there is the requirement that one term from each of the term formulas of the parameters be present in the formula of the distribution parameter. This also implies that any terms in formula of the distribution parameter not contained in any of the term formulas will be forced to be present in every model considered.

When the smoother used in `gamlss` modelling belongs to the new generation of smoothers allowing the determination of the smoothing parameters automatically (i.e. `pb()`, `cy()`) then the function `stepGAIC.VR()` can be used for model selection (see example below).

Value

the stepwise-selected model is returned, with up to two additional components. There is an "anova" component corresponding to the steps taken in the search, as well as a "keep" component if the 'keep=' argument was supplied in the call. The "Resid. Dev" column of the analysis of deviance table refers to a constant minus twice the maximized log likelihood

The function `stepGAICAll.A()` returns with a component "anovaAll" containing all the different anova tables used in the process.

Author(s)

Mikis Stasinopoulos based on functions in MASS library and in Statistical Models in S

References

Chambers, J. M. and Hastie, T. J. (1991). *Statistical Models in S*, Chapman and Hall, London.

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

Venables, W. N. and Ripley, B. D. (2002) *Modern Applied Statistics with S*. Fourth edition. Springer.

See Also

[gamlss.scope](#)

Examples

```
## Not run:
data(usair)
# -----
# null model
mod0<-gamlss(y~1, data=usair, family=GA)
# all the explanatortory variables x1:x6 fitted linearly
mod1<-gamlss(y~., data=usair, family=GA)
#-----
# dropping terms
dropterm(mod1)
# with chi-square information
drop1(mod1)
# for parallel computations use something like
nC <- detectCores()
drop1(mod1, parallel="snow", ncpus=nC)
drop1(mod1, parallel="multicore", ncpus=nC)
#-----
# adding terms
addterm(mod0, scope=as.formula(paste("~", paste(names(usair[-1])),
collapse="+"),sep=""))
# with chi-square information
add1(mod0, scope=as.formula(paste("~", paste(names(usair[-1])),
collapse="+"),sep=""))
# for parallel computations
nC <- detectCores()
add1(mod0, scope=as.formula(paste("~", paste(names(usair[-1])),
collapse="+"),sep=""), parallel="snow", ncpus=nC)
#-----
#-----
# stepGAIC
# find the best subset for the mu
mod2 <- stepGAIC(mod1)
mod2$anova
#-----
# for parallel computations
mod21 <- stepGAIC(mod1, , parallel="snow", ncpus=nC)
#-----
```

```

# find the best subset for sigma
mod3<-stepGAIC(mod2, what="sigma", scope=~x1+x2+x3+x4+x5+x6)
mod3$anova
#-----
# find the best model using pb() smoother
#only three variables are used here for simplicity
mod20<-stepGAIC(mod0, scope=list(lower=~1, upper=~pb(x1)+pb(x2)+pb(x5)))
edf(mod20)
# note that x1 and x2 enter linearly
#-----
#-----
# the stepGAIC.CH function (no parallel here)
# creating a scope from the usair model frame
gs<-gamlss.scope(model.frame(y~x1+x2+x3+x4+x5+x6, data=usair))
gs
mod5<-stepGAIC.CH(mod0,gs)
mod5$anova
#-----
#-----
# now stepGAICAll.A
mod7<-stepGAICAll.A(mod0, scope=list(lower=~1,upper=~x1+x2+x3+x4+x5+x6))
#-----
#-----
# now stepGAICAll.B
drop1All(mod1, parallel="snow", ncpus=nC)
add1All(mod0, scope=as.formula(paste("~", paste(names(usair[-1]),
collapse="+"))), parallel="snow", ncpus=nC)
mod8<-stepGAICAll.B(mod0, scope=list(lower=~1,upper=~x1+x2+x3+x4+x5+x6))
#-----
#-----

## End(Not run)

```

summary.gamlss

Summarizes a GAMLSS fitted model

Description

summary.gamlss is the GAMLSS specific method for the generic function summary which summarize objects returned by modelling functions.

Usage

```

## S3 method for class 'gamlss'
summary(object, type = c("vcov", "qr"),
        robust=FALSE, save = FALSE,
        hessian.fun = c("R", "PB"),
        digits = max(3, getOption("digits") - 3),...)

```

Arguments

object	a GAMLSS fitted model
type	the default value vcov uses the vcov() method for gamlss to get the variance-covariance matrix of the estimated beta coefficients, see details below. The alternative qr is the original method used in gamlss to estimated the standard errors but it is not reliable since it do not take into the account the inter-correlation between the distributional parameters mu, sigma, nu and tau.
robust	whether robust (sandwich) standard errors are required
save	whether to save the environment of the function so to have access to its values
hessian.fun	whether when calculate the Hessian should use the "R" function optimHess() or a function based on Pinheiro and Bates nlme package, "PB".
digits	the number of digits in the output
...	for extra arguments

Details

Using the default value type="vcov", the vcov() method for gamlss is used to get the variance covariance matrix (and consequently the standard errors) of the beta parameters. The variance covariance matrix is calculated using the inverse of the numerical second derivatives of the observed information matrix. This is a more reliable method since it take into the account the inter-correlation between the all the parameters. The type="qr" assumes that the parameters are fixed at the estimated values. Note that both methods are not appropriate and should be used with caution if smoothing terms are used in the fitting.

Value

Print summary of a GAMLSS object

Author(s)

Mikis Stasinopoulos, Bob Rigby and Calliope Akantziliotou

References

- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also

[gamlss](#), [deviance.gamlss](#), [fitted.gamlss](#)

Examples

```
data(aids)
h<-gamlss(y~poly(x,3)+qrt, family=P0, data=aids) #
summary(h)
rm(h)
```

term.plot	<i>Plot regression terms for a specified parameter of a fitted GAMLSS object</i>
-----------	--

Description

Plots regression terms against their predictors, optionally with standard errors and partial residuals added. It is based on the R function `termplot` but is suitably changed to apply to GAMLSS objects.

Usage

```
term.plot(object, what = c("mu", "sigma", "nu", "tau"),
  parameter= NULL, data = NULL,
  envir = environment(formula(object)), partial.resid = FALSE,
  rug = FALSE, terms = NULL, se = TRUE, ylim = c("common", "free"),
  scheme = c("shaded", "lines"), xlabs = NULL, ylabs = NULL,
  main = NULL, pages = 0, col.term = "darkred",
  col.se = "orange", col.shaded = "gray", col.res = "lightblue",
  col.rug = "gray", lwd.term = 1.5, lty.se = 2, lwd.se = 1,
  cex.res = 1, pch.res = par("pch"),
  ask = interactive() && nb.fig < n.tms && .Device != "postscript",
  use.factor.levels = TRUE, surface.gam = FALSE,
  polys = NULL, polys.scheme = "topo",...)
```

Arguments

<code>object</code>	a fitted GAMLSS object
<code>what</code>	the required parameter of the GAMLSS distribution i.e. "mu"
<code>parameter</code>	equivalent to <code>what</code>
<code>data</code>	data frame in which variables in <code>object</code> can be found
<code>envir</code>	environment in which variables in <code>object</code> can be found
<code>partial.resid</code>	logical; should partial residuals be plotted or not
<code>rug</code>	add rug plots (jitter 1-d histograms) to the axes?
<code>terms</code>	which terms to be plotted (default 'NULL' means all terms)

se	plot point-wise standard errors?
ylim	there are two options here a) "common" and b) "free". The "common" option plots all figures with the same ylim range and therefore allows the viewer to check the relative contribution of each terms compare to the rest. In the 'free' option the limits are computed for each plot separately.
scheme	whether the se's should appear shaded or as lines
xlabs	vector of labels for the x axes
ylabs	vector of labels for the y axes
main	logical, or vector of main titles; if 'TRUE', the model's call is taken as main title, 'NULL' or 'FALSE' mean no titles.
pages	in how many pages the plot should appear. The default is 0 which allows different page for each plot
col.term	the colour of the term line
col.se	the colour of the se's lines
col.shaded	the colour of the shaded area
col.res	the colour of the partial residuals
col.rug	the colour of the rug
lwd.term	line width of the fitted terms
lty.se	line type for standard errors
lwd.se	line width for the standard errors
cex.res	plotting character expansion for the partial residuals
pch.res	characters for points in the partial residuals
ask	logical; if 'TRUE', the user is asked before each plot, see 'par(ask=.)'.
use.factor.levels	Should x-axis ticks use factor levels or numbers for factor terms?
surface.gam	whether to use surface plot if a ga() term is fitted
polys	The polygon information file for MRF models
polys.scheme	Color scheme for polygons for RMF models
...	other graphical parameters

Details

The function uses the `lpred` function of `GAMLSS`. The 'data' argument should rarely be needed, but in some cases 'termplot' may be unable to reconstruct the original data frame. Using 'na.action=na.exclude' makes these problems less likely. Nothing sensible happens for interaction terms.

Value

a plot of fitted terms.

Author(s)

Mikis Stasinopoulos based on the existing `termplot()` function

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[termplot](#)

Examples

```
data(aids)
a<-gamlss(y~pb(x)+qrt,data=aids,family=NBI)
term.plot(a, pages=1)
rm(a)
```

update.gamlss

Update and Re-fit a GAMLSS Model

Description

update.gamlss is the GAMLSS specific method for the generic function update which updates and (by default) refits a GAMLSS model.

Usage

```
## S3 method for class 'gamlss'
update(object, formula., ...,
       what = c("mu", "sigma", "nu", "tau", "All"),
       parameter= NULL, evaluate = TRUE)
```

Arguments

object	a GAMLSS fitted model
formula.	the formula to update
...	for updating argument in gamlss()

what	the parameter in which the formula needs updating for example "mu", "sigma", "nu" "tau" or "All". If "All" all the formulae are updated. Note that the what argument has an effect only if only if the argument formula. is set
parameter	equivalent to what
evaluate	whether to evaluate the call or not

Value

Returns a GAMLSS call or fitted object.

Author(s)

Mikis Stasinopoulos, Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

See Also

[print.gamlss](#), [summary.gamlss](#), [fitted.gamlss](#), [coef.gamlss](#), [residuals.gamlss](#), [plot.gamlss](#), [deviance.gamlss](#), [formula.gamlss](#)

Examples

```
data(aids)
# fit a poisson model
h.po <-gamlss(y~pb(x)+qrt, family=P0, data=aids)
# update with a negative binomial
h.nb <-update(h.po, family=NBI)
# update the smoothing
h.nb1 <-update(h.nb,~cs(x,8)+qrt)
# remove qrt
h.nb2 <-update(h.nb1,~.-qrt)
# put back qrt take log of y and fit a normal distribution
h.nb3 <-update(h.nb1,log(.)~.+qrt, family=NO)
# verify that it is the same
h.no<-gamlss(log(y)~cs(x,8)+qrt,data=aids )
```

VC.test

*Vuong and Clarke tests***Description**

The Vuong and Clarke tests for GAMLSS fitted models.

Usage

```
VC.test(obj1, obj2, sig.lev = 0.05)
```

Arguments

obj1	The first fitted gamlss object
obj2	The second fitted gamlss object
sig.lev	Significance level used for testing.

Details

The Vuong (1989) and Clarke (2007) tests are likelihood-ratio-based tests for model selection that use the Kullback-Leibler information criterion. The implemented tests can be used for choosing between two bivariate models which are non necessary nested.

In the Vuong test, the null hypothesis is that the two models are equally close to the actual model, whereas the alternative is that one model is closer. The test follows asymptotically a standard normal distribution under the null. Assume that the critical region is $(-c, c)$, where c is typically set to 1.96. If the value of the test is greater than c then we reject the null hypothesis that the models are equivalent in favour of the model in obj1. Vice-versa if the value is smaller than $-c$ we reject the null hypothesis that the models are equivalent in favour of the model in obj2. If the value falls within $(-c, c)$ then we cannot discriminate between the two competing models given the data.

In the Clarke test, if the two models are statistically equivalent then the log-likelihood ratios of the observations should be evenly distributed around zero and around half of the ratios should be larger than zero. The test follows asymptotically a binomial distribution with parameters n and 0.5. Critical values can be obtained as shown in Clarke (2007). Intuitively, the model in obj1 is preferred over that in obj2 if the value of the test is significantly larger than its expected value under the null hypothesis ($n/2$), and vice versa. If the value is not significantly different from $n/2$ then obj1 can be thought of as equivalent to obj2.

Value

For the Vuong test it returns its value and the decision and for the Clarke test returns the value the p-value and the decision. Decisions criteria are as discussed above.

Author(s)

Mikis Stasinopoulos and Giampiero Marra

References

Clarke K. (2007), A Simple Distribution-Free Test for Non-Nested Model Selection. *Political Analysis*, 15, 347-363.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. 23, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

Vuong Q.H. (1989), Likelihood Ratio Tests for Model Selection and Non-Nested Hypotheses. *Econometrica*, 57(2), 307-333.

See Also

[LR.test](#)

Examples

```
library(gamlss)
# fitting different models
m0 <- gamlss(y~x+qrt, data=aids, family=P0)
m1 <- gamlss(y~pb(x)+qrt, data=aids, family=P0)
m2 <- gamlss(y~pb(x)+qrt, data=aids, family=NBI)
# comparison of the mdels
VC.test(m0,m2)
VC.test(m0,m1)
VC.test(m1,m2)
```

wp

Worm plot

Description

Provides a single plot or multiple worm plots for a GAMLSS fitted or more general for any fitted models where the method `resid()` exist and the residuals are defined sensibly. The worm plot (a de-trended QQ-plot), van Buuren and Fredriks M. (2001), is a diagnostic tool for checking the residuals within different ranges (by default not overlapping) of the explanatory variable(s).

Usage

```
wp(object = NULL, xvar = NULL, resid = NULL, n.inter = 4,
xcut.points = NULL, overlap = 0, xlim.all = 4,
xlim.worm = 3.5, show.given = TRUE, line = TRUE,
ylim.all = 12 * sqrt(1/length(resid)),
ylim.worm = 12 * sqrt(n.inter/length(resid)),
cex = 1, cex.lab = 1, pch = 21, bg = "wheat",
col = "red", bar.bg = c(num = "light blue"), ...)
```

Arguments

object	a GAMLSS fitted object or any other fitted model where the resid() method works (preferably it should be standardised or quantile residuals)
xvar	the explanatory variable(s) against which the worm plots will be plotted. If only one variable is involved use xvar=x1 if two variables are involved use xvar=~x1*x2. See also note below for use of formula if the data argument is not found in the fitted model
resid	if object is missing this argument can be used to specify the residual vector (again it should be a quantile residuals or it be assumed to come from a normal distribution)
n.inter	the number of intervals in which the explanatory variable xvar will be cut
xcut.points	the x-axis cut off points e.g. c(20,30). If xcut.points=NULL then the n.inter argument is activated
overlap	how much overlapping in the xvar intervals. Default value is overlap=0 for non overlapping intervals
xlim.all	for the single plot, this value is the x-variable limit, default is xlim.all=4
xlim.worm	for multiple plots, this value is the x-variable limit, default is xlim.worm=3.5
show.given	whether to show the x-variable intervals in the top of the graph, default is show.given=TRUE
line	whether to plot the polynomial line in the worm plot, default value is line=TRUE
ylim.all	for the single plot, this value is the y-variable limit, default value is ylim.all=12*sqrt(1/length(fitted.values))
ylim.worm	for multiple plots, this value is the y-variable limit, default value is ylim.worm=12*sqrt(n.inter/length(fitted.values))
cex	the cex plotting parameter for changing the size of worm with default cex=1
cex.lab	the cex plotting parameter for changing the size of the axis labels
pch	the pch plotting parameter with default pch=21
bg	The background colour of the worm plot points
col	the colour of the fitted (and horizontal and vertical) lines
bar.bg	the colour of the bars when xvar is used
...	for extra arguments

Details

If the `xvar` argument is not specified then a single worm plot is used. In this case a worm plot is a de-trended normal QQ-plot so departure from normality is highlighted.

If a single `xvar` is specified (with or without the use of a formula) i.e. `xvar=x1` or `xvar=~x1` then we have as many worm plot as `n.iter`. In this case the x-variable is cut into `n.iter` intervals with an equal number observations and de-trended normal QQ (i.e. worm) plots for each interval are plotted. This is a way of highlighting failures of the model within different ranges of the the single explanatory variable. The fitted coefficients from fitting cubic polynomials to the residuals (within each x-variable interval) can be obtain by e.g. `coeffs<-wp(model1,xvar=x,n.iner=9)`. van Buuren and Fredriks M. (2001) used these residuals to identify regions (intervals) of the explanatory variable within which the model does not fit adequately the data (called "model violation")

Two variables can be displayed with the use of a formula, i.e. `xvar=~x1*x2`. In this case the `n.inter` can be a vector with two values.

Value

For multiple plots the `xvar` intervals and the coefficients of the fitted cubic polynomials to the residuals (within each `xvar` interval) are returned.

Note

Note that the `wp()` function, if the argument `object` is used, is looking for the `data` argument of the object. If the argument `data` exists it uses its environment to find `xvar` (whether it is a formula or not). As a result if `data` exists within object `xvar=~x*f` can be used (assuming that `x` and `f` are in the data) otherwise the variable should be explicitly defined i.e. `xvar=~data$x*data$f`.

Author(s)

Mikis Stasinopoulos and Bob Rigby

References

Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, 1-38.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.

Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.

Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

(see also <https://www.gamlss.com/>).

van Buuren and Fredriks M. (2001) Worm plot: simple diagnostic device for modelling growth reference curves. *Statistics in Medicine*, **20**, 1259–1277

See Also

[gamlss](#), [plot.gamlss](#)

Examples

```
data(abdom)
# with data
a<-gamlss(y~pb(x),sigma.fo=~pb(x,1),family=L0,data=abdom)
wp(a)
coeff1<-wp(a,xvar=x)
coeff1
## Not run:
# no data argument
b <- gamlss(abdom$y~pb(abdom$x),sigma.fo=~pb(abdom$x),family=L0)
wp(b)
wp(b, xvar=abdom$x)# not wp(b, xvar=x)
# using the argument resid
# this will work
wp(resid=resid(a), xvar=abdom$x)
# not this
# wp(resid=resid(a), xvar=x)
# this example uses the rent data
m1 <- gamlss(R~pb(Fl)+pb(A)+loc, sigma.fo=~pb(Fl)+pb(A), data=rent, family=GA)
# a single worm plot
wp(m1, ylim.all=0.5)
# a single continuous x variable
wp(m1, xvar=Fl, ylim.worm=.8)
# a single x variable changing the default number of intervals
wp(m1, xvar=Fl, ylim.worm=1.5, n.inter=9)
# different x variable changing the default number of intervals
B1<-wp(m1, xvar=A, ylim.worm=1.2, n.inter=9)
B1
# the number five plot has intervals
# [5,] 1957.5 1957.5
# rather disappointing
# try formula for xvar
wp(m1, xvar=~A, ylim.worm=1.2, n.inter=9)
# better in this case using formula
# now using a factor included in the model
wp(m1, xvar=~loc, ylim.worm=1.2, n.inter=9)
# using a factor not in the model
wp(m1, xvar=~B, ylim.worm=1.5, n.inter=9)
# level 2 (with B=1) did not fit well
# trying two continuous variable
wp(m1, xvar=~Fl*A, ylim.worm=1.5, n.inter=4)
# one continuous and one categorical
wp(m1, xvar=~Fl*loc, ylim.worm=1.5, n.inter=4)
# two categorical
wp(m1, xvar=~B*loc, ylim.worm=1.5, n.inter=4)

## End(Not run)
```

z.scores	<i>Z-scores for lms objects</i>
----------	---------------------------------

Description

This creates z-scores for new values of y and x given a fitted lms object.

Usage

```
z.scores(object, y, x)
```

Arguments

object	a lms fitted object
y	new y values
x	new x values

Details

This is simply a job that can be also done by `centiles.pred()`.

Value

the required z-scores

Author(s)

Mikis Stasinopoulos

References

- Cole, T. J. (1994) Do growth chart centiles need a face lift? *BMJ*, 308–641.
- Cole, T. J. and Green, P. J. (1992) Smoothing reference centile curves: the LMS method and penalized likelihood, *Statist. Med.* **11**, 1305–1319
- Rigby, R. A. and Stasinopoulos D. M. (2005). Generalized additive models for location, scale and shape,(with discussion), *Appl. Statist.*, **54**, part 3, pp 507-554.
- Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z., and De Bastiani, F. (2019) *Distributions for modeling location, scale, and shape: Using GAMLSS in R*, Chapman and Hall/CRC. An older version can be found in <https://www.gamlss.com/>.
- Stasinopoulos D. M. Rigby R.A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, Vol. **23**, Issue 7, Dec 2007, <https://www.jstatsoft.org/v23/i07/>.
- Stasinopoulos D. M., Rigby R.A., Heller G., Voudouris V., and De Bastiani F., (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.
- (see also <https://www.gamlss.com/>).

See Also[centiles.pred](#)**Examples**

```
## Not run:  
IND<-sample.int(7040, 1000, replace=FALSE)  
db1 <- db[IND,]  
plot(head~age, data=db1)  
m0 <- lms(head, age, data=db1,trans.x=TRUE )  
z.scores(m0, x=c(2,15,30,40),y=c(45,50,56,63))  
## End(Not run)
```

Index

- * **Statistical Models**
 - getQuantile, 72
- * **datasets**
 - .binom, 7
- * **diagnostic**
 - bp, 14
- * **distribution**
 - fitDist, 40
 - gamlss-package, 3
 - histSmo, 79
 - loglogSurv, 90
 - plot.histSmo, 106
 - prodist.gamlss, 113
- * **package**
 - gamlss-package, 3
- * **regeression**
 - pcat, 100
- * **regression**
 - additive.fit, 10
 - bfp, 11
 - bp, 14
 - calibration, 16
 - centiles, 17
 - centiles.com, 20
 - centiles.pred, 21
 - centiles.split, 25
 - coef.gamlss, 27
 - cs, 28
 - deviance.gamlss, 31
 - devianceIncr, 32
 - dtop, 34
 - edf, 36
 - find.hyper, 37
 - fitDist, 40
 - fitted.gamlss, 44
 - fittedPlot, 45
 - formula.gamlss, 46
 - gamlss, 47
 - gamlss-package, 3
 - gamlss.control, 51
 - gamlss.cs, 53
 - gamlss.fp, 54
 - gamlss.lo, 55
 - gamlss.ps, 56
 - gamlss.random, 58
 - gamlss.scope, 59
 - gamlssML, 60
 - gamlssVGD, 64
 - gen.likelihood, 69
 - getPEF, 70
 - getQuantile, 72
 - getSmo, 74
 - glim.control, 76
 - histDist, 77
 - IC, 82
 - lms, 85
 - lo, 87
 - lpred, 93
 - LR.test, 94
 - model.frame.gamlss, 96
 - numeric.deriv, 97
 - par.plot, 98
 - pdf.plot, 102
 - plot.gamlss, 104
 - plot2way, 107
 - polyS, 108
 - predict.gamlss, 110
 - print.gamlss, 112
 - prof.dev, 115
 - prof.term, 117
 - ps, 120
 - Q.stats, 126
 - quantSheets, 128
 - random, 131
 - refit, 135
 - residuals.gamlss, 136
 - ri, 138
 - rqres.plot, 140

- Rsq, 142
- rvcov, 143
- stepGAIC, 145
- summary.gamlss, 150
- term.plot, 152
- update.gamlss, 154
- VC.test, 156
- wp, 157
- z.scores, 161
- * **regresson**
 - acfResid, 9
- * **ts**
 - acfResid, 9
- .binom, 7
- .counts(.binom), 7
- .gamlss.bi.list(.binom), 7
- .gamlss.multin.list(.binom), 7
- .gamlss.sm.list(.binom), 7
- .hat.WX(ps), 120
- .real0to1(.binom), 7
- .realAll(.binom), 7
- .realline(.binom), 7
- .realplus(.binom), 7
- acf, 10
- acfResid, 9
- add1All(stepGAIC), 145
- add1TGD(gamlssVGD), 64
- additive.fit, 10, 11, 120
- AIC.gamlss(IC), 82
- bfp, 11
- bp, 14
- calibration, 16, 87
- centiles, 17, 17, 21, 23, 25, 26, 46, 87
- centiles.com, 19, 20, 26
- centiles.fan, 17
- centiles.pred, 21, 162
- centiles.split, 19, 21, 23, 25, 46, 128
- chooseDist(fitDist), 40
- chooseDistPred(fitDist), 40
- coef.gamlss, 27, 32, 45, 138, 155
- coefAll(coef.gamlss), 27
- cs, 28, 54, 81, 90, 123
- CV(gamlssVGD), 64
- cy, 57
- cy(ps), 120
- deviance, 33
- deviance.gamlss, 28, 31, 45, 47, 113, 138, 152, 155
- devianceIncr, 32
- drop1All(stepGAIC), 145
- drop1TGD(gamlssVGD), 64
- dropterm, 95
- dtop, 34
- ECDF(loglogSurv), 90
- edf, 36
- edfAll(edf), 36
- extractAIC.gamlss(IC), 82
- find.hyper, 37, 51
- findPower(quantSheets), 128
- fitDist, 40
- fitDistPred(fitDist), 40
- fitted.gamlss, 28, 32, 44, 45, 47, 113, 138, 152, 155
- fittedPlot, 45
- formula.gamlss, 45, 46, 138, 155
- fp, 55
- fp(bfp), 11
- fv(fitted.gamlss), 44
- GAIC, 143
- GAIC(IC), 82
- GAMLSS, 114
- gamlss, 11, 13, 19, 21, 23, 26, 28, 30, 37, 39, 43, 46, 47, 47, 53–57, 59, 62, 72, 73, 77, 79, 84, 87, 95, 97, 99, 104, 106, 109, 113, 114, 117, 119, 123, 128, 133, 136, 139, 141, 152, 160
- gamlss-package, 3
- gamlss.control, 49, 51
- gamlss.cs, 28, 30, 53
- gamlss.cy, 120
- gamlss.cy(gamlss.ps), 56
- gamlss.dist, 7
- gamlss.family, 13, 32, 48, 49, 51, 61, 62, 79
- gamlss.fp, 11, 54
- gamlss.lo, 55, 109
- gamlss.pb, 120
- gamlss.pb(gamlss.ps), 56
- gamlss.pbc, 120
- gamlss.pbc(gamlss.ps), 56
- gamlss.pbm, 120
- gamlss.pbm(gamlss.ps), 56
- gamlss.pbo, 120

- `gamlss.pbo` (`gamlss.ps`), 56
- `gamlss.pbp` (`gamlss.ps`), 56
- `gamlss.pbz`, 120
- `gamlss.pbz` (`gamlss.ps`), 56
- `gamlss.pcat` (`pcat`), 100
- `gamlss.pp` (`gamlss.fp`), 54
- `gamlss.ps`, 56, 120, 123
- `gamlss.pvc`, 120
- `gamlss.pvc` (`gamlss.ps`), 56
- `gamlss.random`, 58, 133
- `gamlss.re` (`gamlss.random`), 58
- `gamlss.ri` (`gamlss.ps`), 56
- `gamlss.scope`, 59, 149
- `gamlssCV` (`gamlssVGD`), 64
- `gamlssML`, 43, 60
- `gamlssMLpred` (`gamlssML`), 60
- `gamlssNews` (`gamlss`), 47
- `gamlssVGD`, 60, 63
- `gen.likelihood`, 69
- `get.K` (`rvcov`), 143
- `get.rqres` (`rqres.plot`), 140
- `getOrder` (`fitDist`), 40
- `getPEF`, 70, 73
- `getQuantile`, 72
- `getSmo`, 74
- `getTGD` (`gamlssVGD`), 64
- `getZmatrix` (`ps`), 120
- `glim.control`, 49, 76
-
- `histDist`, 77
- `histSmo`, 79, 107
- `histSmoC` (`histSmo`), 79
- `histSmoO` (`histSmo`), 79
- `histSmoP` (`histSmo`), 79
-
- `IC`, 82
- `is.gamlss` (`gamlss`), 47
-
- `lms`, 85, 130
- `lo`, 56, 87
- `loglogplot` (`loglogSurv`), 90
- `loglogplot0` (`loglogSurv`), 90
- `loglogSurv`, 90
- `loglogSurv1` (`loglogSurv`), 90
- `loglogSurv2` (`loglogSurv`), 90
- `loglogSurv3` (`loglogSurv`), 90
- `logSurv` (`loglogSurv`), 90
- `logSurv0` (`loglogSurv`), 90
- `lp`, 112
- `lp` (`lpred`), 93
- `lpred`, 93, 112
- `LR.test`, 94, 157
-
- `model.frame.gamlss`, 96
- `model.matrix.gamlss`
 (`model.frame.gamlss`), 96
-
- `numeric.deriv`, 97
-
- `optim`, 39
-
- `par.plot`, 98
- `pb`, 30, 57, 81
- `pb` (`ps`), 120
- `pbc` (`ps`), 120
- `pbm`, 57
- `pbm` (`ps`), 120
- `pbo` (`ps`), 120
- `pbp` (`ps`), 120
- `pbz` (`ps`), 120
- `pcat`, 100
- `pdf.plot`, 51, 102
- `plot.gamlss`, 39, 45, 104, 138, 141, 155, 160
- `plot.histSmo`, 106
- `plot2way`, 107
- `plotDF` (`pcat`), 100
- `plotLambda` (`pcat`), 100
- `poly.matrix` (`polyS`), 108
- `polyS`, 108
- `pp` (`bfp`), 11
- `predict.gamlss`, 94, 110
- `predictAll`, 114
- `predictAll` (`predict.gamlss`), 110
- `print.gamlss`, 45, 112, 138, 155
- `prodist`, 114
- `prodist.gamlss`, 113
- `prof.dev`, 115, 119
- `prof.term`, 117, 117
- `ps`, 57, 120
- `pvc`, 30, 57
- `pvc` (`ps`), 120
-
- `Q.stats`, 16, 126
- `quantSheets`, 128
-
- `random`, 59, 90, 101, 131
- `re` (`random`), 131
- `refit`, 52, 135
- `residuals.gamlss`, 45, 136, 138, 155

ri, [57](#), [138](#)
ridge, [57](#)
rqres.plot, [137](#), [140](#)
Rsqr, [142](#)
rvcov, [143](#)

scs (cs), [28](#)
stepGAIC, [60](#), [67](#), [145](#)
stepGAICAll.A (stepGAIC), [145](#)
stepGAICAll.B (stepGAIC), [145](#)
stepTGD (gamlssVGD), [64](#)
stepTGDAll.A (gamlssVGD), [64](#)
summary.gamlss, [45](#), [138](#), [150](#), [155](#)

term.plot, [108](#), [152](#)
termplot, [154](#)
terms.gamlss (model.frame.gamlss), [96](#)
TGD (gamlssVGD), [64](#)

update, [136](#)
update.gamlss, [45](#), [136](#), [138](#), [154](#)

VC.test, [156](#)
vcov, [70](#), [144](#)
VGD (gamlssVGD), [64](#)
vis.lo (lo), [87](#)

wp, [16](#), [35](#), [128](#), [157](#)

z.scores, [161](#)
z.scoresQS (quantSheets), [128](#)