



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 04:32 PM EDT

PDB ID : 4CMB  
Title : Crystal structure of pteridine reductase 1 (PTR1) from Trypanosoma brucei  
in ternary complex with cofactor and inhibitor  
Authors : Barrack, K.L.; Hunter, W.N.  
Deposited on : 2014-01-16  
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	<div> <div>4%</div> <div>79%</div> <div>8%</div> <div>13%</div> </div>
1	B	288	<div> <div>2%</div> <div>80%</div> <div>7%</div> <div>13%</div> </div>
1	C	288	<div> <div>3%</div> <div>75%</div> <div>11%</div> <div>14%</div> </div>
1	D	288	<div> <div>3%</div> <div>78%</div> <div>8%</div> <div>14%</div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8567 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PTERIDINE REDUCTASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	7	0
			1907	1199	335	362	11			
1	B	250	Total	C	N	O	S	0	1	0
			1868	1174	329	353	12			
1	C	249	Total	C	N	O	S	0	3	0
			1867	1176	327	352	12			
1	D	249	Total	C	N	O	S	0	2	0
			1866	1173	328	354	11			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	expression tag	UNP O76290

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	expression tag	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	expression tag	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290


- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is N4-cyclohexyl-5-(4-fluorophenyl)-7H-pyrrolo[2,3-d]pyrimidine-2,4-diamine (three-letter code: UEN) (formula:  $C_{18}H_{20}FN_5$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	F	N	0	0
			24	18	1	5		
3	B	1	Total	C	F	N	0	0
			24	18	1	5		
3	C	1	Total	C	F	N	0	0
			24	18	1	5		
3	D	1	Total	C	F	N	0	0
			24	18	1	5		

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	230	Total	O	0	0
			230	230		
5	B	201	Total	O	0	0
			201	201		
5	C	181	Total	O	0	0
			181	181		
5	D	155	Total	O	0	0
			155	155		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: PTERIDINE REDUCTASE 1




#### • Molecule 1: PTERIDINE REDUCTASE 1




#### • Molecule 1: PTERIDINE REDUCTASE 1



#### • Molecule 1: PTERIDINE REDUCTASE 1







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.06Å 89.68Å 84.35Å 90.00° 115.44° 90.00°	Depositor
Resolution (Å)	37.50 – 1.96 37.80 – 2.00	Depositor EDS
% Data completeness (in resolution range)	91.1 (37.50-1.96) 99.3 (37.80-2.00)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.36 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.172 , 0.223 0.184 , 0.233	Depositor DCC
$R_{free}$ test set	3374 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	15.7	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 47.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8567	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.43 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.0319e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, ACT, UEN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.72	0/1949	0.80	0/2643
1	B	0.73	0/1898	0.80	1/2574 (0.0%)
1	C	0.70	0/1903	0.81	2/2581 (0.1%)
1	D	0.73	0/1899	0.83	4/2576 (0.2%)
All	All	0.72	0/7649	0.81	7/10374 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	230	ARG	NE-CZ-NH1	7.80	124.20	120.30
1	D	230	ARG	NE-CZ-NH2	-7.64	116.48	120.30
1	C	159	LEU	CA-CB-CG	-7.43	98.20	115.30
1	D	165	ASP	CB-CG-OD2	-7.25	111.78	118.30
1	C	198	ARG	NE-CZ-NH1	6.76	123.68	120.30
1	B	46	ASP	CB-CG-OD1	5.74	123.47	118.30
1	D	165	ASP	CB-CG-OD1	5.22	123.00	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1907	0	1943	18	0
1	B	1868	0	1894	12	0
1	C	1867	0	1902	25	0
1	D	1866	0	1891	17	0
2	A	48	0	25	1	0
2	B	48	0	25	0	0
2	C	48	0	25	1	0
2	D	48	0	25	1	0
3	A	24	0	20	1	0
3	B	24	0	20	2	0
3	C	24	0	20	0	0
3	D	24	0	20	0	0
4	A	4	0	3	1	0
5	A	230	0	0	9	0
5	B	201	0	0	3	0
5	C	181	0	0	2	0
5	D	155	0	0	1	0
All	All	8567	0	7813	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:PRO:HG2	1:C:190[B]:LEU:HD12	1.68	0.76
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.22	0.74
1:B:103:VAL:HA	1:D:140[B]:GLN:HE22	1.53	0.72
5:A:2132:HOH:O	1:C:140:GLN:NE2	2.22	0.71
1:A:206[B]:VAL:HG11	1:A:221:TRP:CE3	2.29	0.68
1:D:230:ARG:HH22	1:D:236:GLN:HE22	1.41	0.68
1:A:250:GLN:HG3	5:A:2206:HOH:O	1.93	0.67
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.33	0.63
1:D:219:ASP:OD2	1:D:223:ARG:NH1	2.33	0.62
1:D:2:GLU:HB3	5:D:2001:HOH:O	1.99	0.61
1:A:26:THR:HG22	1:A:26:THR:O	2.01	0.60
1:B:250:GLN:HG3	5:B:2186:HOH:O	2.02	0.60
5:A:2166:HOH:O	1:C:179:HIS:ND1	2.20	0.59
5:A:2164:HOH:O	1:D:267:HIS:NE2	2.32	0.57
1:A:42:VAL:HG23	5:A:2053:HOH:O	2.03	0.56
1:A:141:ARG:HG3	5:A:2106:HOH:O	2.05	0.55
1:D:247:GLY:O	1:D:250:GLN:HG2	2.06	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:LYS:HE2	1:B:37:SER:OG	2.06	0.54
1:B:103:VAL:HA	1:D:140[B]:GLN:NE2	2.23	0.53
1:D:140[B]:GLN:HE21	1:D:140[B]:GLN:HA	1.75	0.52
1:C:190[B]:LEU:HD21	1:D:265:LEU:HB2	1.91	0.52
1:C:251:TYR:CE2	1:D:232:ALA:HB2	2.44	0.51
1:A:247:GLY:O	1:A:250:GLN:HG2	2.11	0.51
1:D:138:PHE:O	1:D:142:GLN:HG2	2.12	0.50
1:A:104:GLN:H	1:C:140:GLN:HE22	1.60	0.50
1:C:206:VAL:HG21	1:C:209:LEU:HD11	1.94	0.50
1:A:42:VAL:CG2	5:A:2053:HOH:O	2.57	0.49
1:C:35:HIS:HB2	2:C:1269:NAP:C2A	2.43	0.49
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.94	0.49
1:B:60:GLN:OE1	5:B:2063:HOH:O	2.19	0.49
1:C:224:LYS:O	1:C:226:PRO:HD3	2.13	0.48
1:A:232:ALA:HB2	1:B:251:TYR:CE2	2.49	0.47
1:D:130:ALA:HB3	1:D:131:PRO:HD3	1.97	0.46
1:C:93:ASN:HB2	1:C:159:LEU:HD13	1.98	0.46
1:D:193:ALA:N	1:D:194:PRO:CD	2.78	0.46
1:B:9:THR:HA	1:B:33:HIS:HB3	1.97	0.46
1:C:193:ALA:N	1:C:194:PRO:CD	2.79	0.45
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.97	0.45
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.52	0.45
1:C:232:ALA:HB2	1:D:251:TYR:CE2	2.51	0.45
1:C:164:VAL:HG22	1:C:179:HIS:CD2	2.52	0.45
3:B:1270:UEN:HAO	3:B:1270:UEN:CAF	2.30	0.45
1:B:164:VAL:HG22	1:B:179:HIS:CD2	2.51	0.45
1:B:49:ASN:HA	1:B:52:ARG:O	2.17	0.45
1:C:213:MET:HG2	1:C:218:LYS:HG3	1.98	0.44
1:B:223:ARG:NH2	5:B:2168:HOH:O	2.44	0.44
1:C:22:LYS:HE2	1:C:235:GLU:HG3	2.00	0.44
1:C:206:VAL:CG2	1:C:209:LEU:HD11	2.48	0.44
1:C:9:THR:HA	1:C:33:HIS:HB3	2.00	0.43
1:C:229:ARG:NH2	5:C:2144:HOH:O	2.53	0.42
1:C:29:ARG:HG2	1:C:55:THR:HG22	2.02	0.42
3:A:1270:UEN:HAO	3:A:1270:UEN:CAE	2.33	0.42
1:C:247:GLY:O	1:C:250:GLN:HG2	2.19	0.42
1:D:35:HIS:HB2	2:D:1269:NAP:C2A	2.49	0.42
4:A:1271:ACT:H1	5:A:2229:HOH:O	2.20	0.42
1:A:102:LEU:O	1:C:136[B]:MET:HG3	2.21	0.41
1:C:33:HIS:HA	1:C:59:CYS:O	2.20	0.41
1:B:14:ARG:NH2	3:B:1270:UEN:HAL2	2.34	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:22:LYS:CE	1:C:235:GLU:HG3	2.50	0.41
1:C:208:LEU:HD11	5:C:2149:HOH:O	2.21	0.41
1:D:164:VAL:HG22	1:D:179:HIS:NE2	2.36	0.41
1:A:192:LEU:HB3	1:A:197:ILE:HB	2.02	0.40
1:A:35:HIS:HB2	2:A:1269:NAP:C2A	2.51	0.40
1:A:222:ARG:HD2	5:A:2191:HOH:O	2.21	0.40
1:C:130:ALA:HB3	1:C:131:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/288 (88%)	241 (96%)	11 (4%)	0	100	100
1	B	245/288 (85%)	237 (97%)	7 (3%)	1 (0%)	34	22
1	C	246/288 (85%)	236 (96%)	10 (4%)	0	100	100
1	D	245/288 (85%)	239 (98%)	5 (2%)	1 (0%)	34	22
All	All	988/1152 (86%)	953 (96%)	33 (3%)	2 (0%)	47	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	208	LEU
1	D	208	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/231 (89%)	203 (98%)	3 (2%)	65	60
1	B	199/231 (86%)	196 (98%)	3 (2%)	65	60
1	C	200/231 (87%)	199 (100%)	1 (0%)	88	88
1	D	199/231 (86%)	197 (99%)	2 (1%)	76	74
All	All	804/924 (87%)	795 (99%)	9 (1%)	73	71

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	141	ARG
1	A	166	GLN
1	B	2	GLU
1	B	43	SER
1	B	152	SER
1	C	211	VAL
1	D	2	GLU
1	D	216	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	140	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAP	A	1269	-	46,52,52	0.91	1 (2%)	61,80,80	1.74	9 (14%)
3	UEN	C	1270	-	25,27,27	2.43	10 (40%)	27,38,38	2.62	11 (40%)
3	UEN	D	1270	-	25,27,27	2.30	10 (40%)	27,38,38	2.75	10 (37%)
2	NAP	D	1269	-	46,52,52	1.08	3 (6%)	61,80,80	1.54	10 (16%)
4	ACT	A	1271	-	3,3,3	1.04	0	3,3,3	0.42	0
3	UEN	B	1270	-	25,27,27	2.56	11 (44%)	27,38,38	2.53	10 (37%)
3	UEN	A	1270	-	25,27,27	2.56	10 (40%)	27,38,38	2.78	11 (40%)
2	NAP	B	1269	-	46,52,52	1.28	5 (10%)	61,80,80	1.48	10 (16%)
2	NAP	C	1269	-	46,52,52	1.10	4 (8%)	61,80,80	1.54	9 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1269	-	-	0/31/67/67	0/5/5/5
3	UEN	C	1270	-	-	0/8/16/16	0/4/4/4
3	UEN	D	1270	-	-	0/8/16/16	0/4/4/4
2	NAP	D	1269	-	-	0/31/67/67	0/5/5/5
3	UEN	B	1270	-	-	1/8/16/16	0/4/4/4
3	UEN	A	1270	-	-	0/8/16/16	0/4/4/4
2	NAP	B	1269	-	-	1/31/67/67	0/5/5/5
2	NAP	C	1269	-	-	1/31/67/67	0/5/5/5

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1270	UEN	CAT-C5	-7.15	1.30	1.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1270	UEN	CAT-C5	-6.14	1.31	1.41
3	C	1270	UEN	CAT-C5	-6.07	1.31	1.41
3	B	1270	UEN	CAF-CAS	5.60	1.50	1.39
3	A	1270	UEN	CAE-CAS	5.27	1.49	1.39
3	D	1270	UEN	CAT-C5	-5.02	1.33	1.41
3	D	1270	UEN	CAE-CAS	4.84	1.49	1.39
3	C	1270	UEN	CAC-CAQ	-4.74	1.27	1.37
3	C	1270	UEN	CAF-CAS	4.67	1.48	1.39
3	B	1270	UEN	CAE-CAS	4.50	1.48	1.39
3	A	1270	UEN	CAG-NAP	4.39	1.45	1.36
3	D	1270	UEN	CAD-CAQ	-3.98	1.29	1.37
3	D	1270	UEN	CAG-NAP	3.75	1.44	1.36
3	D	1270	UEN	CAC-CAQ	-3.69	1.29	1.37
3	C	1270	UEN	CAE-CAS	3.69	1.46	1.39
3	A	1270	UEN	CAF-CAS	3.68	1.46	1.39
2	B	1269	NAP	P2B-O2B	3.63	1.65	1.59
3	C	1270	UEN	CAG-NAP	3.61	1.44	1.36
3	B	1270	UEN	C2-NAA	3.59	1.41	1.33
3	A	1270	UEN	CAD-CAQ	-3.53	1.30	1.37
2	D	1269	NAP	P2B-O2B	3.33	1.65	1.59
3	B	1270	UEN	CAG-NAP	3.27	1.43	1.36
2	B	1269	NAP	PA-O3	3.16	1.62	1.59
2	B	1269	NAP	PN-O3	3.15	1.62	1.59
2	A	1269	NAP	P2B-O2B	3.10	1.65	1.59
3	C	1270	UEN	C5-C4	-3.08	1.34	1.43
3	B	1270	UEN	CAC-CAQ	-3.07	1.31	1.37
2	C	1269	NAP	P2B-O2B	3.06	1.64	1.59
3	A	1270	UEN	C5-C4	-3.06	1.34	1.43
3	D	1270	UEN	C5-C4	-2.98	1.35	1.43
3	A	1270	UEN	CAC-CAQ	-2.94	1.31	1.37
3	B	1270	UEN	C5-C4	-2.90	1.35	1.43
2	B	1269	NAP	C5N-C4N	2.68	1.43	1.38
3	C	1270	UEN	CAT-CAS	2.64	1.53	1.49
3	D	1270	UEN	CAF-CAS	2.62	1.44	1.39
2	D	1269	NAP	C2A-N3A	2.59	1.36	1.32
3	D	1270	UEN	CAT-CAS	2.47	1.53	1.49
3	A	1270	UEN	CAE-CAC	2.43	1.42	1.38
3	C	1270	UEN	C2-NAA	2.42	1.38	1.33
3	B	1270	UEN	C6-N1	2.42	1.36	1.33
3	B	1270	UEN	C4-NAP	2.36	1.39	1.34
3	C	1270	UEN	C4-NAP	2.34	1.39	1.34
3	D	1270	UEN	C4-NAP	2.31	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1270	UEN	C2-NAA	2.30	1.38	1.33
2	C	1269	NAP	PN-O3	2.26	1.61	1.59
2	B	1269	NAP	C6N-N1N	2.23	1.40	1.35
2	C	1269	NAP	C4A-N3A	-2.22	1.32	1.35
3	B	1270	UEN	C4-N3	-2.20	1.32	1.36
3	C	1270	UEN	CAD-CAQ	-2.18	1.32	1.37
3	A	1270	UEN	CAT-CAS	2.16	1.53	1.49
2	C	1269	NAP	C7N-N7N	2.12	1.36	1.33
3	B	1270	UEN	CAT-CAS	2.07	1.53	1.49
3	A	1270	UEN	C2-NAA	2.03	1.37	1.33
2	D	1269	NAP	C7N-N7N	2.02	1.36	1.33

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1270	UEN	CAT-C5-C4	8.41	114.25	107.54
3	D	1270	UEN	CAT-C5-C4	7.80	113.76	107.54
2	A	1269	NAP	O4B-C1B-N9A	7.17	118.25	108.75
3	C	1270	UEN	CAT-C5-C4	6.61	112.81	107.54
3	C	1270	UEN	N3-C2-N1	-6.05	119.53	127.21
2	A	1269	NAP	N3A-C2A-N1A	-5.85	120.73	128.67
3	B	1270	UEN	N3-C2-N1	-5.76	119.89	127.21
3	D	1270	UEN	N3-C2-N1	-5.65	120.03	127.21
3	B	1270	UEN	CAT-C5-C4	5.57	111.98	107.54
3	D	1270	UEN	CAE-CAS-CAF	-5.37	108.08	117.68
2	D	1269	NAP	O4B-C1B-N9A	5.27	115.74	108.75
3	A	1270	UEN	CAE-CAS-CAF	-5.07	108.61	117.68
3	B	1270	UEN	C2-N3-C4	5.02	120.90	115.48
2	C	1269	NAP	C4B-O4B-C1B	-4.96	105.38	109.92
3	A	1270	UEN	CAF-CAD-CAQ	4.94	123.46	118.38
2	D	1269	NAP	C4B-O4B-C1B	-4.67	105.64	109.92
3	A	1270	UEN	N3-C2-N1	-4.35	121.68	127.21
3	C	1270	UEN	CAE-CAS-CAF	-4.27	110.04	117.68
2	C	1269	NAP	C4D-O4D-C1D	-4.12	106.16	109.92
2	C	1269	NAP	O4B-C1B-N9A	4.08	114.16	108.75
3	D	1270	UEN	CAF-CAD-CAQ	3.95	122.43	118.38
2	A	1269	NAP	C1B-N9A-C4A	-3.75	120.05	126.64
3	A	1270	UEN	CAE-CAC-CAQ	3.72	122.20	118.38
2	B	1269	NAP	C4B-O4B-C1B	-3.64	106.59	109.92
2	B	1269	NAP	N3A-C2A-N1A	-3.63	123.74	128.67
2	B	1269	NAP	O3X-P2B-O2X	3.63	121.42	107.80
3	C	1270	UEN	C2-N3-C4	3.55	119.31	115.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1270	UEN	CAE-CAS-CAF	-3.51	111.39	117.68
3	B	1270	UEN	NAA-C2-N1	3.45	122.40	117.22
3	D	1270	UEN	CAF-CAS-CAT	3.43	126.57	120.87
3	C	1270	UEN	CAF-CAD-CAQ	3.35	121.82	118.38
3	B	1270	UEN	CAK-CAX-NAO	-3.30	105.45	110.77
3	C	1270	UEN	CAF-CAS-CAT	3.30	126.36	120.87
2	C	1269	NAP	N3A-C2A-N1A	-3.30	124.20	128.67
3	D	1270	UEN	C2-N1-C6	3.24	122.30	114.59
3	A	1270	UEN	CAF-CAS-CAT	3.24	126.25	120.87
2	C	1269	NAP	C1B-N9A-C4A	-3.19	121.04	126.64
3	B	1270	UEN	CAE-CAS-CAT	3.15	126.10	120.87
3	C	1270	UEN	C2-N1-C6	3.12	122.00	114.59
2	D	1269	NAP	C2B-C1B-N9A	-3.01	105.86	112.56
3	B	1270	UEN	CAE-CAC-CAQ	3.01	121.46	118.38
2	B	1269	NAP	C2B-C1B-N9A	-2.97	105.97	112.56
3	D	1270	UEN	C2-N3-C4	2.89	118.61	115.48
2	A	1269	NAP	C2B-C1B-N9A	-2.88	106.17	112.56
2	D	1269	NAP	C1B-N9A-C4A	-2.87	121.60	126.64
2	D	1269	NAP	O3X-P2B-O2X	2.87	118.56	107.80
2	D	1269	NAP	C3N-C7N-N7N	2.86	121.26	117.74
3	A	1270	UEN	C2-N1-C6	2.84	121.33	114.59
2	B	1269	NAP	O4B-C1B-N9A	2.74	112.38	108.75
2	D	1269	NAP	O2N-PN-O3	2.70	114.56	107.27
2	C	1269	NAP	O3X-P2B-O2X	2.69	117.89	107.80
2	B	1269	NAP	O2A-PA-O1A	2.66	124.81	112.44
3	A	1270	UEN	NAA-C2-N1	2.62	121.16	117.22
3	C	1270	UEN	NAA-C2-N1	2.52	121.00	117.22
2	B	1269	NAP	O3-PA-O1A	-2.51	103.15	110.70
2	A	1269	NAP	C3N-C7N-N7N	2.43	120.73	117.74
2	B	1269	NAP	C3N-C7N-N7N	2.42	120.72	117.74
2	D	1269	NAP	N3A-C2A-N1A	-2.40	125.41	128.67
3	D	1270	UEN	CAE-CAC-CAQ	2.39	120.83	118.38
3	D	1270	UEN	CAE-CAS-CAT	2.37	124.81	120.87
2	B	1269	NAP	C1B-N9A-C4A	-2.35	122.51	126.64
3	C	1270	UEN	NAO-C6-N1	-2.30	114.16	118.56
2	A	1269	NAP	O2N-PN-O1N	2.28	123.04	112.44
3	A	1270	UEN	CAE-CAS-CAT	2.27	124.65	120.87
2	C	1269	NAP	C2B-C1B-N9A	-2.27	107.52	112.56
2	A	1269	NAP	O2A-PA-O3	2.26	113.38	107.27
2	D	1269	NAP	C4A-C5A-N7A	-2.22	106.99	109.34
2	C	1269	NAP	O2N-PN-O1N	2.22	122.78	112.44
2	C	1269	NAP	O2A-PA-O3	2.21	113.24	107.27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1270	UEN	CAE-CAC-CAQ	2.21	120.64	118.38
3	B	1270	UEN	C2-N1-C6	2.19	119.79	114.59
3	D	1270	UEN	CAD-CAF-CAS	2.17	123.91	121.12
2	B	1269	NAP	O2B-P2B-O1X	-2.16	101.62	109.33
2	A	1269	NAP	O4B-C4B-C3B	-2.16	100.86	105.15
2	A	1269	NAP	O3X-P2B-O2X	2.15	115.87	107.80
3	C	1270	UEN	CAC-CAE-CAS	2.14	123.87	121.12
3	B	1270	UEN	CAF-CAD-CAQ	2.10	120.53	118.38
3	A	1270	UEN	CAI-CAK-CAX	-2.06	107.41	111.09
3	A	1270	UEN	CAC-CAQ-CAD	-2.05	120.11	122.80
2	D	1269	NAP	O2N-PN-O1N	2.00	121.76	112.44

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1269	NAP	C3B-C2B-O2B-P2B
2	C	1269	NAP	C5B-O5B-PA-O1A
3	B	1270	UEN	CAE-CAS-CAT-C5


There are no ring outliers.


6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1269	NAP	1	0
2	D	1269	NAP	1	0
4	A	1271	ACT	1	0
3	B	1270	UEN	2	0
3	A	1270	UEN	1	0
2	C	1269	NAP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	251/288 (87%)	-0.00	11 (4%) 34 44	9, 15, 34, 56	0
1	B	250/288 (86%)	-0.08	7 (2%) 53 62	9, 15, 31, 54	0
1	C	249/288 (86%)	0.01	10 (4%) 38 48	9, 15, 36, 62	0
1	D	249/288 (86%)	0.03	8 (3%) 47 57	8, 16, 35, 55	0
All	All	999/1152 (86%)	-0.01	36 (3%) 42 52	8, 15, 35, 62	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	113	GLY	8.0
1	B	113	GLY	4.8
1	C	212	ALA	4.7
1	D	211	VAL	4.4
1	A	151	SER	4.2
1	B	152	SER	4.1
1	D	221	TRP	3.8
1	C	152	SER	3.8
1	A	2	GLU	3.7
1	B	104	GLN	3.6
1	A	104	GLN	3.4
1	A	113	GLY	3.1
1	A	212	ALA	3.1
1	C	221	TRP	3.0
1	C	211	VAL	2.9
1	D	2	GLU	2.8
1	B	221	TRP	2.8
1	A	219	ASP	2.8
1	C	223	ARG	2.7
1	C	2	GLU	2.7
1	C	256	ILE	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	211	VAL	2.6
1	D	268	ALA	2.6
1	D	219	ASP	2.6
1	B	2	GLU	2.4
1	B	256	ILE	2.4
1	C	216	GLU	2.4
1	A	211	VAL	2.3
1	C	202	VAL	2.3
1	A	223	ARG	2.3
1	A	221	TRP	2.3
1	D	256	ILE	2.3
1	D	223	ARG	2.2
1	A	216	GLU	2.0
1	A	53[A]	SER	2.0
1	D	257	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	UEN	C	1270	24/24	0.91	0.12	13,18,34,44	0
3	UEN	D	1270	24/24	0.91	0.12	14,19,33,44	0
3	UEN	B	1270	24/24	0.93	0.10	11,16,26,33	0
3	UEN	A	1270	24/24	0.94	0.09	14,19,26,33	0
2	NAP	B	1269	48/48	0.97	0.08	9,12,16,19	0
2	NAP	C	1269	48/48	0.98	0.07	10,12,13,14	0
2	NAP	D	1269	48/48	0.98	0.07	10,13,16,17	0
2	NAP	A	1269	48/48	0.98	0.07	8,12,15,15	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	ACT	A	1271	4/4	0.98	0.08	15,15,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around UEN C 1270:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around UEN D 1270:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around UEN B 1270:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around UEN A 1270:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP B 1269:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP C 1269:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP D 1269:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAP A 1269:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.