Full wwPDB X-ray Structure Validation Report ⓘ

Jun 18, 2024 – 02:04 PM EDT

PDB ID	:	4I54
Title	:	Crystal structure of clade A/E 93TH057 HIV-1 gp120 H375S core in complex with DMJ-II-121
Authors	:	Le-Khac, M.; Hendrickson, W.A.
Deposited on	:	2012-11-28
Resolution	:	2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	A	353	83% 12%
1	B	353	73% 21%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5676 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2654	1666	460	507	21			
1	B	339	Total	C	N	O	S	0	5	0
			2687	1684	467	515	21			

- Molecule 2 is amino({[(1R,2R)-1-({[(4-chloro-3-fluorophenyl)amino](oxo)acetyl}amino)-2,3-dihydro-1H-inden-2-yl]methyl}amino)methanimi nium (three-letter code: 1C1) (formula: $C_{19}H_{20}ClFN_5O_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	F	N	O	0	0
			28	19	1	1	5	2		
2	B	1	Total	C	Cl	F	N	O	0	0
			28	19	1	1	5	2		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 14 8 1 5	0	0
4	A	1	Total C N O 14 8 1 5	0	0
4	A	1	Total C N O 14 8 1 5	0	0
4	A	1	Total C N O 14 8 1 5	0	0
4	A	1	Total C N O 14 8 1 5	0	0
4	A	1	Total C N O 14 8 1 5	0	0
4	A	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	17	Total O 17 17	0	0
5	B	8	Total O 8 8	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HIV-1 glycoprotein

Chain A:



- Molecule 1: HIV-1 glycoprotein

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	65.32Å 68.78Å 94.44Å 90.00° 90.89° 90.00°	Depositor
Resolution (Å)	33.63 – 2.50 94.43 – 2.21	Depositor EDS
% Data completeness (in resolution range)	97.7 (33.63-2.50) 87.4 (94.43-2.21)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.23 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.196 , 0.261 0.207 , 0.271	Depositor DCC
R_{free} test set	1849 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å^2)	-4.4	Xtriage
Anisotropy	5.009	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 32.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
F_o,F_c correlation	0.60	EDS
Total number of atoms	5676	wwPDB-VP
Average B, all atoms (Å^2)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.11% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, EPE, 1C1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.48	0/2709	0.62	0/3678
1	B	0.38	0/2742	0.53	0/3722
All	All	0.44	0/5451	0.58	0/7400

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2654	0	2592	28	0
1	B	2687	0	2620	52	0
2	A	28	0	20	0	0
2	B	28	0	20	0	0
3	A	15	0	17	0	0
3	B	15	0	17	4	0
4	A	112	0	104	3	0
4	B	112	0	104	6	0
5	A	17	0	0	1	0
5	B	8	0	0	2	0
All	All	5676	0	5494	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:ASN:HD22	4:B:502:NAG:C1	1.39	1.34
1:B:234:ASN:ND2	4:B:502:NAG:C2	2.48	0.77
1:B:103:GLN:HB3	3:B:510:EPE:HO8	1.51	0.75
1:A:485:LYS:HG2	1:A:485:LYS:O	1.86	0.74
1:A:91:GLU:OE1	1:A:487:LYS:NZ	2.22	0.71
1:A:228:CYS:O	1:A:485:LYS:HG3	1.89	0.71
1:B:361:PHE:O	1:B:393:ASN:ND2	2.28	0.66
1:B:265:LEU:HD21	1:B:291:SER:HB3	1.77	0.66
1:A:227:LYS:HD2	1:A:486:TYR:HE1	1.61	0.66
1:B:119:CYS:N	1:B:205:CYS:SG	2.69	0.65
1:A:335:GLY:O	1:A:339:ASN:ND2	2.28	0.65
1:B:234:ASN:OD1	1:B:234:ASN:N	2.30	0.65
1:B:59:LYS:HB3	1:B:61:HIS:CE1	2.32	0.64
1:B:234:ASN:ND2	4:B:502:NAG:H2	2.13	0.63
1:B:269:GLU:HB3	4:B:505:NAG:H61	1.81	0.62
1:B:423:ILE:HG12	1:B:434:MET:HG3	1.81	0.61
1:B:363:PRO:O	1:B:469:ARG:NH1	2.34	0.60
1:B:46:LYS:NZ	1:B:490:GLN:OE1	2.34	0.60
1:B:82:GLN:HE22	1:B:246:GLN:HG2	1.68	0.59
1:A:207:LYS:HD2	1:A:439:ILE:HG23	1.84	0.59
4:A:509:NAG:H82	1:B:252:LYS:HE3	1.86	0.58
1:A:228:CYS:O	1:A:485:LYS:CD	2.52	0.57
1:A:324:GLY:N	5:A:609:HOH:O	2.38	0.57
1:A:228:CYS:O	1:A:485:LYS:CG	2.53	0.56
1:A:65:VAL:HG11	1:A:208:ILE:HD12	1.88	0.56
1:A:91:GLU:OE1	1:A:487:LYS:CE	2.53	0.55
1:A:327:ARG:NH2	1:A:422:GLN:OE1	2.34	0.54
1:B:59:LYS:HB2	1:B:62:GLU:HG3	1.90	0.54
1:B:101:VAL:HG21	1:B:480:ARG:HG2	1.90	0.53
1:A:227:LYS:HD2	1:A:486:TYR:CE1	2.41	0.53
1:B:260:LEU:HD12	1:B:451:GLY:HA3	1.90	0.53
4:A:505:NAG:HN2	1:B:61:HIS:CD2	2.27	0.52
1:B:364:PRO:HG2	1:B:372:THR:HA	1.92	0.52
1:B:234:ASN:HD21	4:B:502:NAG:C1	2.14	0.52
1:A:91:GLU:HB2	1:A:242:VAL:HG21	1.91	0.52
1:B:390:LEU:HD11	1:B:416:LEU:HD11	1.92	0.52
1:B:384:TYR:CE1	1:B:421:LYS:HB2	2.45	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:ASN:HB2	1:B:241:ASN:HB2	1.91	0.51
1:B:378:CYS:HB3	1:B:383:PHE:CE1	2.46	0.51
1:A:82:GLN:OE1	1:A:246:GLN:NE2	2.44	0.51
1:B:234:ASN:HD21	4:B:502:NAG:C2	2.22	0.51
1:B:103:GLN:OE1	3:B:510:EPE:O8	2.28	0.50
1:B:264:SER:O	1:B:287:HIS:NE2	2.26	0.50
1:A:298:ARG:HD3	1:A:326:ILE:O	2.13	0.49
1:A:485:LYS:O	1:A:485:LYS:CG	2.58	0.49
1:B:91:GLU:HG3	1:B:226:LEU:HD13	1.95	0.49
1:A:343:LYS:O	1:A:346:THR:OG1	2.31	0.47
1:B:342:LEU:O	1:B:345:VAL:HB	2.15	0.47
1:B:297:THR:OG1	5:B:608:HOH:O	2.21	0.47
1:B:341:VAL:O	1:B:345:VAL:HG23	2.15	0.47
1:B:103:GLN:HB3	3:B:510:EPE:O8	2.13	0.46
1:A:337:LYS:O	1:A:341:VAL:HG23	2.16	0.46
1:B:360:ILE:HD13	1:B:465:ASN:HB3	1.97	0.46
1:A:396:ILE:HD12	1:A:396:ILE:HA	1.81	0.46
3:B:510:EPE:H52	3:B:510:EPE:H82	1.68	0.46
1:B:384:TYR:O	5:B:607:HOH:O	2.21	0.45
1:B:457:ASP:HB2	1:B:467:THR:HB	1.98	0.44
1:B:201:ILE:HG22	1:B:203:GLN:HG3	1.98	0.44
1:B:229:ASN:HB2	1:B:241:ASN:CB	2.48	0.44
1:A:227:LYS:HA	1:A:485:LYS:O	2.18	0.44
1:A:52:LEU:HD11	1:A:100:MET:HG2	1.99	0.43
1:A:226:LEU:O	1:A:486:TYR:HA	2.18	0.43
1:B:274:SER:HB3	1:B:277:LEU:HG	1.99	0.43
1:B:439:ILE:HG13	1:B:443:ILE:HD11	1.99	0.43
1:A:93:PHE:HB2	1:A:233:PHE:HZ	1.84	0.43
1:B:277:LEU:HD23	1:B:277:LEU:HA	1.72	0.43
1:B:294:ILE:HD12	1:B:333:ILE:HD11	2.00	0.43
1:B:349:LEU:HD23	1:B:349:LEU:HA	1.83	0.43
1:A:122:LEU:HD23	1:A:200:VAL:HG22	2.01	0.43
1:B:52:LEU:HD21	1:B:488:VAL:HG21	2.01	0.42
1:A:65:VAL:HB	1:A:115:SER:HB3	2.01	0.42
1:B:419:LYS:HA	1:B:419:LYS:HD3	1.81	0.42
1:A:290:LYS:HB2	4:A:506:NAG:H82	2.02	0.42
1:B:280:ASN:ND2	1:B:458:GLY:HA3	2.35	0.42
1:B:350:LYS:HG2	1:B:355:ASN:HA	2.01	0.41
1:B:426:MET:SD	1:B:430[A]:THR:OG1	2.77	0.41
1:B:99:ASN:O	1:B:103:GLN:HG3	2.19	0.41
1:B:428[B]:GLN:OE1	1:B:428[B]:GLN:N	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:485:LYS:HE2	1:A:485:LYS:HB3	1.74	0.40
1:B:384:TYR:CG	1:B:421:LYS:HD3	2.56	0.40
1:B:231:LYS:HB3	1:B:268:GLU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/353 (94%)	313 (94%)	19 (6%)	1 (0%)	41	61
1	B	338/353 (96%)	312 (92%)	23 (7%)	3 (1%)	17	31
All	All	671/706 (95%)	625 (93%)	42 (6%)	4 (1%)	25	43

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	268	GLU
1	B	241	ASN
1	A	276	ASN
1	B	357	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/311 (97%)	290 (96%)	13 (4%)	29	53
1	B	306/311 (98%)	290 (95%)	16 (5%)	23	44
All	All	609/622 (98%)	580 (95%)	29 (5%)	25	48

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	HIS
1	A	80	ASN
1	A	82	GLN
1	A	89	VAL
1	A	219	THR
1	A	252	LYS
1	A	297	THR
1	A	348	LYS
1	A	373	MET
1	A	394	THR
1	A	395	CYS
1	A	396	ILE
1	A	432	GLN
1	B	59	LYS
1	B	82	GLN
1	B	111	LEU
1	B	115	SER
1	B	116	LEU
1	B	208	ILE
1	B	219	THR
1	B	232	ASN
1	B	234	ASN
1	B	268	GLU
1	B	301	ASN
1	B	348	LYS
1	B	358	THR
1	B	379	ARG
1	B	455	THR
1	B	457	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	362	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	432	GLN
1	B	61	HIS
1	B	82	GLN
1	B	114	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	NAG	A	508	1	14,14,15	0.67	0	17,19,21	1.18	2 (11%)
4	NAG	A	509	1	14,14,15	0.73	0	17,19,21	2.13	3 (17%)
4	NAG	B	507	1	14,14,15	0.50	0	17,19,21	0.82	0
4	NAG	A	506	1	14,14,15	0.62	0	17,19,21	1.14	3 (17%)
4	NAG	B	509	1	14,14,15	0.44	0	17,19,21	0.70	1 (5%)
4	NAG	B	504	1	14,14,15	0.49	0	17,19,21	0.90	1 (5%)
4	NAG	B	505	1	14,14,15	0.53	0	17,19,21	1.71	2 (11%)
4	NAG	A	507	1	14,14,15	0.42	0	17,19,21	2.25	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
4	NAG	B	508	1	14,14,15	0.51	0	17,19,21	0.91	1 (5%)
4	NAG	B	506	1	14,14,15	0.58	0	17,19,21	1.31	3 (17%)
4	NAG	A	504	1	14,14,15	0.63	0	17,19,21	1.44	3 (17%)
4	NAG	A	505	1	14,14,15	0.75	0	17,19,21	1.07	1 (5%)
2	1C1	B	501	-	30,30,30	3.47	11 (36%)	36,42,42	1.77	7 (19%)
4	NAG	B	503	1	14,14,15	0.64	0	17,19,21	1.35	3 (17%)
3	EPE	A	502	-	15,15,15	0.60	0	19,20,20	1.77	5 (26%)
4	NAG	A	503	1	14,14,15	0.42	0	17,19,21	1.25	2 (11%)
4	NAG	A	510	1	14,14,15	0.50	0	17,19,21	0.86	0
3	EPE	B	510	-	15,15,15	0.79	1 (6%)	19,20,20	1.83	3 (15%)
2	1C1	A	501	-	30,30,30	3.37	11 (36%)	36,42,42	2.38	15 (41%)
4	NAG	B	502	1	14,14,15	0.47	0	17,19,21	1.14	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	508	1	-	4/6/23/26	0/1/1/1
4	NAG	A	509	1	-	3/6/23/26	0/1/1/1
4	NAG	B	507	1	-	2/6/23/26	0/1/1/1
4	NAG	A	506	1	-	2/6/23/26	0/1/1/1
4	NAG	B	509	1	-	2/6/23/26	0/1/1/1
4	NAG	B	504	1	-	2/6/23/26	0/1/1/1
4	NAG	B	505	1	-	0/6/23/26	0/1/1/1
4	NAG	A	507	1	-	0/6/23/26	0/1/1/1
4	NAG	B	508	1	-	0/6/23/26	0/1/1/1
4	NAG	B	506	1	-	3/6/23/26	0/1/1/1
4	NAG	A	504	1	-	0/6/23/26	0/1/1/1
4	NAG	A	505	1	-	0/6/23/26	0/1/1/1
2	1C1	B	501	-	-	3/17/29/29	0/3/3/3
4	NAG	B	503	1	-	2/6/23/26	0/1/1/1
3	EPE	A	502	-	-	0/9/19/19	0/1/1/1
4	NAG	A	503	1	-	2/6/23/26	0/1/1/1
4	NAG	A	510	1	-	2/6/23/26	0/1/1/1
3	EPE	B	510	-	-	3/9/19/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1C1	A	501	-	-	2/17/29/29	0/3/3/3
4	NAG	B	502	1	-	3/6/23/26	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	1C1	C11-C12	9.19	1.50	1.39
2	B	501	1C1	C11-C12	9.07	1.50	1.39
2	B	501	1C1	C02-N03	7.62	1.47	1.33
2	A	501	1C1	C02-N03	7.15	1.47	1.33
2	A	501	1C1	C08-C07	6.48	1.50	1.39
2	B	501	1C1	C08-C07	6.43	1.50	1.39
2	B	501	1C1	C15-N14	6.31	1.47	1.34
2	A	501	1C1	C15-N14	5.69	1.46	1.34
2	B	501	1C1	C24-C22	5.58	1.46	1.38
2	A	501	1C1	C05-C13	-5.51	1.47	1.54
2	B	501	1C1	C17-N19	5.39	1.46	1.35
2	A	501	1C1	C17-N19	5.27	1.46	1.35
2	A	501	1C1	C24-C22	4.42	1.45	1.38
2	B	501	1C1	C05-C13	-4.36	1.48	1.54
2	B	501	1C1	C21-C20	-4.26	1.32	1.39
2	A	501	1C1	C21-C20	-3.99	1.32	1.39
2	B	501	1C1	C27-C20	-3.28	1.33	1.39
2	A	501	1C1	C27-C20	-3.27	1.33	1.39
3	B	510	EPE	C10-S	2.57	1.81	1.77
2	B	501	1C1	C06-C05	-2.33	1.49	1.54
2	A	501	1C1	C10-C11	2.33	1.42	1.38
2	A	501	1C1	C06-C05	-2.25	1.49	1.54
2	B	501	1C1	C10-C11	2.09	1.42	1.38

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	A	507	NAG	C1-O5-C5	8.02	122.94	112.19
4	A	509	NAG	C1-O5-C5	6.76	121.25	112.19
2	A	501	1C1	C21-C22-C24	-6.53	114.01	121.66
2	A	501	1C1	C20-C21-C22	6.32	124.10	118.82
3	B	510	EPE	C5-N4-C3	5.70	121.11	108.84
2	B	501	1C1	C20-C21-C22	5.16	123.13	118.82
2	B	501	1C1	C21-C22-C24	-4.67	116.19	121.66
4	B	505	NAG	C1-O5-C5	4.62	118.38	112.19
2	A	501	1C1	C22-C24-CL1	-4.29	114.38	119.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	502	EPE	C5-N4-C3	4.25	117.99	108.84
4	B	505	NAG	C2-N2-C7	-3.92	117.64	122.90
2	A	501	1C1	C15-C17-N19	3.77	118.62	112.25
2	A	501	1C1	F23-C22-C21	3.67	125.98	118.64
4	A	508	NAG	C1-O5-C5	3.32	116.63	112.19
4	B	503	NAG	O5-C1-C2	-3.25	106.26	111.29
4	A	503	NAG	O5-C5-C6	3.21	113.91	107.66
4	A	504	NAG	C2-N2-C7	3.19	127.18	122.90
4	B	504	NAG	C1-O5-C5	3.19	116.46	112.19
2	B	501	1C1	C06-C05-C13	3.17	108.87	104.75
4	B	506	NAG	C1-C2-N2	3.12	115.34	110.43
4	A	507	NAG	O5-C5-C4	3.08	118.32	110.83
2	A	501	1C1	C26-C24-CL1	3.03	124.39	118.42
4	A	509	NAG	C6-C5-C4	-2.93	105.81	113.02
4	A	504	NAG	C1-O5-C5	2.91	116.08	112.19
2	A	501	1C1	C12-C13-N14	-2.90	106.29	114.77
4	A	509	NAG	C2-N2-C7	2.72	126.54	122.90
2	B	501	1C1	O18-C17-C15	-2.67	116.90	121.24
3	A	502	EPE	C7-N4-C5	2.66	118.34	111.24
2	A	501	1C1	C06-C05-C13	2.64	108.18	104.75
4	B	506	NAG	C4-C3-C2	-2.63	107.17	111.02
2	B	501	1C1	F23-C22-C24	2.59	122.10	118.96
3	A	502	EPE	C5-C6-N1	-2.56	105.48	110.65
2	A	501	1C1	C26-C24-C22	2.54	121.22	119.04
2	A	501	1C1	O18-C17-C15	-2.50	117.17	121.24
2	B	501	1C1	C15-C17-N19	2.49	116.45	112.25
2	A	501	1C1	C10-C11-C12	-2.47	118.03	120.99
3	B	510	EPE	O3S-S-C10	2.46	110.83	106.00
4	A	505	NAG	C4-C3-C2	2.43	114.58	111.02
4	A	506	NAG	C2-N2-C7	-2.40	119.68	122.90
2	B	501	1C1	C12-C13-N14	-2.40	107.76	114.77
4	B	503	NAG	C1-C2-N2	2.38	114.18	110.43
4	B	502	NAG	C1-O5-C5	2.36	115.36	112.19
4	B	508	NAG	C1-O5-C5	2.36	115.35	112.19
2	A	501	1C1	C09-C08-C07	-2.35	117.44	120.88
4	A	504	NAG	C1-C2-N2	-2.31	106.79	110.43
4	A	506	NAG	C1-O5-C5	2.31	115.28	112.19
4	A	503	NAG	C6-C5-C4	-2.28	107.43	113.02
2	A	501	1C1	C10-C09-C08	2.27	123.04	120.24
2	A	501	1C1	O16-C15-N14	-2.26	119.11	123.09
4	B	509	NAG	C1-O5-C5	2.20	115.13	112.19
4	B	506	NAG	C2-N2-C7	2.20	125.84	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	510	EPE	C7-N4-C3	2.19	117.07	111.24
4	A	508	NAG	C2-N2-C7	-2.17	120.00	122.90
4	B	503	NAG	C2-N2-C7	-2.13	120.04	122.90
3	A	502	EPE	O1S-S-C10	2.11	109.92	106.73
2	A	501	1C1	C27-C20-C21	2.11	122.20	119.66
4	A	506	NAG	C6-C5-C4	-2.10	107.87	113.02
3	A	502	EPE	C2-C3-N4	2.04	114.77	110.65

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	1C1	C15-C17-N19-C20
3	B	510	EPE	C10-C9-N1-C2
4	A	508	NAG	C8-C7-N2-C2
4	A	508	NAG	O7-C7-N2-C2
4	B	502	NAG	C8-C7-N2-C2
4	B	502	NAG	O7-C7-N2-C2
4	B	504	NAG	C8-C7-N2-C2
4	B	504	NAG	O7-C7-N2-C2
4	B	506	NAG	C1-C2-N2-C7
3	B	510	EPE	N4-C7-C8-O8
4	A	509	NAG	C8-C7-N2-C2
4	A	510	NAG	O5-C5-C6-O6
4	A	509	NAG	O7-C7-N2-C2
2	B	501	1C1	O16-C15-N14-C13
3	B	510	EPE	C8-C7-N4-C5
4	B	506	NAG	C8-C7-N2-C2
4	B	509	NAG	C8-C7-N2-C2
4	B	509	NAG	O7-C7-N2-C2
4	A	503	NAG	O5-C5-C6-O6
4	B	506	NAG	O7-C7-N2-C2
2	B	501	1C1	O18-C17-N19-C20
4	A	508	NAG	O5-C5-C6-O6
4	A	510	NAG	C4-C5-C6-O6
2	B	501	1C1	O16-C15-C17-N19
4	B	503	NAG	C4-C5-C6-O6
4	A	508	NAG	C4-C5-C6-O6
4	B	503	NAG	O5-C5-C6-O6
4	B	507	NAG	C8-C7-N2-C2
4	A	503	NAG	C4-C5-C6-O6
4	A	506	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	507	NAG	O7-C7-N2-C2
4	A	506	NAG	O7-C7-N2-C2
4	B	502	NAG	O5-C5-C6-O6
2	A	501	1C1	O16-C15-N14-C13
4	A	509	NAG	O5-C5-C6-O6

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	509	NAG	1	0
4	A	506	NAG	1	0
4	B	505	NAG	1	0
4	A	505	NAG	1	0
3	B	510	EPE	4	0
4	B	502	NAG	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 1C1 B 501



Bond lengths



Bond angles



Torsions



Rings

Ligand 1C1 A 501



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 1C1 A 501:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around 1C1 B 501:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.