



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 04:16 AM EDT

PDB ID : 5N90
Title : Crystal Structure of Drosophila DHX36 helicase in complex with TTGTG-GTGT
Authors : Chen, W.-F.; Rety, S.; Guo, H.-L.; Wu, W.-Q.; Liu, N.-N.; Liu, Q.-W.; Dai, Y.-X.; Xi, X.-G.
Deposited on : 2017-02-24
Resolution : 3.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1754 (3.10-3.02)
Clashscore	141614	1864 (3.10-3.02)
Ramachandran outliers	138981	1794 (3.10-3.02)
Sidechain outliers	138945	1793 (3.10-3.02)
RSRZ outliers	127900	1713 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	944	 75% 15% 10%
1	B	944	 % 75% 15% 10%
2	C	9	 44% 44% 11%
2	D	9	 11% 22% 67% 11%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14014 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CG9323, isoform A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	849	6814	4304	1200	1265	45	0	0	0
1	B	849	6814	4304	1200	1265	45	0	0	0


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	943	VAL	-	expression tag	UNP Q8SWT2
A	944	ASP	-	expression tag	UNP Q8SWT2
B	943	VAL	-	expression tag	UNP Q8SWT2
B	944	ASP	-	expression tag	UNP Q8SWT2


- Molecule 2 is a DNA chain called DNA (5'-D(P*TP*TP*GP*TP*GP*GP*TP*GP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	9	188	90	30	59	9	0	0	0
2	D	9	188	90	30	59	9	0	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		



- Molecule 2: DNA (5'-D(P*TP*TP*GP*TP*GP*GP*TP*GP*T)-3')



- Molecule 2: DNA (5'-D(P*TP*TP*GP*TP*GP*GP*TP*GP*T)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	307.02Å 50.99Å 165.27Å 90.00° 115.38° 90.00°	Depositor
Resolution (Å)	74.66 – 3.07 85.05 – 3.07	Depositor EDS
% Data completeness (in resolution range)	99.9 (74.66-3.07) 99.9 (85.05-3.07)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 3.07Å)	Xtrriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.186 , 0.236 0.186 , 0.237	Depositor DCC
R_{free} test set	2193 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	73.4	Xtrriage
Anisotropy	0.300	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14014	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	2/6933 (0.0%)	0.71	0/9353
1	B	0.47	0/6933	0.69	2/9353 (0.0%)
2	C	1.55	1/209 (0.5%)	1.28	0/322
2	D	1.53	1/209 (0.5%)	1.21	0/322
All	All	0.55	4/14284 (0.0%)	0.72	2/19350 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	199	CYS	CB-SG	-6.01	1.72	1.82
2	D	9	DT	C1'-N1	5.63	1.56	1.49
2	C	4	DT	N1-C2	5.12	1.42	1.38
1	A	652	CYS	CB-SG	-5.08	1.73	1.81

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	272	LEU	CB-CG-CD2	-5.09	102.35	111.00
1	B	922	LEU	CB-CG-CD2	-5.06	102.40	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6814	0	6913	93	0
1	B	6814	0	6913	96	0
2	C	188	0	105	6	0
2	D	188	0	105	10	0
3	A	5	0	0	0	0
3	B	5	0	0	1	0
All	All	14014	0	14036	191	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:784:LYS:HB2	1:A:797:THR:H	1.42	0.84
1:A:786:ARG:HB3	1:A:795:ILE:H	1.46	0.80
1:B:784:LYS:HB2	1:B:797:THR:H	1.49	0.76
1:A:269:MET:O	1:A:301:ARG:NH1	2.20	0.75
1:B:513:THR:HG23	2:D:4:DT:H72	1.72	0.71
1:B:424:ALA:HB3	1:B:501:VAL:HA	1.72	0.70
1:A:760:ASN:HB3	1:A:766:LEU:HD23	1.73	0.70
1:A:467:GLN:HG3	1:A:670:TYR:CZ	2.27	0.69
1:B:760:ASN:HB3	1:B:766:LEU:HD23	1.75	0.68
1:B:269:MET:O	1:B:301:ARG:NH1	2.27	0.68
1:A:738:SER:OG	1:A:752:CYS:HB3	1.93	0.67
1:B:644:ILE:HG22	1:B:741:LEU:HD21	1.78	0.66
1:B:321:TYR:CD1	1:B:597:ILE:HG12	2.31	0.65
1:A:143:ALA:O	1:A:145:LYS:NZ	2.30	0.65
1:B:689:ASN:OD1	1:B:691:ARG:NH1	2.30	0.64
1:A:370:MET:HB3	1:A:373:GLU:H	1.61	0.64
1:B:738:SER:OG	1:B:752:CYS:HB3	1.98	0.62
1:B:370:MET:HB3	1:B:373:GLU:H	1.64	0.62
1:B:351:TYR:O	1:B:394:LYS:NZ	2.19	0.62
1:B:181:GLY:HA2	3:B:1001:PO4:O3	2.00	0.61
1:B:454:ARG:NH1	1:B:455:ASP:OD1	2.34	0.61
1:B:652:CYS:O	1:B:655:PRO:HD2	2.01	0.61
1:A:259:LEU:HD23	1:A:290:LEU:HD11	1.82	0.61
1:A:424:ALA:HB3	1:A:501:VAL:HA	1.83	0.60
1:B:147:LEU:HG	1:B:151:LYS:HE2	1.84	0.59
1:B:240:LEU:HD21	1:B:736:GLN:HB2	1.82	0.59
1:B:497:THR:HG22	1:B:540:ARG:NH2	2.18	0.58
1:A:370:MET:HA	1:A:372:HIS:N	2.19	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ILE:HG12	1:A:274:VAL:HB	1.86	0.58
1:A:239:ARG:HB2	2:C:8:DG:H3'	1.86	0.58
1:B:609:VAL:HG12	1:B:613:LYS:HE3	1.86	0.58
1:B:239:ARG:HB2	2:D:8:DG:H3'	1.86	0.57
1:A:283:ARG:NH2	1:A:598:ASN:OD1	2.28	0.57
1:B:470:GLU:OE1	1:B:670:TYR:OH	2.17	0.57
1:B:370:MET:HA	1:B:372:HIS:N	2.20	0.57
1:B:91:ALA:HB2	1:B:902:TYR:HD1	1.70	0.56
1:B:738:SER:HB3	1:B:750:SER:O	2.05	0.56
1:A:575:GLU:HG2	1:A:611:LEU:HD22	1.87	0.56
1:B:810:PRO:HB3	2:D:1:DT:O2	2.05	0.56
1:B:662:ALA:HB2	1:B:697:VAL:HG11	1.86	0.56
1:A:384:ARG:HA	1:A:392:LEU:HD11	1.86	0.56
1:A:353:PHE:O	1:A:354:GLN:HB2	2.06	0.56
1:B:283:ARG:NH2	1:B:598:ASN:OD1	2.27	0.55
1:A:69:LYS:O	1:A:73:GLU:HG3	2.06	0.55
1:B:442:LEU:HD12	1:B:487:ILE:HD11	1.88	0.55
1:A:186:VAL:HB	1:A:309:MET:HE1	1.89	0.55
1:A:308:LEU:HD11	1:A:322:PHE:CD2	2.42	0.55
1:B:427:VAL:HG22	1:B:505:ILE:HD12	1.88	0.55
1:A:348:LYS:HE3	1:A:415:TYR:OH	2.07	0.55
1:B:166:VAL:O	1:B:305:LYS:HE3	2.08	0.55
1:A:784:LYS:HB2	1:A:797:THR:N	2.19	0.54
1:B:221:TRP:NE1	1:B:225:GLU:OE2	2.37	0.54
1:B:461:PRO:HG3	1:B:673:LEU:HD12	1.88	0.54
1:B:186:VAL:HB	1:B:309:MET:HE1	1.90	0.54
1:A:175:VAL:HG12	1:A:312:THR:HG22	1.90	0.54
1:A:786:ARG:HD2	1:A:786:ARG:O	2.07	0.54
1:A:614:ARG:NH1	1:A:777:PRO:HG3	2.22	0.53
1:A:573:LYS:HB3	1:A:575:GLU:OE1	2.09	0.53
1:A:462:LEU:HD21	1:A:496:VAL:HG11	1.91	0.53
1:B:614:ARG:NH1	1:B:777:PRO:HG3	2.24	0.53
1:A:147:LEU:HG	1:A:151:LYS:HE2	1.91	0.52
1:B:704:TYR:CZ	1:B:708:ARG:HD2	2.43	0.52
1:A:467:GLN:HA	1:A:670:TYR:CE1	2.45	0.52
1:B:497:THR:HG22	1:B:540:ARG:HH22	1.75	0.52
1:A:137:ARG:HA	1:A:140:GLU:HG3	1.92	0.52
1:A:786:ARG:HG2	1:A:795:ILE:HG12	1.92	0.52
1:B:353:PHE:O	1:B:354:GLN:HB2	2.10	0.51
1:B:544:VAL:HG23	1:B:545:ARG:H	1.75	0.51
1:B:868:CYS:HB3	1:B:874:TYR:CD2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:647:SER:HB3	1:B:656:ILE:HG21	1.92	0.51
1:A:513:THR:CG2	2:C:4:DT:H73	2.41	0.51
1:B:144:LYS:HA	1:B:147:LEU:HB3	1.93	0.50
1:A:180:CYS:SG	1:A:182:LYS:HG2	2.52	0.50
1:A:652:CYS:O	1:A:655:PRO:HD2	2.12	0.50
1:A:492:ALA:O	1:A:540:ARG:NH1	2.45	0.50
1:A:141:GLU:HA	1:A:145:LYS:HZ1	1.76	0.49
1:A:644:ILE:HG22	1:A:741:LEU:HD21	1.93	0.49
1:B:520:ASN:O	1:B:830:ARG:NH2	2.46	0.49
1:B:575:GLU:HG2	1:B:611:LEU:HD22	1.92	0.49
1:B:239:ARG:HD2	2:D:8:DG:H2'	1.93	0.49
1:B:573:LYS:HB3	1:B:575:GLU:OE1	2.13	0.48
1:A:332:GLY:HA3	1:A:334:MET:CE	2.43	0.48
1:A:784:LYS:HG3	1:A:797:THR:OG1	2.14	0.48
1:B:239:ARG:HG3	2:D:9:DT:OP1	2.13	0.48
1:B:786:ARG:HB3	1:B:795:ILE:H	1.78	0.48
1:A:148:GLU:OE2	1:A:151:LYS:HD2	2.13	0.48
1:A:738:SER:HB3	1:A:750:SER:O	2.14	0.48
1:A:180:CYS:HB2	1:A:330:ILE:HG22	1.96	0.47
1:B:704:TYR:CE2	1:B:708:ARG:HD2	2.49	0.47
1:A:868:CYS:HB3	1:A:874:TYR:CD2	2.49	0.47
1:B:289:LEU:HD23	1:B:289:LEU:HA	1.64	0.47
1:B:513:THR:CG2	2:D:4:DT:H72	2.42	0.47
1:A:672:PRO:HG2	1:A:675:LYS:HB2	1.96	0.47
1:A:349:THR:HG22	1:A:415:TYR:CD2	2.49	0.47
1:B:91:ALA:HB2	1:B:902:TYR:CD1	2.50	0.47
1:B:154:PRO:HA	1:B:157:LYS:HD3	1.96	0.47
1:B:768:ARG:HD3	1:B:843:MET:O	2.14	0.47
1:A:91:ALA:HB2	1:A:902:TYR:HD1	1.79	0.47
1:A:540:ARG:HD3	1:A:540:ARG:HA	1.48	0.47
1:B:467:GLN:HG3	1:B:670:TYR:CZ	2.50	0.46
1:A:97:PHE:HD1	1:A:629:MET:HE3	1.80	0.46
1:A:246:ARG:HG3	1:A:248:ARG:O	2.15	0.46
1:A:134:LEU:O	1:A:138:GLN:HG3	2.15	0.46
1:B:491:ILE:HB	2:D:5:DG:H5''	1.96	0.46
1:B:494:THR:HA	1:B:540:ARG:NH2	2.31	0.46
1:A:836:LEU:HA	1:A:836:LEU:HD12	1.61	0.46
1:B:371:LYS:O	1:B:374:ALA:N	2.47	0.46
1:A:781:HIS:O	1:A:798:MET:HA	2.15	0.46
1:B:246:ARG:HH21	1:B:249:ALA:CB	2.28	0.46
1:B:180:CYS:SG	1:B:182:LYS:HG2	2.56	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:899:LYS:HD2	1:B:899:LYS:HA	1.65	0.46
1:A:399:GLU:H	1:A:399:GLU:CD	2.18	0.45
1:B:418:GLU:HG2	1:B:453:TRP:HZ2	1.81	0.45
1:A:513:THR:HG23	2:C:4:DT:H73	1.97	0.45
1:B:281:HIS:O	1:B:283:ARG:HG2	2.15	0.45
1:A:686:MET:O	1:A:688:ARG:HG3	2.16	0.45
1:A:476:ARG:O	1:A:484:LYS:HE2	2.17	0.45
1:A:678:ARG:O	1:A:682:ILE:HG12	2.17	0.45
1:A:778:ASN:HB3	1:A:827:TYR:CE2	2.52	0.45
1:B:493:GLU:HG2	1:B:536:GLN:CG	2.46	0.44
1:A:289:LEU:HA	1:A:289:LEU:HD23	1.80	0.44
1:B:885:VAL:O	1:B:889:ARG:HG3	2.17	0.44
1:A:384:ARG:HA	1:A:392:LEU:CD1	2.48	0.44
1:A:778:ASN:O	1:A:826:VAL:HA	2.18	0.44
1:A:786:ARG:HB3	1:A:795:ILE:N	2.22	0.44
1:B:175:VAL:O	1:B:329:ARG:HA	2.17	0.44
2:C:2:DT:H2"	2:C:3:DG:C2	2.52	0.44
1:B:119:LEU:HD12	1:B:248:ARG:NH2	2.33	0.44
1:B:403:CYS:SG	1:B:434:LYS:NZ	2.86	0.44
1:A:570:LEU:HD11	1:A:598:ASN:HB3	2.00	0.44
1:B:810:PRO:HB2	2:D:2:DT:C2	2.53	0.43
1:A:370:MET:HE1	1:A:373:GLU:HB2	2.00	0.43
2:D:6:DG:H5"	2:D:6:DG:H8	1.83	0.43
1:A:343:GLU:OE1	1:A:395:LEU:HD21	2.19	0.43
1:A:371:LYS:O	1:A:374:ALA:N	2.46	0.43
1:A:305:LYS:HA	1:A:305:LYS:HD3	1.81	0.43
1:A:343:GLU:OE2	1:A:555:ARG:HG3	2.18	0.43
1:A:442:LEU:HD12	1:A:487:ILE:HD11	2.01	0.43
1:A:462:LEU:HD12	1:A:462:LEU:HA	1.62	0.43
1:B:164:GLN:HG3	1:B:167:ARG:NH2	2.34	0.43
1:A:647:SER:HB3	1:A:656:ILE:HG21	2.00	0.43
1:A:54:LEU:HD23	1:A:54:LEU:HA	1.83	0.43
1:A:375:MET:SD	1:A:560:ARG:HD3	2.58	0.42
1:B:230:LEU:HD23	1:B:230:LEU:HA	1.90	0.42
1:B:379:TYR:HD1	1:B:382:ARG:HH21	1.66	0.42
1:A:861:THR:HG23	1:A:862:GLN:H	1.84	0.42
1:B:222:VAL:HG12	1:B:234:VAL:HG21	2.01	0.42
1:B:375:MET:SD	1:B:560:ARG:HD3	2.59	0.42
1:B:137:ARG:HA	1:B:140:GLU:HG3	2.02	0.42
1:B:200:ALA:HB1	1:B:249:ALA:HB2	2.00	0.42
1:B:379:TYR:HD1	1:B:382:ARG:NH2	2.16	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:653:LEU:HD23	1:B:752:CYS:HA	2.01	0.42
1:A:166:VAL:HG21	1:A:190:LEU:HD21	2.02	0.42
1:B:784:LYS:HD2	1:B:785:SER:H	1.84	0.42
1:B:901:LEU:HB3	1:B:902:TYR:CD2	2.55	0.42
1:B:370:MET:CE	1:B:373:GLU:HB2	2.50	0.42
1:A:216:ILE:HG12	1:A:236:TYR:CE1	2.55	0.42
1:A:435:ILE:HD11	1:A:489:THR:HG23	2.02	0.42
1:A:230:LEU:HD23	1:A:230:LEU:HA	1.85	0.41
1:B:663:LEU:HD21	1:B:694:HIS:CD2	2.55	0.41
1:A:409:ILE:HG12	1:A:552:LEU:CD1	2.50	0.41
1:A:644:ILE:HD13	1:A:644:ILE:HG21	1.77	0.41
1:B:379:TYR:CZ	1:B:555:ARG:HB2	2.55	0.41
1:A:239:ARG:HD2	2:C:8:DG:H2'	2.02	0.41
1:B:892:LEU:O	1:B:896:LEU:HG	2.21	0.41
1:B:901:LEU:HD23	1:B:901:LEU:HA	1.76	0.41
1:A:355:LYS:O	1:A:355:LYS:HG3	2.20	0.41
1:A:491:ILE:HB	2:C:5:DG:H5''	2.01	0.41
1:A:908:GLU:O	1:A:913:LYS:HG2	2.19	0.41
1:B:246:ARG:HH21	1:B:249:ALA:HB3	1.86	0.41
1:A:142:ASN:N	1:A:145:LYS:HZ3	2.18	0.41
1:B:380:LEU:HD22	1:B:392:LEU:HB3	2.01	0.41
1:A:129:ARG:O	1:A:133:GLU:HG3	2.20	0.41
1:B:644:ILE:CG2	1:B:741:LEU:HD21	2.49	0.41
1:A:654:ASP:HB3	1:A:655:PRO:HD3	2.03	0.41
1:A:340:LEU:HB3	1:A:344:ASP:HB2	2.02	0.41
1:A:504:VAL:HG23	1:A:541:ALA:HB2	2.03	0.41
1:B:281:HIS:HB2	1:B:313:VAL:HB	2.03	0.41
1:B:490:ILE:HG22	2:D:4:DT:H2''	2.02	0.41
1:B:776:TYR:CG	1:B:777:PRO:HA	2.56	0.41
1:A:200:ALA:HB1	1:A:249:ALA:HB2	2.03	0.41
1:A:897:LEU:HD23	1:A:897:LEU:HA	1.91	0.41
1:B:857:GLU:HG2	1:B:868:CYS:SG	2.61	0.40
1:B:740:LEU:HA	1:B:740:LEU:HD23	1.87	0.40
1:A:740:LEU:HA	1:A:740:LEU:HD23	1.91	0.40
1:A:769:ALA:HB1	1:A:852:PHE:HE2	1.86	0.40
1:B:248:ARG:HA	1:B:248:ARG:HD3	1.81	0.40
1:B:781:HIS:O	1:B:798:MET:HG3	2.21	0.40
1:B:154:PRO:O	1:B:157:LYS:HB2	2.22	0.40
1:B:186:VAL:CB	1:B:309:MET:HE1	2.51	0.40
1:B:370:MET:HA	1:B:372:HIS:H	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	841/944 (89%)	815 (97%)	26 (3%)	0	100	100
1	B	841/944 (89%)	817 (97%)	24 (3%)	0	100	100
All	All	1682/1888 (89%)	1632 (97%)	50 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	757/842 (90%)	749 (99%)	8 (1%)	73	88
1	B	757/842 (90%)	749 (99%)	8 (1%)	73	88
All	All	1514/1684 (90%)	1498 (99%)	16 (1%)	73	88

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	GLU
1	A	145	LYS
1	A	334	MET
1	A	369	ARG
1	A	434	LYS
1	A	652	CYS
1	A	805	ARG
1	A	901	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	118	ASP
1	B	145	LYS
1	B	223	SER
1	B	369	ARG
1	B	434	LYS
1	B	652	CYS
1	B	805	ARG
1	B	901	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	522	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	B	1001	-	4,4,4	0.68	0	6,6,6	0.84	0
3	PO4	A	1001	-	4,4,4	0.78	0	6,6,6	0.69	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1001	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	849/944 (89%)	-0.34	2 (0%) 95 89	39, 62, 100, 124	0
1	B	849/944 (89%)	-0.29	5 (0%) 89 76	40, 66, 108, 132	0
2	C	9/9 (100%)	-0.26	0 100 100	56, 71, 75, 94	0
2	D	9/9 (100%)	0.09	1 (11%) 5 2	61, 78, 80, 96	0
All	All	1716/1906 (90%)	-0.31	8 (0%) 91 79	39, 64, 103, 132	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	53	ARG	3.5
1	B	381	ARG	2.5
1	B	795	ILE	2.4
2	D	9	DT	2.4
1	B	785	SER	2.1
1	A	712	ALA	2.1
1	A	390	ARG	2.0
1	B	784	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PO4	B	1001	5/5	0.94	0.16	76,85,95,104	0
3	PO4	A	1001	5/5	0.95	0.16	80,87,105,111	0

6.5 Other polymers [i](#)

There are no such residues in this entry.