



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2024 – 01:29 AM EST

PDB ID : 3ODM  
Title : Archaeal-type phosphoenolpyruvate carboxylase  
Authors : Dunten, P.W.  
Deposited on : 2010-08-11  
Resolution : 2.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	560	75% 18% • 6%
1	B	560	72% 21% • 6%
1	C	560	69% 22% • 5%
1	D	560	76% 16% • 6%
1	E	560	74% 18% • 6%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	560	
1	G	560	
1	H	560	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	AUC	A	607	-	-	X	-
2	AUC	A	608	-	-	X	-
2	AUC	A	631	-	-	X	-
2	AUC	B	609	-	-	X	-
2	AUC	B	610	-	-	X	-
2	AUC	C	601	-	-	X	-
2	AUC	C	602	-	-	X	-
2	AUC	D	603	-	-	X	-
2	AUC	D	604	-	-	X	-
2	AUC	E	605	-	-	X	-
2	AUC	E	606	-	-	X	-
2	AUC	F	614	-	-	X	-
2	AUC	G	615	-	-	X	-
2	AUC	H	611	-	-	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 33563 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoenolpyruvate carboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	525	4146	2629	696	797	24	0	0	0
1	B	529	4169	2641	701	803	24	0	0	0
1	C	530	4171	2645	699	803	24	0	0	1
1	D	526	4153	2634	697	798	24	0	0	0
1	E	524	4137	2623	694	796	24	0	0	0
1	F	529	4160	2637	696	803	24	0	0	0
1	G	527	4156	2635	698	799	24	0	0	0
1	H	527	4164	2643	699	798	24	0	0	0

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	expression tag	UNP Q8XLE8
A	-21	GLY	-	expression tag	UNP Q8XLE8
A	-20	HIS	-	expression tag	UNP Q8XLE8
A	-19	HIS	-	expression tag	UNP Q8XLE8
A	-18	HIS	-	expression tag	UNP Q8XLE8
A	-17	HIS	-	expression tag	UNP Q8XLE8
A	-16	HIS	-	expression tag	UNP Q8XLE8
A	-15	HIS	-	expression tag	UNP Q8XLE8
A	-14	HIS	-	expression tag	UNP Q8XLE8
A	-13	HIS	-	expression tag	UNP Q8XLE8
A	-12	HIS	-	expression tag	UNP Q8XLE8
A	-11	HIS	-	expression tag	UNP Q8XLE8
A	-10	SER	-	expression tag	UNP Q8XLE8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	SER	-	expression tag	UNP Q8XLE8
A	-8	GLY	-	expression tag	UNP Q8XLE8
A	-7	HIS	-	expression tag	UNP Q8XLE8
A	-6	ILE	-	expression tag	UNP Q8XLE8
A	-5	ASP	-	expression tag	UNP Q8XLE8
A	-4	ASP	-	expression tag	UNP Q8XLE8
A	-3	ASP	-	expression tag	UNP Q8XLE8
A	-2	ASP	-	expression tag	UNP Q8XLE8
A	-1	LYS	-	expression tag	UNP Q8XLE8
A	0	HIS	-	expression tag	UNP Q8XLE8
B	-22	MET	-	expression tag	UNP Q8XLE8
B	-21	GLY	-	expression tag	UNP Q8XLE8
B	-20	HIS	-	expression tag	UNP Q8XLE8
B	-19	HIS	-	expression tag	UNP Q8XLE8
B	-18	HIS	-	expression tag	UNP Q8XLE8
B	-17	HIS	-	expression tag	UNP Q8XLE8
B	-16	HIS	-	expression tag	UNP Q8XLE8
B	-15	HIS	-	expression tag	UNP Q8XLE8
B	-14	HIS	-	expression tag	UNP Q8XLE8
B	-13	HIS	-	expression tag	UNP Q8XLE8
B	-12	HIS	-	expression tag	UNP Q8XLE8
B	-11	HIS	-	expression tag	UNP Q8XLE8
B	-10	SER	-	expression tag	UNP Q8XLE8
B	-9	SER	-	expression tag	UNP Q8XLE8
B	-8	GLY	-	expression tag	UNP Q8XLE8
B	-7	HIS	-	expression tag	UNP Q8XLE8
B	-6	ILE	-	expression tag	UNP Q8XLE8
B	-5	ASP	-	expression tag	UNP Q8XLE8
B	-4	ASP	-	expression tag	UNP Q8XLE8
B	-3	ASP	-	expression tag	UNP Q8XLE8
B	-2	ASP	-	expression tag	UNP Q8XLE8
B	-1	LYS	-	expression tag	UNP Q8XLE8
B	0	HIS	-	expression tag	UNP Q8XLE8
C	-22	MET	-	expression tag	UNP Q8XLE8
C	-21	GLY	-	expression tag	UNP Q8XLE8
C	-20	HIS	-	expression tag	UNP Q8XLE8
C	-19	HIS	-	expression tag	UNP Q8XLE8
C	-18	HIS	-	expression tag	UNP Q8XLE8
C	-17	HIS	-	expression tag	UNP Q8XLE8
C	-16	HIS	-	expression tag	UNP Q8XLE8
C	-15	HIS	-	expression tag	UNP Q8XLE8
C	-14	HIS	-	expression tag	UNP Q8XLE8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP Q8XLE8
C	-12	HIS	-	expression tag	UNP Q8XLE8
C	-11	HIS	-	expression tag	UNP Q8XLE8
C	-10	SER	-	expression tag	UNP Q8XLE8
C	-9	SER	-	expression tag	UNP Q8XLE8
C	-8	GLY	-	expression tag	UNP Q8XLE8
C	-7	HIS	-	expression tag	UNP Q8XLE8
C	-6	ILE	-	expression tag	UNP Q8XLE8
C	-5	ASP	-	expression tag	UNP Q8XLE8
C	-4	ASP	-	expression tag	UNP Q8XLE8
C	-3	ASP	-	expression tag	UNP Q8XLE8
C	-2	ASP	-	expression tag	UNP Q8XLE8
C	-1	LYS	-	expression tag	UNP Q8XLE8
C	0	HIS	-	expression tag	UNP Q8XLE8
D	-22	MET	-	expression tag	UNP Q8XLE8
D	-21	GLY	-	expression tag	UNP Q8XLE8
D	-20	HIS	-	expression tag	UNP Q8XLE8
D	-19	HIS	-	expression tag	UNP Q8XLE8
D	-18	HIS	-	expression tag	UNP Q8XLE8
D	-17	HIS	-	expression tag	UNP Q8XLE8
D	-16	HIS	-	expression tag	UNP Q8XLE8
D	-15	HIS	-	expression tag	UNP Q8XLE8
D	-14	HIS	-	expression tag	UNP Q8XLE8
D	-13	HIS	-	expression tag	UNP Q8XLE8
D	-12	HIS	-	expression tag	UNP Q8XLE8
D	-11	HIS	-	expression tag	UNP Q8XLE8
D	-10	SER	-	expression tag	UNP Q8XLE8
D	-9	SER	-	expression tag	UNP Q8XLE8
D	-8	GLY	-	expression tag	UNP Q8XLE8
D	-7	HIS	-	expression tag	UNP Q8XLE8
D	-6	ILE	-	expression tag	UNP Q8XLE8
D	-5	ASP	-	expression tag	UNP Q8XLE8
D	-4	ASP	-	expression tag	UNP Q8XLE8
D	-3	ASP	-	expression tag	UNP Q8XLE8
D	-2	ASP	-	expression tag	UNP Q8XLE8
D	-1	LYS	-	expression tag	UNP Q8XLE8
D	0	HIS	-	expression tag	UNP Q8XLE8
E	-22	MET	-	expression tag	UNP Q8XLE8
E	-21	GLY	-	expression tag	UNP Q8XLE8
E	-20	HIS	-	expression tag	UNP Q8XLE8
E	-19	HIS	-	expression tag	UNP Q8XLE8
E	-18	HIS	-	expression tag	UNP Q8XLE8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	HIS	-	expression tag	UNP Q8XLE8
E	-16	HIS	-	expression tag	UNP Q8XLE8
E	-15	HIS	-	expression tag	UNP Q8XLE8
E	-14	HIS	-	expression tag	UNP Q8XLE8
E	-13	HIS	-	expression tag	UNP Q8XLE8
E	-12	HIS	-	expression tag	UNP Q8XLE8
E	-11	HIS	-	expression tag	UNP Q8XLE8
E	-10	SER	-	expression tag	UNP Q8XLE8
E	-9	SER	-	expression tag	UNP Q8XLE8
E	-8	GLY	-	expression tag	UNP Q8XLE8
E	-7	HIS	-	expression tag	UNP Q8XLE8
E	-6	ILE	-	expression tag	UNP Q8XLE8
E	-5	ASP	-	expression tag	UNP Q8XLE8
E	-4	ASP	-	expression tag	UNP Q8XLE8
E	-3	ASP	-	expression tag	UNP Q8XLE8
E	-2	ASP	-	expression tag	UNP Q8XLE8
E	-1	LYS	-	expression tag	UNP Q8XLE8
E	0	HIS	-	expression tag	UNP Q8XLE8
F	-22	MET	-	expression tag	UNP Q8XLE8
F	-21	GLY	-	expression tag	UNP Q8XLE8
F	-20	HIS	-	expression tag	UNP Q8XLE8
F	-19	HIS	-	expression tag	UNP Q8XLE8
F	-18	HIS	-	expression tag	UNP Q8XLE8
F	-17	HIS	-	expression tag	UNP Q8XLE8
F	-16	HIS	-	expression tag	UNP Q8XLE8
F	-15	HIS	-	expression tag	UNP Q8XLE8
F	-14	HIS	-	expression tag	UNP Q8XLE8
F	-13	HIS	-	expression tag	UNP Q8XLE8
F	-12	HIS	-	expression tag	UNP Q8XLE8
F	-11	HIS	-	expression tag	UNP Q8XLE8
F	-10	SER	-	expression tag	UNP Q8XLE8
F	-9	SER	-	expression tag	UNP Q8XLE8
F	-8	GLY	-	expression tag	UNP Q8XLE8
F	-7	HIS	-	expression tag	UNP Q8XLE8
F	-6	ILE	-	expression tag	UNP Q8XLE8
F	-5	ASP	-	expression tag	UNP Q8XLE8
F	-4	ASP	-	expression tag	UNP Q8XLE8
F	-3	ASP	-	expression tag	UNP Q8XLE8
F	-2	ASP	-	expression tag	UNP Q8XLE8
F	-1	LYS	-	expression tag	UNP Q8XLE8
F	0	HIS	-	expression tag	UNP Q8XLE8
G	-22	MET	-	expression tag	UNP Q8XLE8

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP Q8XLE8
G	-20	HIS	-	expression tag	UNP Q8XLE8
G	-19	HIS	-	expression tag	UNP Q8XLE8
G	-18	HIS	-	expression tag	UNP Q8XLE8
G	-17	HIS	-	expression tag	UNP Q8XLE8
G	-16	HIS	-	expression tag	UNP Q8XLE8
G	-15	HIS	-	expression tag	UNP Q8XLE8
G	-14	HIS	-	expression tag	UNP Q8XLE8
G	-13	HIS	-	expression tag	UNP Q8XLE8
G	-12	HIS	-	expression tag	UNP Q8XLE8
G	-11	HIS	-	expression tag	UNP Q8XLE8
G	-10	SER	-	expression tag	UNP Q8XLE8
G	-9	SER	-	expression tag	UNP Q8XLE8
G	-8	GLY	-	expression tag	UNP Q8XLE8
G	-7	HIS	-	expression tag	UNP Q8XLE8
G	-6	ILE	-	expression tag	UNP Q8XLE8
G	-5	ASP	-	expression tag	UNP Q8XLE8
G	-4	ASP	-	expression tag	UNP Q8XLE8
G	-3	ASP	-	expression tag	UNP Q8XLE8
G	-2	ASP	-	expression tag	UNP Q8XLE8
G	-1	LYS	-	expression tag	UNP Q8XLE8
G	0	HIS	-	expression tag	UNP Q8XLE8
H	-22	MET	-	expression tag	UNP Q8XLE8
H	-21	GLY	-	expression tag	UNP Q8XLE8
H	-20	HIS	-	expression tag	UNP Q8XLE8
H	-19	HIS	-	expression tag	UNP Q8XLE8
H	-18	HIS	-	expression tag	UNP Q8XLE8
H	-17	HIS	-	expression tag	UNP Q8XLE8
H	-16	HIS	-	expression tag	UNP Q8XLE8
H	-15	HIS	-	expression tag	UNP Q8XLE8
H	-14	HIS	-	expression tag	UNP Q8XLE8
H	-13	HIS	-	expression tag	UNP Q8XLE8
H	-12	HIS	-	expression tag	UNP Q8XLE8
H	-11	HIS	-	expression tag	UNP Q8XLE8
H	-10	SER	-	expression tag	UNP Q8XLE8
H	-9	SER	-	expression tag	UNP Q8XLE8
H	-8	GLY	-	expression tag	UNP Q8XLE8
H	-7	HIS	-	expression tag	UNP Q8XLE8
H	-6	ILE	-	expression tag	UNP Q8XLE8
H	-5	ASP	-	expression tag	UNP Q8XLE8
H	-4	ASP	-	expression tag	UNP Q8XLE8
H	-3	ASP	-	expression tag	UNP Q8XLE8

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	ASP	-	expression tag	UNP Q8XLE8
H	-1	LYS	-	expression tag	UNP Q8XLE8
H	0	HIS	-	expression tag	UNP Q8XLE8

- Molecule 2 is GOLD (I) CYANIDE ION (three-letter code: AUC) (formula: C<sub>2</sub>AuN<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Au C N 5 1 2 2	0	0
2	A	1	Total Au 1 1	0	0
2	A	1	Total Au 1 1	0	0
2	A	1	Total Au C N 5 1 2 2	0	0
2	B	1	Total Au 1 1	0	0
2	B	1	Total Au 1 1	0	0
2	B	1	Total Au C N 5 1 2 2	0	0
2	B	1	Total Au 1 1	0	0
2	B	1	Total Au 1 1	0	0
2	B	1	Total Au 1 1	0	0

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total Au 1 1	0	0
2	C	1	Total Au 1 1	0	0
2	C	1	Total Au C N 5 1 2 2	0	0
2	C	1	Total Au 1 1	0	0
2	C	1	Total Au 1 1	0	0
2	D	1	Total Au C N 5 1 2 2	0	0
2	D	1	Total Au 1 1	0	0
2	D	1	Total Au 1 1	0	0
2	D	1	Total Au 1 1	0	0
2	E	1	Total Au 1 1	0	0
2	E	1	Total Au C N 5 1 2 2	0	0
2	E	1	Total Au 1 1	0	0
2	E	1	Total Au 1 1	0	0
2	F	1	Total Au 1 1	0	0
2	F	1	Total Au 1 1	0	0
2	F	1	Total Au C N 5 1 2 2	0	0
2	F	1	Total Au 1 1	0	0
2	F	1	Total Au 1 1	0	0
2	F	1	Total Au 1 1	0	0
2	G	1	Total Au C N 5 1 2 2	0	0
2	G	1	Total Au 1 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Au 1 1	0	0
2	H	1	Total Au C N 5 1 2 2	0	0
2	H	1	Total Au 1 1	0	0
2	H	1	Total Au 1 1	0	0
2	H	1	Total Au 1 1	0	0

- Molecule 3 is MALONATE ION (three-letter code: MLI) (formula:  $C_3H_2O_4$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 7 3 4	0	0
3	C	1	Total C O 7 3 4	0	0
3	D	1	Total C O 7 3 4	0	0
3	E	1	Total C O 7 3 4	0	0
3	H	1	Total C O 7 3 4	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	34	Total O 34 34	0	0
4	B	26	Total O 26 26	0	0
4	C	23	Total O 23 23	0	0
4	D	22	Total O 22 22	0	0
4	E	26	Total O 26 26	0	0
4	F	21	Total O 21 21	0	0
4	G	19	Total O 19 19	0	0
4	H	29	Total O 29 29	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phosphoenolpyruvate carboxylase

Chain A: 



- Molecule 1: Phosphoenolpyruvate carboxylase

Chain B: 




- Molecule 1: Phosphoenolpyruvate carboxylase





- Molecule 1: Phosphoenolpyruvate carboxylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.42Å 161.58Å 279.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.84 – 2.95 56.83 – 2.95	Depositor EDS
% Data completeness (in resolution range)	100.0 (56.84-2.95) 99.9 (56.83-2.95)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.16 (at 2.96Å)	Xtrriage
Refinement program	REFMAC 5.5.0110	Depositor
R, $R_{free}$	0.178 , 0.223 0.177 , 0.213	Depositor DCC
$R_{free}$ test set	1135 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	67.1	Xtrriage
Anisotropy	0.264	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 49.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	33563	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AUC, MLI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.61	0/4214	0.70	0/5678
1	B	0.55	0/4237	0.66	1/5711 (0.0%)
1	C	0.59	0/4239	0.67	1/5712 (0.0%)
1	D	0.60	0/4221	0.67	0/5688
1	E	0.60	0/4205	0.68	0/5667
1	F	0.53	0/4228	0.62	0/5700
1	G	0.55	0/4224	0.67	0/5692
1	H	0.57	0/4232	0.68	1/5702 (0.0%)
All	All	0.58	0/33800	0.67	3/45550 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	99	MET	CG-SD-CE	-5.29	91.73	100.20
1	B	153	LEU	CA-CB-CG	5.15	127.14	115.30
1	H	361	LEU	CA-CB-CG	5.10	127.02	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4146	0	4209	55	0
1	B	4169	0	4212	69	0
1	C	4171	0	4224	86	0
1	D	4153	0	4218	69	0
1	E	4137	0	4193	64	0
1	F	4160	0	4198	65	0
1	G	4156	0	4213	79	0
1	H	4164	0	4221	61	0
2	A	12	0	0	6	0
2	B	10	0	0	6	0
2	C	9	0	0	4	0
2	D	8	0	0	4	0
2	E	8	0	0	4	0
2	F	10	0	0	4	0
2	G	7	0	0	5	0
2	H	8	0	0	5	0
3	A	7	0	2	0	0
3	C	7	0	2	0	0
3	D	7	0	2	1	0
3	E	7	0	2	0	0
3	H	7	0	2	0	0
4	A	34	0	0	1	0
4	B	26	0	0	1	0
4	C	23	0	0	2	0
4	D	22	0	0	0	0
4	E	26	0	0	2	0
4	F	21	0	0	0	0
4	G	19	0	0	0	0
4	H	29	0	0	0	0
All	All	33563	0	33698	545	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 545 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:5:CYS:SG	2:E:605:AUC:AU	1.32	1.56
1:A:5:CYS:SG	2:A:608:AUC:AU	1.54	1.34
1:B:5:CYS:SG	2:B:609:AUC:AU	1.56	1.34
1:C:5:CYS:SG	2:C:601:AUC:AU	1.65	1.24
1:D:5:CYS:SG	2:D:604:AUC:AU	1.64	1.24

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	521/560 (93%)	496 (95%)	24 (5%)	1 (0%)	47 79
1	B	525/560 (94%)	486 (93%)	38 (7%)	1 (0%)	47 79
1	C	526/560 (94%)	483 (92%)	31 (6%)	12 (2%)	6 27
1	D	522/560 (93%)	484 (93%)	34 (6%)	4 (1%)	19 53
1	E	520/560 (93%)	484 (93%)	28 (5%)	8 (2%)	10 38
1	F	525/560 (94%)	486 (93%)	35 (7%)	4 (1%)	19 53
1	G	523/560 (93%)	478 (91%)	42 (8%)	3 (1%)	25 60
1	H	521/560 (93%)	496 (95%)	23 (4%)	2 (0%)	34 69
All	All	4183/4480 (93%)	3893 (93%)	255 (6%)	35 (1%)	19 53

5 of 35 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	346	THR
1	C	347	LYS
1	C	357	GLU
1	D	384	LYS
1	C	385	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	462/493 (94%)	433 (94%)	29 (6%)	18	48
1	B	462/493 (94%)	430 (93%)	32 (7%)	15	44
1	C	463/493 (94%)	429 (93%)	34 (7%)	14	41
1	D	463/493 (94%)	435 (94%)	28 (6%)	19	50
1	E	461/493 (94%)	431 (94%)	30 (6%)	17	46
1	F	461/493 (94%)	424 (92%)	37 (8%)	12	37
1	G	462/493 (94%)	432 (94%)	30 (6%)	17	46
1	H	462/493 (94%)	433 (94%)	29 (6%)	18	48
All	All	3696/3944 (94%)	3447 (93%)	249 (7%)	16	45

5 of 249 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	384	LYS
1	H	30	LYS
1	E	452	SER
1	G	531	LYS
1	H	303	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	363	ASN
1	H	69	ASN
1	H	375	GLN
1	H	107	GLN
1	B	514	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 27 are modelled with single atom - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	AUC	D	603	-	4,4,4	1.85	2 (50%)	-		
2	AUC	B	610	-	4,4,4	1.78	2 (50%)	-		
2	AUC	A	631	-	4,4,4	1.83	2 (50%)	-		
2	AUC	G	615	1	4,4,4	1.74	2 (50%)	-		
2	AUC	C	602	-	4,4,4	1.83	2 (50%)	-		
3	MLI	C	901	-	6,6,6	1.05	0	7,7,7	1.18	1 (14%)
3	MLI	D	901	-	6,6,6	1.16	0	7,7,7	1.07	1 (14%)
2	AUC	F	614	-	4,4,4	1.77	2 (50%)	-		
2	AUC	A	607	-	4,4,4	1.82	2 (50%)	-		
2	AUC	H	611	-	4,4,4	1.80	2 (50%)	-		
3	MLI	H	901	-	6,6,6	1.07	0	7,7,7	1.01	0
3	MLI	A	901	-	6,6,6	1.13	0	7,7,7	1.33	0
2	AUC	E	606	-	4,4,4	1.86	2 (50%)	-		
3	MLI	E	901	-	6,6,6	1.17	0	7,7,7	1.46	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MLI	D	901	-	-	1/4/4/4	-
3	MLI	C	901	-	-	4/4/4/4	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MLI	H	901	-	-	2/4/4/4	-
3	MLI	A	901	-	-	2/4/4/4	-
3	MLI	E	901	-	-	2/4/4/4	-

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	606	AUC	AU-C1	-2.74	1.79	1.98
2	D	603	AUC	AU-C1	-2.65	1.79	1.98
2	A	607	AUC	AU-C2	-2.62	1.80	1.98
2	H	611	AUC	AU-C2	-2.62	1.80	1.98
2	A	631	AUC	AU-C2	-2.62	1.80	1.98

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	901	MLI	O8-C3-C1	-2.61	114.46	122.08
3	D	901	MLI	C3-C1-C2	-2.11	105.49	112.87
3	C	901	MLI	C3-C1-C2	-2.05	105.69	112.87

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	901	MLI	C3-C1-C2-O6
3	E	901	MLI	C3-C1-C2-O7
3	C	901	MLI	C3-C1-C2-O7
3	C	901	MLI	C3-C1-C2-O6
3	C	901	MLI	C2-C1-C3-O9

There are no ring outliers.

10 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	603	AUC	2	0
2	B	610	AUC	4	0
2	A	631	AUC	2	0
2	G	615	AUC	5	0
2	C	602	AUC	2	0
3	D	901	MLI	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	614	AUC	4	0
2	A	607	AUC	2	0
2	H	611	AUC	4	0
2	E	606	AUC	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	525/560 (93%)	-0.08	1 (0%) 95 90	39, 55, 74, 101	1 (0%)
1	B	529/560 (94%)	-0.01	3 (0%) 89 78	46, 67, 99, 110	0
1	C	530/560 (94%)	0.09	10 (1%) 66 49	42, 64, 116, 128	1 (0%)
1	D	526/560 (93%)	0.10	8 (1%) 73 57	41, 60, 95, 122	0
1	E	524/560 (93%)	0.04	5 (0%) 82 68	40, 58, 101, 169	1 (0%)
1	F	529/560 (94%)	0.05	2 (0%) 92 84	51, 69, 110, 118	3 (0%)
1	G	527/560 (94%)	0.43	27 (5%) 28 17	59, 75, 103, 123	1 (0%)
1	H	527/560 (94%)	0.04	6 (1%) 80 65	46, 62, 82, 125	5 (0%)
All	All	4217/4480 (94%)	0.08	62 (1%) 73 57	39, 64, 98, 169	12 (0%)

The worst 5 of 62 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	510	ASN	4.2
1	G	357	GLU	4.1
1	C	356	ARG	3.9
1	C	384	LYS	3.8
1	C	358	VAL	3.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	AUC	D	640	1/5	0.35	0.20	99,99,99,99	1
2	AUC	F	641	1/5	0.53	0.15	108,108,108,108	1
2	AUC	C	635	1/5	0.73	0.30	76,76,76,76	1
2	AUC	F	627	1/5	0.74	0.14	85,85,85,85	1
2	AUC	B	638	1/5	0.74	0.30	86,86,86,86	1
2	AUC	C	634	1/5	0.80	0.21	82,82,82,82	1
2	AUC	E	628	1/5	0.80	0.25	80,80,80,80	1
2	AUC	F	637	1/5	0.81	0.14	85,85,85,85	1
2	AUC	H	629	1/5	0.82	0.24	85,85,85,85	1
2	AUC	B	630	1/5	0.84	0.23	107,107,107,107	1
2	AUC	A	631	5/5	0.87	0.43	57,58,58,59	5
3	MLI	E	901	7/7	0.87	0.24	41,43,43,44	7
3	MLI	H	901	7/7	0.89	0.32	58,59,61,61	7
3	MLI	D	901	7/7	0.91	0.24	52,54,55,55	7
2	AUC	B	640	1/5	0.92	0.13	93,93,93,93	1
2	AUC	E	619	1/5	0.92	0.16	68,68,68,68	1
2	AUC	B	622	1/5	0.94	0.11	69,69,69,69	1
3	MLI	A	901	7/7	0.94	0.27	40,41,43,43	7
3	MLI	C	901	7/7	0.94	0.18	47,48,49,50	7
2	AUC	C	621	1/5	0.95	0.21	70,70,70,70	1
2	AUC	F	620	1/5	0.95	0.09	69,69,69,69	1
2	AUC	H	617	1/5	0.95	0.13	74,74,74,74	1
2	AUC	G	626	1/5	0.96	0.20	76,76,76,76	1
2	AUC	D	618	1/5	0.97	0.10	82,82,82,82	1
2	AUC	B	610	5/5	0.97	0.14	82,83,84,86	5
2	AUC	F	614	5/5	0.98	0.09	80,82,83,83	5
2	AUC	G	615	5/5	0.99	0.09	69,70,70,73	1
2	AUC	G	616	1/5	0.99	0.04	86,86,86,86	0
2	AUC	A	608	1/5	0.99	0.05	74,74,74,74	0
2	AUC	H	611	5/5	0.99	0.08	73,75,75,76	0
2	AUC	H	612	1/5	0.99	0.04	80,80,80,80	0
2	AUC	A	624	1/5	0.99	0.11	71,71,71,71	1
2	AUC	D	603	5/5	0.99	0.09	75,76,77,78	0
2	AUC	F	613	1/5	0.99	0.04	80,80,80,80	0
2	AUC	D	604	1/5	0.99	0.03	85,85,85,85	0
2	AUC	A	607	5/5	0.99	0.10	65,65,66,67	0
2	AUC	C	601	1/5	0.99	0.04	75,75,75,75	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	AUC	E	605	1/5	0.99	0.02	72,72,72,72	0
2	AUC	E	606	5/5	1.00	0.10	72,73,74,74	0
2	AUC	C	602	5/5	1.00	0.08	73,74,77,78	0
2	AUC	B	609	1/5	1.00	0.03	79,79,79,79	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.