



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 05:08 PM EDT

PDB ID : 3OPQ
Title : Phosphoribosylaminoimidazole carboxylase with fructose-6-phosphate bound to the central channel of the octameric protein structure.
Authors : Filippova, E.V.; Wawrzak, Z.; Kudritska, M.; Edwards, A.; Savchenko, A.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CS-GID)
Deposited on : 2010-09-01
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	<div><div>2%</div><div>91%6%...</div></div>
1	B	163	<div><div>5%</div><div>83%15%..</div></div>
1	C	163	<div><div>2%</div><div>91%7%.</div></div>
1	D	163	<div><div>4%</div><div>89%10%..</div></div>
1	E	163	<div><div>4%</div><div>88%9%.</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	163	
1	G	163	
1	H	163	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	B	165	-	-	X	-
5	F6R	D	167	X	-	-	-
5	F6R	G	167	X	-	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10071 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoribosylaminoimidazole carboxylase,catalytic subunit.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	160	Total	C	N	O	S	Se	0	1	0
			1182	746	202	224	3	7			
1	B	161	Total	C	N	O	S	Se	0	0	0
			1183	746	202	226	3	6			
1	C	160	Total	C	N	O	S	Se	0	1	0
			1182	746	202	224	3	7			
1	D	162	Total	C	N	O	S	Se	0	0	0
			1193	752	205	227	3	6			
1	E	159	Total	C	N	O	S	Se	0	1	0
			1176	743	201	222	3	7			
1	F	159	Total	C	N	O	S	Se	0	1	0
			1176	743	201	222	3	7			
1	G	160	Total	C	N	O	S	Se	0	1	0
			1179	745	199	224	3	8			
1	H	161	Total	C	N	O	S	Se	0	0	0
			1183	746	202	226	3	6			

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	F	1	Total	C	O	0	0
			3	1	2		
3	F	1	Total	C	O	0	0
			3	1	2		
3	G	1	Total	C	O	0	0
			3	1	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	G	1	Total	C	O	0	0
			3	1	2		
3	H	1	Total	C	O	0	0
			3	1	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

- Molecule 5 is FRUCTOSE -6-PHOSPHATE (three-letter code: F6R) (formula: C₆H₁₃O₉P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	O	P	0	0
			16	6	9	1		
5	G	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	50	Total	O	0	0
			50	50		
6	B	58	Total	O	0	0
			58	58		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	56	Total 56	O 56	0	0
6	D	58	Total 58	O 58	0	0
6	E	61	Total 61	O 61	0	0
6	F	63	Total 63	O 63	0	0
6	G	70	Total 71	O 71	0	1
6	H	64	Total 64	O 64	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit




- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit




- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit




- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit





- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit





- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit



- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit



- Molecule 1: Phosphoribosylaminoimidazole carboxylase,catalytic subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	88.59Å 96.67Å 128.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 29.34 – 2.00	Depositor EDS
% Data completeness (in resolution range)	29.3 (30.00-2.00) 98.9 (29.34-2.00)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.66 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.188 , 0.236 0.196 , 0.242	Depositor DCC
R_{free} test set	3744 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtrriage
Anisotropy	0.121	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10071	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 66.89 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.6198e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, CL, PO4, F6R

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/1195 (0.1%)	0.71	0/1609
1	B	0.70	0/1196	0.72	1/1611 (0.1%)
1	C	0.76	0/1195	0.69	0/1609
1	D	0.74	0/1207	0.76	1/1626 (0.1%)
1	E	0.71	0/1189	0.75	1/1601 (0.1%)
1	F	0.69	0/1189	0.68	0/1601
1	G	0.73	1/1192 (0.1%)	0.72	0/1605
1	H	0.76	0/1196	0.74	1/1611 (0.1%)
All	All	0.73	2/9559 (0.0%)	0.72	4/12873 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	34	CYS	CB-SG	-5.98	1.72	1.81
1	A	34	CYS	CB-SG	-5.50	1.72	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	46	MSE	CG-SE-CE	-5.88	85.96	98.90
1	E	97	ASP	CB-CG-OD1	5.69	123.42	118.30
1	H	41	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	B	97	ASP	CB-CG-OD1	5.50	123.25	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1182	0	1204	8	0
1	B	1183	0	1202	20	0
1	C	1182	0	1204	10	0
1	D	1193	0	1209	15	0
1	E	1176	0	1199	20	0
1	F	1176	0	1199	17	0
1	G	1179	0	1203	12	0
1	H	1183	0	1202	16	0
2	A	10	0	0	1	0
2	B	10	0	0	2	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	1	0
2	G	5	0	0	0	0
2	H	10	0	0	1	0
3	A	3	0	1	0	0
3	B	9	0	3	0	0
3	C	6	0	2	0	0
3	D	9	0	3	0	0
3	E	6	0	2	0	0
3	F	6	0	2	0	0
3	G	6	0	2	1	0
3	H	3	0	1	0	0
4	A	1	0	0	0	0
5	D	16	0	11	0	0
5	G	16	0	11	0	0
6	A	50	0	0	1	0
6	B	58	0	0	2	0
6	C	56	0	0	2	0
6	D	58	0	0	2	0
6	E	61	0	0	0	0
6	F	63	0	0	2	0
6	G	71	0	0	0	0
6	H	64	0	0	1	0
All	All	10071	0	9660	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:MSE:HE1	1:B:74:MSE:HB2	1.30	1.10
1:B:46:MSE:HE1	1:B:74:MSE:CB	1.85	1.06
1:E:20:GLU:HG3	1:E:118[B]:MSE:HE3	1.51	0.91
1:B:46:MSE:CE	1:B:74:MSE:HB2	2.11	0.80
1:H:46:MSE:HE1	1:H:74:MSE:HB2	1.65	0.78
1:A:161:ARG:NH2	1:C:34:CYS:SG	2.57	0.77
1:B:90:SER:HB2	6:B:481:HOH:O	1.85	0.76
1:D:90:SER:HB2	6:D:183:HOH:O	1.86	0.74
1:B:159:ASP:O	1:B:162:GLU:HG2	1.88	0.73
1:H:46:MSE:HE1	1:H:74:MSE:CB	2.20	0.71
1:A:112:ALA:HB1	1:H:112:ALA:HB1	1.73	0.69
1:B:112:ALA:HB1	1:E:112:ALA:HB1	1.76	0.67
1:D:39:ALA:HA	1:D:46:MSE:HE3	1.77	0.67
1:B:159:ASP:O	1:B:162:GLU:CG	2.43	0.66
1:B:35:GLU:HG2	1:B:37:VAL:HG23	1.78	0.65
1:H:39:ALA:HB2	1:H:46:MSE:HE2	1.78	0.65
2:B:165:PO4:O3	1:D:106:PRO:HG2	1.96	0.65
1:D:12:LYS:NZ	1:E:157:ASN:HB3	2.12	0.64
1:C:112:ALA:HB1	1:D:112:ALA:HB1	1.79	0.64
1:F:134:HIS:NE2	1:G:59:LYS:HE2	2.12	0.64
1:E:39:ALA:HB2	1:E:46:MSE:HE2	1.81	0.63
1:H:39:ALA:CB	1:H:46:MSE:HE2	2.30	0.61
1:E:20:GLU:HG3	1:E:118[A]:MSE:HE2	1.83	0.61
1:F:112:ALA:HB1	1:G:112:ALA:HB1	1.83	0.60
1:F:14:ASP:OD2	2:F:164:PO4:O4	2.20	0.60
1:B:46:MSE:HE1	1:B:74:MSE:HB3	1.81	0.59
1:E:20:GLU:CG	1:E:118[B]:MSE:HE3	2.31	0.58
1:B:161:ARG:NE	1:F:34:CYS:SG	2.70	0.58
1:A:34:CYS:SG	1:F:161:ARG:NH1	2.80	0.55
1:E:105:MSE:HE1	1:F:40:HIS:CD2	2.42	0.54
1:E:7:VAL:O	1:E:34:CYS:HA	2.08	0.54
1:G:1:MSE:HE2	1:G:1:MSE:N	2.23	0.54
1:E:20:GLU:CG	1:E:118[A]:MSE:HE2	2.38	0.54
1:C:46[A]:MSE:HE1	1:H:74:MSE:CE	2.38	0.53
1:E:39:ALA:CB	1:E:46:MSE:HE2	2.38	0.53
1:F:45:LYS:NZ	6:F:424:HOH:O	2.29	0.53
1:A:90:SER:HB2	6:A:298:HOH:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:90:SER:HB2	6:F:279:HOH:O	2.09	0.52
1:C:7:VAL:O	1:C:34:CYS:HA	2.10	0.52
1:B:40:HIS:CD2	1:D:105:MSE:HE1	2.46	0.51
1:E:39:ALA:CB	1:E:46:MSE:CE	2.88	0.51
1:D:12:LYS:HZ2	1:E:157:ASN:HB3	1.75	0.51
1:F:137:ILE:HD13	1:F:140:ALA:HB3	1.92	0.51
1:C:90:SER:HB2	6:C:446:HOH:O	2.10	0.51
1:H:39:ALA:CB	1:H:46:MSE:CE	2.89	0.50
1:B:2:SER:O	1:B:31:GLY:HA3	2.11	0.50
1:G:7:VAL:O	1:G:34:CYS:HA	2.12	0.50
1:E:20:GLU:HG3	1:E:118[A]:MSE:HG3	1.93	0.50
1:G:152:ARG:O	1:G:156:GLU:HG3	2.12	0.49
1:B:161:ARG:NH2	1:F:34:CYS:SG	2.81	0.49
1:H:40:HIS:ND1	2:H:165:PO4:O1	2.44	0.49
1:E:20:GLU:CD	1:E:118[A]:MSE:HE2	2.32	0.49
1:E:46:MSE:HE1	1:E:74:MSE:HB2	1.95	0.49
1:F:7:VAL:O	1:F:34:CYS:HA	2.13	0.49
1:H:46:MSE:CE	1:H:74:MSE:HB2	2.40	0.48
1:G:32:TYR:OH	1:H:161:ARG:NH2	2.45	0.48
1:A:7:VAL:O	1:A:34:CYS:HA	2.14	0.48
1:B:90:SER:CB	6:B:481:HOH:O	2.55	0.48
1:H:132:LEU:O	1:H:135:THR:HB	2.14	0.48
1:G:2:SER:O	1:G:31:GLY:HA3	2.14	0.47
1:H:71:LEU:HB3	1:H:72:PRO:HD3	1.95	0.47
1:H:90:SER:HB2	6:H:300:HOH:O	2.15	0.47
1:H:115:ALA:O	1:H:120:GLY:HA3	2.15	0.47
1:C:123:ASN:HB3	1:D:110:PRO:HB3	1.97	0.46
1:F:53:ALA:HB1	1:F:58:LEU:HD12	1.97	0.46
1:D:71:LEU:HB3	1:D:72:PRO:HD3	1.97	0.46
1:F:75:VAL:O	1:F:79:THR:HG22	2.15	0.46
1:E:46:MSE:HE1	1:E:74:MSE:CB	2.46	0.45
1:C:56:ARG:HD2	6:C:238:HOH:O	2.16	0.45
1:G:40:HIS:ND1	3:G:166:FMT:O2	2.50	0.45
1:D:7:VAL:O	1:D:34:CYS:HA	2.17	0.45
1:E:74:MSE:CE	1:F:46[A]:MSE:HE1	2.46	0.45
1:B:115:ALA:O	1:B:120:GLY:HA3	2.17	0.45
1:B:41:ARG:NH2	2:B:165:PO4:O2	2.49	0.44
1:C:115:ALA:O	1:C:120:GLY:HA3	2.18	0.44
1:B:71:LEU:HB3	1:B:72:PRO:HD3	1.98	0.43
1:C:110:PRO:HB3	1:D:123:ASN:HB3	2.00	0.43
1:B:70:HIS:CD2	1:D:70:HIS:CD2	3.06	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:1:MSE:HE2	1:G:1:MSE:H2	1.82	0.43
1:C:40:HIS:CD2	1:H:105:MSE:HE1	2.54	0.43
1:F:115:ALA:O	1:F:120:GLY:HA3	2.19	0.43
1:D:90:SER:CB	6:D:183:HOH:O	2.56	0.42
1:B:52:THR:O	1:B:56:ARG:HG3	2.18	0.42
1:A:135:THR:O	1:A:135:THR:HG23	2.20	0.42
1:B:75:VAL:O	1:B:79:THR:HG22	2.20	0.42
1:H:39:ALA:HB1	1:H:46:MSE:CE	2.50	0.42
1:D:58:LEU:HD12	1:D:58:LEU:N	2.34	0.41
1:E:137:ILE:HD13	1:E:137:ILE:HA	1.95	0.41
1:A:75:VAL:O	1:A:79:THR:HG22	2.21	0.41
1:E:70:HIS:CD2	1:F:70:HIS:CD2	3.08	0.41
1:F:20:GLU:HG3	1:F:118:MSE:HG3	2.01	0.41
1:A:71:LEU:HB3	1:A:72:PRO:HD3	2.03	0.41
2:A:165:PO4:O3	1:G:106:PRO:HG2	2.21	0.41
1:E:12:LYS:HE3	1:G:157:ASN:HB3	2.02	0.40
1:G:132:LEU:O	1:G:135:THR:HG22	2.21	0.40
1:D:39:ALA:CB	1:D:46:MSE:CE	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	159/163 (98%)	154 (97%)	5 (3%)	0	100	100
1	B	159/163 (98%)	154 (97%)	5 (3%)	0	100	100
1	C	159/163 (98%)	158 (99%)	1 (1%)	0	100	100
1	D	160/163 (98%)	156 (98%)	4 (2%)	0	100	100
1	E	158/163 (97%)	155 (98%)	3 (2%)	0	100	100
1	F	158/163 (97%)	154 (98%)	3 (2%)	1 (1%)	25	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	159/163 (98%)	157 (99%)	2 (1%)	0	100	100
1	H	159/163 (98%)	157 (99%)	2 (1%)	0	100	100
All	All	1271/1304 (98%)	1245 (98%)	25 (2%)	1 (0%)	51	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	158	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	125/120 (104%)	122 (98%)	3 (2%)	49	51
1	B	125/120 (104%)	121 (97%)	4 (3%)	39	38
1	C	125/120 (104%)	125 (100%)	0	100	100
1	D	126/120 (105%)	124 (98%)	2 (2%)	62	67
1	E	124/120 (103%)	123 (99%)	1 (1%)	81	86
1	F	124/120 (103%)	122 (98%)	2 (2%)	62	67
1	G	125/120 (104%)	124 (99%)	1 (1%)	81	86
1	H	125/120 (104%)	123 (98%)	2 (2%)	62	67
All	All	999/960 (104%)	984 (98%)	15 (2%)	65	69

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	CYS
1	A	118	MSE
1	A	135	THR
1	B	48	ASP
1	B	98	SER
1	B	118	MSE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	162	GLU
1	D	118	MSE
1	D	149	GLU
1	E	161	ARG
1	F	137	ILE
1	F	161	ARG
1	G	135	THR
1	H	48	ASP
1	H	135	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	B	27	ASN
1	C	27	ASN
1	D	27	ASN
1	E	27	ASN
1	F	27	ASN
1	F	96	GLN
1	G	27	ASN
1	G	96	GLN
1	G	134	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 1 is monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	B	165	-	4,4,4	0.97	0	6,6,6	0.78	0
2	PO4	A	164	-	4,4,4	1.18	0	6,6,6	0.51	0
3	FMT	H	166	-	2,2,2	1.03	0	1,1,1	0.83	0
3	FMT	A	166	-	2,2,2	0.79	0	1,1,1	0.61	0
3	FMT	E	165	-	2,2,2	0.83	0	1,1,1	0.55	0
5	F6R	G	167	-	15,15,15	1.06	1 (6%)	16,21,21	1.69	4 (25%)
3	FMT	B	168	-	2,2,2	0.99	0	1,1,1	0.97	0
2	PO4	E	164	-	4,4,4	0.92	0	6,6,6	0.45	0
3	FMT	E	166	-	2,2,2	0.79	0	1,1,1	0.52	0
2	PO4	A	165	-	4,4,4	0.77	0	6,6,6	0.50	0
2	PO4	B	164	-	4,4,4	1.00	0	6,6,6	0.47	0
2	PO4	H	165	-	4,4,4	0.71	0	6,6,6	0.72	0
3	FMT	F	166	-	2,2,2	0.79	0	1,1,1	0.45	0
2	PO4	H	164	-	4,4,4	1.32	0	6,6,6	0.71	0
3	FMT	G	166	-	2,2,2	0.58	0	1,1,1	0.45	0
3	FMT	D	166	-	2,2,2	0.67	0	1,1,1	0.43	0
5	F6R	D	167	-	15,15,15	1.01	1 (6%)	16,21,21	1.61	3 (18%)
2	PO4	G	164	-	4,4,4	1.08	0	6,6,6	0.38	0
3	FMT	B	167	-	2,2,2	0.89	0	1,1,1	0.71	0
3	FMT	C	166	-	2,2,2	0.79	0	1,1,1	0.63	0
2	PO4	F	164	-	4,4,4	1.08	0	6,6,6	0.71	0
3	FMT	F	165	-	2,2,2	0.84	0	1,1,1	0.59	0
3	FMT	C	165	-	2,2,2	0.70	0	1,1,1	0.59	0
3	FMT	D	165	-	2,2,2	0.95	0	1,1,1	0.66	0
2	PO4	C	164	-	4,4,4	0.88	0	6,6,6	0.97	0
2	PO4	D	164	-	4,4,4	1.01	0	6,6,6	0.46	0
3	FMT	B	166	-	2,2,2	0.89	0	1,1,1	0.68	0
3	FMT	G	165	-	2,2,2	0.78	0	1,1,1	0.53	0
3	FMT	D	168	-	2,2,2	0.78	0	1,1,1	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	F6R	G	167	-	3/3/5/5	15/20/20/20	-
5	F6R	D	167	-	3/3/5/5	12/20/20/20	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	167	F6R	C6-C5	2.88	1.55	1.51
5	G	167	F6R	C6-C5	2.58	1.55	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	167	F6R	C5-C4-C3	3.92	118.49	112.05
5	D	167	F6R	C5-C4-C3	3.23	117.34	112.05
5	D	167	F6R	O2-C2-C1	-2.64	115.69	120.16
5	G	167	F6R	O4-C4-C3	-2.37	105.04	109.29
5	D	167	F6R	C6-C5-C4	2.24	116.44	112.22
5	G	167	F6R	O6-C6-C5	2.15	115.11	109.36
5	G	167	F6R	O2-C2-C1	-2.03	116.72	120.16

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	D	167	F6R	C5
5	D	167	F6R	C3
5	D	167	F6R	C4
5	G	167	F6R	C5
5	G	167	F6R	C3
5	G	167	F6R	C4

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	167	F6R	C2-C3-C4-C5
5	D	167	F6R	C2-C3-C4-O4
5	D	167	F6R	O3-C3-C4-C5
5	D	167	F6R	C3-C4-C5-O5
5	D	167	F6R	O4-C4-C5-C6
5	D	167	F6R	O4-C4-C5-O5
5	D	167	F6R	C6-O6-P-O1P
5	D	167	F6R	C6-O6-P-O2P
5	D	167	F6R	C6-O6-P-O3P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	G	167	F6R	O1-C1-C2-C3
5	G	167	F6R	O1-C1-C2-O2
5	G	167	F6R	O2-C2-C3-O3
5	G	167	F6R	C2-C3-C4-C5
5	G	167	F6R	C2-C3-C4-O4
5	G	167	F6R	O3-C3-C4-C5
5	G	167	F6R	C3-C4-C5-C6
5	G	167	F6R	C3-C4-C5-O5
5	G	167	F6R	O4-C4-C5-C6
5	G	167	F6R	O4-C4-C5-O5
5	G	167	F6R	C6-O6-P-O1P
5	G	167	F6R	C6-O6-P-O2P
5	G	167	F6R	C6-O6-P-O3P
5	D	167	F6R	C3-C4-C5-C6
5	D	167	F6R	O3-C3-C4-O4
5	G	167	F6R	O3-C3-C4-O4
5	G	167	F6R	C4-C5-C6-O6
5	D	167	F6R	C4-C5-C6-O6


There are no ring outliers.


5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	165	PO4	2	0
2	A	165	PO4	1	0
2	H	165	PO4	1	0
3	G	166	FMT	1	0
2	F	164	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand F6R G 167





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	154/163 (94%)	0.22	4 (2%) 56 54	14, 26, 42, 56	0
1	B	155/163 (95%)	0.21	8 (5%) 27 26	15, 27, 40, 52	0
1	C	154/163 (94%)	0.11	4 (2%) 56 54	14, 25, 45, 59	0
1	D	156/163 (95%)	0.12	6 (3%) 40 39	14, 23, 38, 45	0
1	E	153/163 (93%)	0.16	6 (3%) 39 38	15, 25, 42, 59	0
1	F	153/163 (93%)	0.15	7 (4%) 32 31	16, 25, 43, 51	0
1	G	153/163 (93%)	0.12	5 (3%) 46 45	15, 24, 37, 48	0
1	H	155/163 (95%)	0.19	9 (5%) 23 22	14, 24, 43, 61	0
All	All	1233/1304 (94%)	0.16	49 (3%) 38 37	14, 25, 41, 61	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	91	SER	5.1
1	F	91	SER	4.6
1	G	91	SER	4.3
1	B	91	SER	4.1
1	C	91	SER	4.0
1	F	137	ILE	4.0
1	H	134	HIS	3.8
1	C	134	HIS	3.7
1	F	135	THR	3.4
1	A	137	ILE	3.4
1	H	91	SER	3.3
1	B	162	GLU	3.2
1	B	2	SER	3.1
1	A	91	SER	3.0
1	E	137	ILE	2.9
1	H	153	PHE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	135	THR	2.9
1	H	141	LYS	2.8
1	F	134	HIS	2.8
1	A	153	PHE	2.8
1	E	91	SER	2.7
1	G	135	THR	2.7
1	D	2	SER	2.7
1	G	2	SER	2.6
1	A	127	PHE	2.6
1	H	2	SER	2.5
1	D	90	SER	2.5
1	B	90	SER	2.4
1	G	90	SER	2.4
1	B	29	GLY	2.4
1	G	89	LYS	2.4
1	D	112	ALA	2.4
1	B	127	PHE	2.4
1	E	157	ASN	2.3
1	D	34	CYS	2.3
1	H	161	ARG	2.3
1	E	34	CYS	2.3
1	B	141	LYS	2.3
1	H	55	GLU	2.2
1	F	29	GLY	2.2
1	H	137	ILE	2.2
1	F	90	SER	2.2
1	E	161	ARG	2.2
1	H	90	SER	2.2
1	C	137	ILE	2.1
1	E	55	GLU	2.1
1	F	27	ASN	2.1
1	B	84	LEU	2.0
1	D	27	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	F6R	G	167	16/16	0.75	0.23	44,51,57,58	0
3	FMT	E	166	3/3	0.79	0.30	49,49,50,51	0
5	F6R	D	167	16/16	0.81	0.20	45,52,57,59	0
3	FMT	B	168	3/3	0.83	0.20	34,34,34,34	0
3	FMT	F	166	3/3	0.86	0.27	40,40,40,40	0
3	FMT	E	165	3/3	0.86	0.15	53,53,53,53	0
3	FMT	D	168	3/3	0.86	0.29	37,37,38,38	0
3	FMT	D	166	3/3	0.87	0.27	48,48,48,48	0
3	FMT	C	165	3/3	0.88	0.17	44,44,44,46	0
2	PO4	C	164	5/5	0.88	0.17	66,67,68,70	0
3	FMT	B	167	3/3	0.89	0.12	43,43,44,45	0
2	PO4	H	165	5/5	0.89	0.17	52,53,54,55	0
3	FMT	B	166	3/3	0.92	0.11	38,38,39,39	0
3	FMT	G	166	3/3	0.93	0.25	32,32,32,32	0
2	PO4	B	165	5/5	0.93	0.20	64,64,65,67	0
2	PO4	A	165	5/5	0.93	0.14	52,53,54,54	0
3	FMT	C	166	3/3	0.94	0.13	36,36,37,38	0
2	PO4	E	164	5/5	0.94	0.24	55,55,56,57	0
2	PO4	A	164	5/5	0.94	0.22	47,48,49,51	0
3	FMT	F	165	3/3	0.95	0.11	36,36,37,38	0
2	PO4	B	164	5/5	0.95	0.28	58,59,60,60	0
2	PO4	F	164	5/5	0.95	0.15	49,49,50,51	0
3	FMT	H	166	3/3	0.95	0.13	35,35,36,37	0
2	PO4	H	164	5/5	0.95	0.23	50,51,53,53	0
3	FMT	D	165	3/3	0.95	0.12	38,38,38,39	0
2	PO4	D	164	5/5	0.96	0.20	56,57,58,60	0
3	FMT	A	166	3/3	0.97	0.08	42,42,43,43	0
3	FMT	G	165	3/3	0.97	0.13	44,44,44,45	0
2	PO4	G	164	5/5	0.97	0.13	51,52,54,54	0
4	CL	A	167	1/1	0.99	0.03	30,30,30,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around F6R G 167:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around F6R D 167:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.