



wwPDB X-ray Structure Validation Summary Report i

Sep 2, 2023 – 09:46 PM EDT

PDB ID : 3RMT
Title : Crystal structure of putative 5-enolpyruvoylshikimate-3-phosphate synthase from *Bacillus halodurans* C-125
Authors : Malashkevich, V.N.; Toro, R.; Seidel, R.; Ramagopal, U.; Zencheck, W.; Almo, S.C.; New York Structural Genomics Research Consortium (NYSGRC)
Deposited on : 2011-04-21
Resolution : 2.80 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	C	506	-	-	-	X

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 13027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-phosphoshikimate 1-carboxyvinyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	432	Total	C 3200	N 2006	O 559	S 621	14	0	0
1	B	429	Total	C 3169	N 1984	O 554	S 617	14	0	0
1	C	436	Total	C 3231	N 2026	O 564	S 627	14	0	0
1	D	431	Total	C 3189	N 1998	O 557	S 620	14	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q9KCA6
A	2	VAL	-	expression tag	UNP Q9KCA6
A	434	ALA	-	expression tag	UNP Q9KCA6
A	435	GLU	-	expression tag	UNP Q9KCA6
A	436	ASN	-	expression tag	UNP Q9KCA6
A	437	LEU	-	expression tag	UNP Q9KCA6
A	438	TYR	-	expression tag	UNP Q9KCA6
A	439	PHE	-	expression tag	UNP Q9KCA6
A	440	GLN	-	expression tag	UNP Q9KCA6
A	441	SER	-	expression tag	UNP Q9KCA6
A	442	HIS	-	expression tag	UNP Q9KCA6
A	443	HIS	-	expression tag	UNP Q9KCA6
A	444	HIS	-	expression tag	UNP Q9KCA6
A	445	HIS	-	expression tag	UNP Q9KCA6
A	446	HIS	-	expression tag	UNP Q9KCA6
A	447	HIS	-	expression tag	UNP Q9KCA6
A	448	TRP	-	expression tag	UNP Q9KCA6
A	449	SER	-	expression tag	UNP Q9KCA6
A	450	HIS	-	expression tag	UNP Q9KCA6
A	451	PRO	-	expression tag	UNP Q9KCA6
A	452	GLN	-	expression tag	UNP Q9KCA6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	453	PHE	-	expression tag	UNP Q9KCA6
A	454	GLU	-	expression tag	UNP Q9KCA6
A	455	LYS	-	expression tag	UNP Q9KCA6
B	1	MET	-	expression tag	UNP Q9KCA6
B	2	VAL	-	expression tag	UNP Q9KCA6
B	434	ALA	-	expression tag	UNP Q9KCA6
B	435	GLU	-	expression tag	UNP Q9KCA6
B	436	ASN	-	expression tag	UNP Q9KCA6
B	437	LEU	-	expression tag	UNP Q9KCA6
B	438	TYR	-	expression tag	UNP Q9KCA6
B	439	PHE	-	expression tag	UNP Q9KCA6
B	440	GLN	-	expression tag	UNP Q9KCA6
B	441	SER	-	expression tag	UNP Q9KCA6
B	442	HIS	-	expression tag	UNP Q9KCA6
B	443	HIS	-	expression tag	UNP Q9KCA6
B	444	HIS	-	expression tag	UNP Q9KCA6
B	445	HIS	-	expression tag	UNP Q9KCA6
B	446	HIS	-	expression tag	UNP Q9KCA6
B	447	HIS	-	expression tag	UNP Q9KCA6
B	448	TRP	-	expression tag	UNP Q9KCA6
B	449	SER	-	expression tag	UNP Q9KCA6
B	450	HIS	-	expression tag	UNP Q9KCA6
B	451	PRO	-	expression tag	UNP Q9KCA6
B	452	GLN	-	expression tag	UNP Q9KCA6
B	453	PHE	-	expression tag	UNP Q9KCA6
B	454	GLU	-	expression tag	UNP Q9KCA6
B	455	LYS	-	expression tag	UNP Q9KCA6
C	1	MET	-	expression tag	UNP Q9KCA6
C	2	VAL	-	expression tag	UNP Q9KCA6
C	434	ALA	-	expression tag	UNP Q9KCA6
C	435	GLU	-	expression tag	UNP Q9KCA6
C	436	ASN	-	expression tag	UNP Q9KCA6
C	437	LEU	-	expression tag	UNP Q9KCA6
C	438	TYR	-	expression tag	UNP Q9KCA6
C	439	PHE	-	expression tag	UNP Q9KCA6
C	440	GLN	-	expression tag	UNP Q9KCA6
C	441	SER	-	expression tag	UNP Q9KCA6
C	442	HIS	-	expression tag	UNP Q9KCA6
C	443	HIS	-	expression tag	UNP Q9KCA6
C	444	HIS	-	expression tag	UNP Q9KCA6
C	445	HIS	-	expression tag	UNP Q9KCA6
C	446	HIS	-	expression tag	UNP Q9KCA6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	447	HIS	-	expression tag	UNP Q9KCA6
C	448	TRP	-	expression tag	UNP Q9KCA6
C	449	SER	-	expression tag	UNP Q9KCA6
C	450	HIS	-	expression tag	UNP Q9KCA6
C	451	PRO	-	expression tag	UNP Q9KCA6
C	452	GLN	-	expression tag	UNP Q9KCA6
C	453	PHE	-	expression tag	UNP Q9KCA6
C	454	GLU	-	expression tag	UNP Q9KCA6
C	455	LYS	-	expression tag	UNP Q9KCA6
D	1	MET	-	expression tag	UNP Q9KCA6
D	2	VAL	-	expression tag	UNP Q9KCA6
D	434	ALA	-	expression tag	UNP Q9KCA6
D	435	GLU	-	expression tag	UNP Q9KCA6
D	436	ASN	-	expression tag	UNP Q9KCA6
D	437	LEU	-	expression tag	UNP Q9KCA6
D	438	TYR	-	expression tag	UNP Q9KCA6
D	439	PHE	-	expression tag	UNP Q9KCA6
D	440	GLN	-	expression tag	UNP Q9KCA6
D	441	SER	-	expression tag	UNP Q9KCA6
D	442	HIS	-	expression tag	UNP Q9KCA6
D	443	HIS	-	expression tag	UNP Q9KCA6
D	444	HIS	-	expression tag	UNP Q9KCA6
D	445	HIS	-	expression tag	UNP Q9KCA6
D	446	HIS	-	expression tag	UNP Q9KCA6
D	447	HIS	-	expression tag	UNP Q9KCA6
D	448	TRP	-	expression tag	UNP Q9KCA6
D	449	SER	-	expression tag	UNP Q9KCA6
D	450	HIS	-	expression tag	UNP Q9KCA6
D	451	PRO	-	expression tag	UNP Q9KCA6
D	452	GLN	-	expression tag	UNP Q9KCA6
D	453	PHE	-	expression tag	UNP Q9KCA6
D	454	GLU	-	expression tag	UNP Q9KCA6
D	455	LYS	-	expression tag	UNP Q9KCA6

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	21	Total O 21 21	0	0
3	B	38	Total O 38 38	0	0
3	C	15	Total O 15 15	0	0
3	D	19	Total O 19 19	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase 1



- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase 1



- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase 1



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.86 Å 140.75 Å 193.62 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (20.00-2.80) 99.4 (20.00-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.84 (at 2.79 Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.222 , 0.286 0.222 , 0.281	Depositor DCC
R_{free} test set	2998 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	63.2	Xtriage
Anisotropy	0.148	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 56.4	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13027	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/3245	0.64	0/4390
1	B	0.43	0/3213	0.62	1/4348 (0.0%)
1	C	0.41	0/3277	0.58	1/4434 (0.0%)
1	D	0.39	0/3234	0.59	0/4376
All	All	0.42	0/12969	0.61	2/17548 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	226	LEU	CA-CB-CG	6.74	130.80	115.30
1	C	226	LEU	CA-CB-CG	5.07	126.96	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3200	0	3287	91	0
1	B	3169	0	3253	67	0
1	C	3231	0	3323	66	0
1	D	3189	0	3270	55	0
2	A	40	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	40	0	0	3	0
2	C	45	0	0	0	0
2	D	20	0	0	0	0
3	A	21	0	0	0	0
3	B	38	0	0	0	0
3	C	15	0	0	0	0
3	D	19	0	0	0	0
All	All	13027	0	13133	278	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 278 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:73:ARG:HG2	1:D:73:ARG:HH11	1.11	1.13
1:A:249:MET:CE	1:A:326:LEU:HA	1.84	1.08
1:A:73:ARG:HG2	1:A:73:ARG:HH11	1.25	1.00
1:A:183:ARG:HH11	1:A:183:ARG:HG2	1.29	0.98
1:A:78:GLY:HA3	1:A:79:LYS:HG2	1.48	0.94

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	428/455 (94%)	403 (94%)	23 (5%)	2 (0%)	29 61
1	B	425/455 (93%)	404 (95%)	19 (4%)	2 (0%)	29 61
1	C	434/455 (95%)	409 (94%)	23 (5%)	2 (0%)	29 61
1	D	427/455 (94%)	396 (93%)	22 (5%)	9 (2%)	7 23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1714/1820 (94%)	1612 (94%)	87 (5%)	15 (1%)	17 46

5 of 15 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	215	GLY
1	D	158	GLN
1	D	216	LEU
1	C	197	ARG
1	D	215	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	349/371 (94%)	316 (90%)	33 (10%)	8 25
1	B	345/371 (93%)	313 (91%)	32 (9%)	9 26
1	C	352/371 (95%)	318 (90%)	34 (10%)	8 24
1	D	347/371 (94%)	305 (88%)	42 (12%)	5 15
All	All	1393/1484 (94%)	1252 (90%)	141 (10%)	7 22

5 of 141 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	187	LYS
1	D	237	ILE
1	D	334	THR
1	B	226	LEU
1	B	214	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	436	ASN
1	D	304	GLN
1	D	440	GLN
1	D	29	HIS
1	C	210	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

29 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	504	-	4,4,4	0.17	0	6,6,6	0.07	0
2	SO4	A	500	-	4,4,4	0.22	0	6,6,6	0.21	0
2	SO4	A	506	-	4,4,4	0.13	0	6,6,6	0.20	0
2	SO4	B	502	-	4,4,4	0.17	0	6,6,6	0.32	0
2	SO4	B	503	-	4,4,4	0.14	0	6,6,6	0.34	0
2	SO4	A	505	-	4,4,4	0.14	0	6,6,6	0.17	0
2	SO4	B	456	-	4,4,4	0.16	0	6,6,6	0.10	0
2	SO4	D	505	-	4,4,4	0.13	0	6,6,6	0.19	0
2	SO4	C	503	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	B	504	-	4,4,4	0.13	0	6,6,6	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	C	504	-	4,4,4	0.13	0	6,6,6	0.11	0
2	SO4	A	502	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	C	506	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	D	502	-	4,4,4	0.12	0	6,6,6	0.27	0
2	SO4	C	500	-	4,4,4	0.17	0	6,6,6	0.15	0
2	SO4	C	502	-	4,4,4	0.15	0	6,6,6	0.06	0
2	SO4	A	456	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	B	501	-	4,4,4	0.16	0	6,6,6	0.14	0
2	SO4	D	501	-	4,4,4	0.17	0	6,6,6	0.16	0
2	SO4	D	503	-	4,4,4	0.15	0	6,6,6	0.17	0
2	SO4	B	505	-	4,4,4	0.16	0	6,6,6	0.09	0
2	SO4	B	506	-	4,4,4	0.16	0	6,6,6	0.18	0
2	SO4	C	501	-	4,4,4	0.13	0	6,6,6	0.10	0
2	SO4	B	500	-	4,4,4	0.19	0	6,6,6	0.35	0
2	SO4	C	507	-	4,4,4	0.16	0	6,6,6	0.15	0
2	SO4	C	456	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	A	503	-	4,4,4	0.10	0	6,6,6	0.16	0
2	SO4	C	505	-	4,4,4	0.12	0	6,6,6	0.28	0
2	SO4	A	507	-	4,4,4	0.17	0	6,6,6	0.12	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502	SO4	1	0
2	B	504	SO4	1	0
2	B	500	SO4	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	432/455 (94%)	-0.27	10 (2%) 60 51	35, 64, 97, 115	0
1	B	429/455 (94%)	-0.34	3 (0%) 87 84	31, 59, 88, 111	0
1	C	436/455 (95%)	-0.24	11 (2%) 57 47	46, 72, 107, 140	0
1	D	431/455 (94%)	0.01	16 (3%) 41 31	46, 87, 154, 170	0
All	All	1728/1820 (94%)	-0.21	40 (2%) 60 51	31, 69, 120, 170	0

The worst 5 of 40 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	368	ASP	5.3
1	D	440	GLN	4.3
1	C	213	LYS	4.2
1	A	344	VAL	4.1
1	D	438	TYR	3.5

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	C	506	5/5	0.78	0.41	167,168,172,173	0
2	SO4	B	504	5/5	0.80	0.29	149,150,150,150	0
2	SO4	C	502	5/5	0.84	0.34	135,135,135,137	0
2	SO4	C	503	5/5	0.88	0.25	152,153,154,154	0
2	SO4	A	503	5/5	0.89	0.20	114,114,116,116	0
2	SO4	A	504	5/5	0.91	0.37	123,129,130,130	0
2	SO4	B	505	5/5	0.91	0.38	113,115,116,117	0
2	SO4	C	501	5/5	0.91	0.11	130,131,133,136	0
2	SO4	A	502	5/5	0.92	0.21	144,145,149,149	0
2	SO4	A	506	5/5	0.93	0.17	94,95,96,96	0
2	SO4	A	456	5/5	0.93	0.13	111,136,136,136	0
2	SO4	C	505	5/5	0.94	0.13	87,87,89,93	0
2	SO4	A	507	5/5	0.94	0.14	87,88,90,94	0
2	SO4	B	503	5/5	0.95	0.15	63,63,64,78	0
2	SO4	C	507	5/5	0.96	0.14	90,92,94,95	0
2	SO4	D	501	5/5	0.96	0.15	86,88,89,91	0
2	SO4	D	503	5/5	0.96	0.15	81,83,85,95	0
2	SO4	D	505	5/5	0.96	0.17	79,80,81,90	0
2	SO4	B	506	5/5	0.97	0.15	80,84,87,87	0
2	SO4	B	501	5/5	0.97	0.10	75,75,77,77	0
2	SO4	C	504	5/5	0.98	0.07	86,88,89,96	0
2	SO4	B	502	5/5	0.98	0.10	66,67,67,68	0
2	SO4	C	500	5/5	0.98	0.09	70,71,71,78	0
2	SO4	C	456	5/5	0.98	0.09	73,73,75,80	0
2	SO4	A	500	5/5	0.98	0.11	65,66,67,74	0
2	SO4	D	502	5/5	0.98	0.11	68,71,72,73	0
2	SO4	A	505	5/5	0.98	0.16	80,81,82,83	0
2	SO4	B	500	5/5	0.98	0.11	42,43,44,50	0
2	SO4	B	456	5/5	0.99	0.10	62,62,64,69	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.