



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 09:35 AM EDT

PDB ID : 4XXJ
Title : Crystal Structure of Escherichia coli-Expressed Halobacterium salinarum Bacteriorhodopsin in the Trimeric Form
Authors : Bratanov, D.; Balandin, T.; Round, E.; Gushchin, I.; Gordeliy, V.
Deposited on : 2015-01-30
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	269	<div> <div>7%</div> <div> <div></div> <div>74%</div> <div>9%</div> <div>•</div> <div>15%</div> </div> </div>
1	B	269	<div> <div>6%</div> <div> <div></div> <div>74%</div> <div>9%</div> <div>•</div> <div>17%</div> </div> </div>
1	C	269	<div> <div>8%</div> <div> <div></div> <div>72%</div> <div>11%</div> <div>•</div> <div>15%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5704 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacteriorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	1	0
			1778	1206	263	299	10			
1	B	224	Total	C	N	O	S	0	1	0
			1746	1186	258	292	10			
1	C	228	Total	C	N	O	S	0	1	0
			1770	1201	262	297	10			

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP P02945
A	250	GLY	-	expression tag	UNP P02945
A	251	SER	-	expression tag	UNP P02945
A	252	GLY	-	expression tag	UNP P02945
A	253	ILE	-	expression tag	UNP P02945
A	254	GLU	-	expression tag	UNP P02945
A	255	GLY	-	expression tag	UNP P02945
A	256	ARG	-	expression tag	UNP P02945
A	257	SER	-	expression tag	UNP P02945
A	258	GLY	-	expression tag	UNP P02945
A	259	ALA	-	expression tag	UNP P02945
A	260	PRO	-	expression tag	UNP P02945
A	261	HIS	-	expression tag	UNP P02945
A	262	HIS	-	expression tag	UNP P02945
A	263	HIS	-	expression tag	UNP P02945
A	264	HIS	-	expression tag	UNP P02945
A	265	HIS	-	expression tag	UNP P02945
A	266	HIS	-	expression tag	UNP P02945
A	267	HIS	-	expression tag	UNP P02945
A	268	HIS	-	expression tag	UNP P02945
B	0	MET	-	initiating methionine	UNP P02945
B	250	GLY	-	expression tag	UNP P02945
B	251	SER	-	expression tag	UNP P02945

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	252	GLY	-	expression tag	UNP P02945
B	253	ILE	-	expression tag	UNP P02945
B	254	GLU	-	expression tag	UNP P02945
B	255	GLY	-	expression tag	UNP P02945
B	256	ARG	-	expression tag	UNP P02945
B	257	SER	-	expression tag	UNP P02945
B	258	GLY	-	expression tag	UNP P02945
B	259	ALA	-	expression tag	UNP P02945
B	260	PRO	-	expression tag	UNP P02945
B	261	HIS	-	expression tag	UNP P02945
B	262	HIS	-	expression tag	UNP P02945
B	263	HIS	-	expression tag	UNP P02945
B	264	HIS	-	expression tag	UNP P02945
B	265	HIS	-	expression tag	UNP P02945
B	266	HIS	-	expression tag	UNP P02945
B	267	HIS	-	expression tag	UNP P02945
B	268	HIS	-	expression tag	UNP P02945
C	0	MET	-	initiating methionine	UNP P02945
C	250	GLY	-	expression tag	UNP P02945
C	251	SER	-	expression tag	UNP P02945
C	252	GLY	-	expression tag	UNP P02945
C	253	ILE	-	expression tag	UNP P02945
C	254	GLU	-	expression tag	UNP P02945
C	255	GLY	-	expression tag	UNP P02945
C	256	ARG	-	expression tag	UNP P02945
C	257	SER	-	expression tag	UNP P02945
C	258	GLY	-	expression tag	UNP P02945
C	259	ALA	-	expression tag	UNP P02945
C	260	PRO	-	expression tag	UNP P02945
C	261	HIS	-	expression tag	UNP P02945
C	262	HIS	-	expression tag	UNP P02945
C	263	HIS	-	expression tag	UNP P02945
C	264	HIS	-	expression tag	UNP P02945
C	265	HIS	-	expression tag	UNP P02945
C	266	HIS	-	expression tag	UNP P02945
C	267	HIS	-	expression tag	UNP P02945
C	268	HIS	-	expression tag	UNP P02945

- Molecule 2 is EICOSANE (three-letter code: LFA) (formula: C₂₀H₄₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 7 7	0	0
2	A	1	Total C 5 5	0	0
2	A	1	Total C 11 11	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 10 10	0	0
2	B	1	Total C 7 7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 6 6	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 10 10	0	0
2	B	1	Total C 8 8	0	0
2	C	1	Total C 7 7	0	0
2	C	1	Total C 7 7	0	0
2	C	1	Total C 11 11	0	0
2	C	1	Total C 10 10	0	0
2	C	1	Total C 7 7	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 14 14	0	0
2	C	1	Total C 5 5	0	0

- Molecule 3 is [(Z)-octadec-9-enyl] (2R)-2,3-bis(oxidanyl)propanoate (three-letter code: MPG) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			24	21	3		
3	B	1	Total	C	O	0	0
			24	21	3		
3	C	1	Total	C	O	0	0
			24	21	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	32	Total	O	0	0
			32	32		
4	B	28	Total	O	0	0
			28	28		
4	C	30	Total	O	0	0
			30	30		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Bacteriorhodopsin



• Molecule 1: Bacteriorhodopsin



• Molecule 1: Bacteriorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	105.84Å 60.76Å 113.36Å 90.00° 99.78° 90.00°	Depositor
Resolution (Å)	49.20 – 1.90 49.16 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.8 (49.20-1.90) 98.8 (49.16-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.183 , 0.214 0.196 , 0.223	Depositor DCC
R_{free} test set	2770 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.310	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 65.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5704	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LFA, MPG, LYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/1799	0.46	0/2459
1	B	0.32	0/1766	0.46	0/2413
1	C	0.33	0/1791	0.45	0/2449
All	All	0.33	0/5356	0.46	0/7321

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1778	0	1834	29	0
1	B	1746	0	1804	22	0
1	C	1770	0	1825	32	0
2	A	101	0	180	5	0
2	B	56	0	98	3	0
2	C	91	0	161	2	0
3	A	24	0	40	4	0
3	B	24	0	40	1	0
3	C	24	0	40	6	0
4	A	32	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	28	0	0	2	0
4	C	30	0	0	2	0
All	All	5704	0	6022	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:ARG:HH11	1:A:175:ARG:HG2	1.08	1.17
3:C:313:MPG:H82C	3:C:313:MPG:H121	1.09	1.07
1:A:216:LYR:H192	1:A:216:LYR:H9	1.42	1.01
3:C:313:MPG:H121	3:C:313:MPG:C8	1.92	0.95
3:C:313:MPG:H82C	3:C:313:MPG:C12	1.97	0.93
1:A:175:ARG:HH11	1:A:175:ARG:CG	1.85	0.89
1:B:216:LYR:H192	1:B:216:LYR:H9	1.53	0.89
1:C:216:LYR:H192	1:C:216:LYR:H9	1.56	0.87
1:C:157:THR:CG2	1:C:175:ARG:HH22	1.88	0.85
1:A:175:ARG:HG2	1:A:175:ARG:NH1	1.88	0.83
1:C:132:SER:OG	4:C:401:HOH:O	1.96	0.82
1:C:157:THR:OG1	1:C:175:ARG:NH2	2.15	0.79
1:A:216:LYR:H192	1:A:216:LYR:C9	2.14	0.78
1:C:157:THR:HG23	1:C:175:ARG:HH22	1.49	0.78
1:B:56[B]:MET:HE3	4:B:409:HOH:O	1.86	0.75
1:A:109:LEU:CD1	2:A:303:LFA:H11	2.18	0.73
1:C:153:PHE:CE2	1:C:179:VAL:HG21	2.24	0.72
1:B:216:LYR:H192	1:B:216:LYR:C9	2.23	0.68
1:B:153:PHE:CE2	1:B:179:VAL:HG21	2.30	0.67
1:C:216:LYR:H192	1:C:216:LYR:C9	2.27	0.65
1:B:194:GLU:OE1	1:B:204:GLU:OE2	2.19	0.61
3:A:314:MPG:C12	3:A:314:MPG:H82C	2.30	0.61
1:A:109:LEU:HD11	2:A:303:LFA:H11	1.83	0.60
1:A:153:PHE:CE2	1:A:179:VAL:HG21	2.37	0.60
1:C:117:ILE:HG21	3:C:313:MPG:H111	1.84	0.60
3:A:314:MPG:C12	3:A:314:MPG:C8	2.79	0.59
1:C:56[A]:MET:HG3	1:C:85:ASP:HB2	1.86	0.58
1:C:86:TRP:CD1	1:C:216:LYR:HC2	2.40	0.57
1:A:157:THR:OG1	1:A:175:ARG:NE	2.27	0.56
1:C:15:LEU:HB3	1:C:209:MET:HE2	1.88	0.55
1:B:217:VAL:HG11	2:B:307:LFA:H61	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:VAL:HG12	1:A:160:ALA:HB2	1.90	0.53
1:A:109:LEU:HD12	2:A:303:LFA:H11	1.91	0.53
1:B:15:LEU:HB3	1:B:209:MET:HE2	1.90	0.53
1:C:194:GLU:OE1	4:C:425:HOH:O	2.18	0.53
1:A:101:VAL:CG1	1:A:160:ALA:HB2	2.39	0.53
1:B:56[B]:MET:CE	4:B:409:HOH:O	2.49	0.52
1:A:157:THR:HG1	1:A:175:ARG:HE	1.55	0.51
1:B:65:GLY:HA3	1:B:81:ALA:HB2	1.92	0.51
1:A:56[B]:MET:HE3	4:A:410:HOH:O	2.10	0.51
1:A:175:ARG:CG	1:A:175:ARG:NH1	2.56	0.51
1:C:15:LEU:HD22	1:C:209:MET:HE1	1.93	0.50
1:A:156:PHE:HB3	1:A:171:PHE:CZ	2.48	0.49
1:C:29:VAL:HG13	1:C:32:MET:CE	2.43	0.49
3:A:314:MPG:H82C	3:A:314:MPG:H122	1.93	0.49
1:B:217:VAL:HG11	2:B:307:LFA:C6	2.43	0.48
1:A:141:SER:HB3	1:A:216:LYR:H142	1.96	0.48
3:C:313:MPG:C8	3:C:313:MPG:C12	2.69	0.47
1:A:216:LYR:C9	1:A:216:LYR:C19	2.86	0.47
3:A:314:MPG:C8	3:A:314:MPG:H121	2.45	0.47
1:A:56[A]:MET:HG3	1:A:85:ASP:HB2	1.98	0.46
1:A:111:LEU:HD11	1:A:156:PHE:CZ	2.50	0.46
1:B:231:GLY:O	1:B:232:GLU:C	2.53	0.46
2:A:311:LFA:H32	2:A:312:LFA:H41	1.97	0.46
1:C:156:PHE:C	1:C:156:PHE:HD1	2.18	0.46
1:A:194:GLU:OE2	1:A:204:GLU:OE2	2.34	0.45
1:C:29:VAL:HG13	1:C:32:MET:HE1	1.99	0.45
1:C:156:PHE:C	1:C:156:PHE:CD1	2.89	0.45
1:A:216:LYR:H81	1:A:216:LYR:H10	1.80	0.45
1:A:86:TRP:CD1	1:A:216:LYR:HC2	2.51	0.45
1:B:9:GLU:HB3	1:B:202:ASN:HA	1.99	0.44
1:B:18:ALA:O	1:B:22:LEU:HD13	2.18	0.44
1:A:19:LEU:HD22	2:A:313:LFA:H52	1.99	0.43
1:C:157:THR:CB	1:C:175:ARG:HH22	2.30	0.43
1:C:194:GLU:OE2	1:C:204:GLU:OE2	2.35	0.43
1:B:41:LYS:HE3	1:B:41:LYS:HB2	1.79	0.43
1:B:176:ASN:HB2	2:B:308:LFA:H22	2.01	0.43
1:C:114:ALA:HB2	3:C:313:MPG:H61C	1.99	0.43
1:C:216:LYR:H10	1:C:216:LYR:H81	1.88	0.43
1:B:15:LEU:HB3	1:B:209:MET:CE	2.48	0.43
1:B:56[A]:MET:HG3	1:B:85:ASP:HB2	2.00	0.43
1:B:141:SER:HB3	1:B:216:LYR:H142	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:217:VAL:HG11	2:C:311:LFA:H91	2.00	0.43
1:B:90:THR:N	1:B:91:PRO:CD	2.82	0.43
1:C:163:MET:HE2	1:C:167:VAL:HG11	2.00	0.43
1:C:149:LEU:HD22	1:C:179:VAL:HG22	2.01	0.43
1:C:18:ALA:O	1:C:22:LEU:HD13	2.18	0.42
1:B:149:LEU:HD22	1:B:179:VAL:HG22	2.00	0.42
3:B:309:MPG:H112	3:B:309:MPG:H141	1.76	0.42
1:A:65:GLY:HA3	1:A:81:ALA:HB2	2.02	0.42
1:C:46:THR:O	1:C:50:PRO:HD2	2.20	0.42
1:B:216:LYR:H81	1:B:216:LYR:H10	1.87	0.41
1:A:202:ASN:HD22	1:A:202:ASN:H	1.67	0.41
1:C:100:LEU:O	1:C:163:MET:HE2	2.19	0.41
1:C:163:MET:CE	1:C:167:VAL:HG11	2.51	0.41
1:A:109:LEU:CD2	1:C:45:ILE:HG13	2.50	0.41
1:A:90:THR:OG1	1:A:91:PRO:HD3	2.21	0.41
1:C:177:VAL:HA	2:C:312:LFA:H41	2.03	0.41
1:C:216:LYR:C9	1:C:216:LYR:C19	2.97	0.41
1:A:15:LEU:HB3	1:A:209:MET:HE2	2.02	0.40
1:B:86:TRP:CD1	1:B:216:LYR:HC2	2.56	0.40
1:C:7:ARG:HH11	1:C:201:LEU:HD23	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/269 (84%)	226 (100%)	0	1 (0%)	34	24
1	B	220/269 (82%)	219 (100%)	1 (0%)	0	100	100
1	C	226/269 (84%)	223 (99%)	3 (1%)	0	100	100
All	All	673/807 (83%)	668 (99%)	4 (1%)	1 (0%)	51	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	155	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/209 (86%)	173 (97%)	6 (3%)	37	28
1	B	177/209 (85%)	174 (98%)	3 (2%)	60	57
1	C	178/209 (85%)	174 (98%)	4 (2%)	52	47
All	All	534/627 (85%)	521 (98%)	13 (2%)	49	43

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	15	LEU
1	A	22	LEU
1	A	95	LEU
1	A	175	ARG
1	A	202	ASN
1	B	15	LEU
1	B	95	LEU
1	B	202	ASN
1	C	15	LEU
1	C	75	GLN
1	C	95	LEU
1	C	156	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	GLN
1	A	202	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	202	ASN
1	C	105	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LYR	A	216	1	27,29,30	1.18	4 (14%)	30,37,39	1.87	5 (16%)
1	LYR	C	216	1	27,29,30	1.29	4 (14%)	30,37,39	1.79	7 (23%)
1	LYR	B	216	1	27,29,30	1.28	4 (14%)	30,37,39	1.77	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LYR	A	216	1	-	2/22/40/42	0/1/1/1
1	LYR	C	216	1	-	2/22/40/42	0/1/1/1
1	LYR	B	216	1	-	2/22/40/42	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	216	LYR	C7-C80	3.25	1.40	1.35
1	B	216	LYR	C7-C80	2.86	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	216	LYR	C7-C80	2.73	1.39	1.35
1	A	216	LYR	C2-C3	2.43	1.40	1.33
1	A	216	LYR	C5-C3	-2.41	1.40	1.45
1	C	216	LYR	C17-C11	2.25	1.56	1.53
1	B	216	LYR	C2-C3	2.17	1.39	1.33
1	C	216	LYR	C2-C3	2.12	1.39	1.33
1	B	216	LYR	C1-C2	-2.10	1.38	1.48
1	C	216	LYR	C1-C2	-2.08	1.38	1.48
1	B	216	LYR	C17-C11	2.02	1.56	1.53
1	A	216	LYR	C1-C2	-2.00	1.39	1.48

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	216	LYR	C1-NZ-CE	4.66	120.72	113.33
1	C	216	LYR	C1-NZ-CE	4.53	120.51	113.33
1	B	216	LYR	C1-NZ-CE	4.42	120.34	113.33
1	B	216	LYR	C13-C12-C11	-4.25	119.76	124.53
1	C	216	LYR	C13-C12-C11	-4.06	119.97	124.53
1	A	216	LYR	C13-C12-C11	-4.02	120.02	124.53
1	A	216	LYR	C7-C6-C5	-3.88	111.11	123.22
1	A	216	LYR	C10-C9-C80	-3.77	120.55	126.23
1	C	216	LYR	C7-C6-C5	-3.57	112.09	123.22
1	B	216	LYR	C7-C6-C5	-3.36	112.72	123.22
1	A	216	LYR	C8-C80-C7	-2.62	119.25	122.92
1	B	216	LYR	C8-C80-C7	-2.55	119.35	122.92
1	C	216	LYR	C8-C80-C7	-2.53	119.38	122.92
1	C	216	LYR	C10-C9-C80	-2.32	122.72	126.23
1	C	216	LYR	C15-C14-C12	-2.10	110.33	114.08
1	B	216	LYR	C10-C9-C80	-2.09	123.07	126.23
1	C	216	LYR	C17-C11-C10	2.02	121.50	115.78

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	216	LYR	C2-C1-NZ-CE
1	C	216	LYR	C2-C1-NZ-CE
1	B	216	LYR	C2-C1-NZ-CE
1	A	216	LYR	CD-CE-NZ-C1
1	C	216	LYR	CD-CE-NZ-C1
1	B	216	LYR	CD-CE-NZ-C1

There are no ring outliers.

3 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	216	LYR	6	0
1	C	216	LYR	5	0
1	B	216	LYR	5	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LFA	A	303	-	10,10,19	0.24	0	9,9,18	0.54	0
2	LFA	B	302	-	5,5,19	0.28	0	4,4,18	0.35	0
2	LFA	C	311	-	13,13,19	0.28	0	12,12,18	0.48	0
2	LFA	B	306	-	5,5,19	0.23	0	4,4,18	0.38	0
2	LFA	C	304	-	9,9,19	0.25	0	8,8,18	0.51	0
2	LFA	C	312	-	4,4,19	0.28	0	3,3,18	0.39	0
2	LFA	A	309	-	5,5,19	0.27	0	4,4,18	0.34	0
2	LFA	B	303	-	6,6,19	0.26	0	5,5,18	0.45	0
2	LFA	A	301	-	6,6,19	0.24	0	5,5,18	0.43	0
3	MPG	B	309	-	23,23,24	0.28	0	23,23,25	0.78	1 (4%)
2	LFA	A	311	-	9,9,19	0.26	0	8,8,18	0.53	0
2	LFA	A	304	-	9,9,19	0.24	0	8,8,18	0.50	0
2	LFA	C	306	-	5,5,19	0.25	0	4,4,18	0.34	0
2	LFA	C	310	-	5,5,19	0.28	0	4,4,18	0.33	0
2	LFA	B	305	-	5,5,19	0.26	0	4,4,18	0.39	0
2	LFA	C	303	-	10,10,19	0.18	0	9,9,18	0.62	0
2	LFA	B	301	-	6,6,19	0.26	0	5,5,18	0.42	0
2	LFA	A	306	-	6,6,19	0.24	0	5,5,18	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LFA	C	302	-	6,6,19	0.28	0	5,5,18	0.40	0
2	LFA	C	307	-	5,5,19	0.26	0	4,4,18	0.36	0
2	LFA	C	308	-	5,5,19	0.28	0	4,4,18	0.34	0
2	LFA	B	307	-	9,9,19	0.26	0	8,8,18	0.51	0
2	LFA	A	313	-	9,9,19	0.24	0	8,8,18	0.52	0
2	LFA	A	305	-	6,6,19	0.26	0	5,5,18	0.43	0
2	LFA	B	304	-	5,5,19	0.25	0	4,4,18	0.38	0
2	LFA	A	310	-	5,5,19	0.27	0	4,4,18	0.34	0
2	LFA	A	308	-	6,6,19	0.25	0	5,5,18	0.44	0
2	LFA	A	312	-	7,7,19	0.29	0	6,6,18	0.45	0
2	LFA	C	305	-	6,6,19	0.24	0	5,5,18	0.40	0
2	LFA	A	302	-	4,4,19	0.30	0	3,3,18	0.41	0
2	LFA	C	301	-	6,6,19	0.29	0	5,5,18	0.40	0
3	MPG	C	313	-	23,23,24	0.34	0	23,23,25	0.84	1 (4%)
2	LFA	C	309	-	5,5,19	0.25	0	4,4,18	0.39	0
2	LFA	B	308	-	7,7,19	0.27	0	6,6,18	0.49	0
2	LFA	A	307	-	6,6,19	0.26	0	5,5,18	0.45	0
3	MPG	A	314	-	23,23,24	0.37	0	23,23,25	0.90	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	A	303	-	-	3/8/8/17	-
2	LFA	B	302	-	-	2/3/3/17	-
2	LFA	C	311	-	-	9/11/11/17	-
2	LFA	B	306	-	-	2/3/3/17	-
2	LFA	C	304	-	-	4/7/7/17	-
2	LFA	C	312	-	-	0/2/2/17	-
2	LFA	A	309	-	-	2/3/3/17	-
2	LFA	B	303	-	-	2/4/4/17	-
2	LFA	A	301	-	-	0/4/4/17	-
3	MPG	B	309	-	-	13/22/22/25	-
2	LFA	A	311	-	-	3/7/7/17	-
2	LFA	A	304	-	-	4/7/7/17	-
2	LFA	C	306	-	-	1/3/3/17	-
2	LFA	C	310	-	-	1/3/3/17	-
2	LFA	B	305	-	-	0/3/3/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	C	303	-	-	6/8/8/17	-
2	LFA	B	301	-	-	2/4/4/17	-
2	LFA	A	306	-	-	0/4/4/17	-
2	LFA	C	302	-	-	1/4/4/17	-
2	LFA	C	307	-	-	2/3/3/17	-
2	LFA	C	308	-	-	1/3/3/17	-
2	LFA	B	307	-	-	4/7/7/17	-
2	LFA	A	313	-	-	4/7/7/17	-
2	LFA	A	305	-	-	2/4/4/17	-
2	LFA	B	304	-	-	1/3/3/17	-
2	LFA	A	310	-	-	1/3/3/17	-
2	LFA	A	308	-	-	1/4/4/17	-
2	LFA	A	312	-	-	3/5/5/17	-
2	LFA	C	305	-	-	3/4/4/17	-
2	LFA	A	302	-	-	1/2/2/17	-
2	LFA	C	301	-	-	1/4/4/17	-
3	MPG	C	313	-	-	10/22/22/25	-
2	LFA	C	309	-	-	0/3/3/17	-
2	LFA	B	308	-	-	1/5/5/17	-
2	LFA	A	307	-	-	0/4/4/17	-
3	MPG	A	314	-	-	13/22/22/25	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	314	MPG	O1-CX3-CXD	3.48	121.29	109.52
3	C	313	MPG	O1-CX3-CXD	2.93	119.44	109.52
3	B	309	MPG	O1-CX3-CXD	2.17	116.86	109.52

There are no chirality outliers.

All (103) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	309	MPG	O3-C21-CXD-CX3
3	B	309	MPG	O1-CX3-CXD-O2
3	A	314	MPG	O1-C1-C2-C3
3	B	309	MPG	C11-C12-C13-C14
2	A	303	LFA	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	312	LFA	C4-C5-C6-C7
3	A	314	MPG	C5-C6-C7-C8
3	B	309	MPG	O1-CX3-CXD-C21
2	B	307	LFA	C3-C4-C5-C6
3	A	314	MPG	C11-C12-C13-C14
3	B	309	MPG	C12-C13-C14-C15
3	B	309	MPG	O1-C1-C2-C3
2	A	311	LFA	C3-C4-C5-C6
2	C	303	LFA	C3-C4-C5-C6
3	A	314	MPG	O1-CX3-CXD-O2
2	C	303	LFA	C5-C6-C7-C8
2	C	303	LFA	C7-C8-C9-C10
2	C	305	LFA	C2-C3-C4-C5
3	B	309	MPG	C3-C4-C5-C6
2	C	306	LFA	C2-C3-C4-C5
3	B	309	MPG	C13-C14-C15-C16
3	A	314	MPG	C13-C14-C15-C16
3	A	314	MPG	C4-C5-C6-C7
2	C	311	LFA	C5-C6-C7-C8
2	A	313	LFA	C2-C3-C4-C5
2	B	307	LFA	C2-C3-C4-C5
3	B	309	MPG	O3-C21-CXD-O2
3	C	313	MPG	C6-C7-C8-C9
3	C	313	MPG	C10-C11-C12-C13
3	A	314	MPG	C2-C3-C4-C5
3	C	313	MPG	C12-C13-C14-C15
3	A	314	MPG	C10-C11-C12-C13
2	C	311	LFA	C3-C4-C5-C6
2	B	307	LFA	C6-C7-C8-C9
3	B	309	MPG	C7-C8-C9-C10
2	C	311	LFA	C11-C10-C9-C8
2	B	306	LFA	C1-C2-C3-C4
3	C	313	MPG	C3-C4-C5-C6
2	A	311	LFA	C7-C8-C9-C10
2	C	304	LFA	C1-C2-C3-C4
2	A	313	LFA	C5-C6-C7-C8
3	A	314	MPG	C6-C7-C8-C9
2	A	303	LFA	C1-C2-C3-C4
2	B	302	LFA	C5-C6-C7-C8
2	C	303	LFA	C6-C7-C8-C9
3	C	313	MPG	C9-C10-C11-C12
2	A	312	LFA	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	306	LFA	C2-C3-C4-C5
2	B	302	LFA	C4-C5-C6-C7
2	C	311	LFA	C1-C2-C3-C4
2	C	302	LFA	C2-C3-C4-C5
3	A	314	MPG	C9-C10-C11-C12
2	B	308	LFA	C5-C6-C7-C8
2	C	303	LFA	C4-C5-C6-C7
2	C	305	LFA	C4-C5-C6-C7
2	C	311	LFA	C6-C7-C8-C9
2	A	303	LFA	C7-C8-C9-C10
2	A	304	LFA	C1-C2-C3-C4
2	C	311	LFA	C7-C8-C9-C10
2	C	303	LFA	C2-C3-C4-C5
3	A	314	MPG	C15-C16-C17-C18
2	C	311	LFA	C9-C10-C11-C12
3	B	309	MPG	C2-C1-O1-CX3
2	A	305	LFA	C3-C4-C5-C6
2	C	305	LFA	C3-C4-C5-C6
2	A	313	LFA	C3-C4-C5-C6
2	A	305	LFA	C4-C5-C6-C7
2	B	301	LFA	C2-C3-C4-C5
3	A	314	MPG	O1-CX3-CXD-C21
2	C	310	LFA	C2-C3-C4-C5
2	C	308	LFA	C3-C4-C5-C6
2	A	304	LFA	C3-C4-C5-C6
2	B	303	LFA	C4-C5-C6-C7
2	C	301	LFA	C4-C5-C6-C7
2	C	304	LFA	C4-C5-C6-C7
2	A	312	LFA	C5-C6-C7-C8
2	B	303	LFA	C3-C4-C5-C6
2	A	304	LFA	C7-C8-C9-C10
2	A	308	LFA	C3-C4-C5-C6
2	A	310	LFA	C1-C2-C3-C4
3	C	313	MPG	O1-C1-C2-C3
2	C	304	LFA	C5-C6-C7-C8
3	C	313	MPG	C1-C2-C3-C4
2	C	311	LFA	C2-C3-C4-C5
2	A	313	LFA	C1-C2-C3-C4
2	C	304	LFA	C2-C3-C4-C5
2	A	309	LFA	C1-C2-C3-C4
3	B	309	MPG	CXD-CX3-O1-C1
3	A	314	MPG	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	311	LFA	C5-C6-C7-C8
2	A	302	LFA	C4-C5-C6-C7
3	C	313	MPG	C14-C15-C16-C17
2	A	304	LFA	C6-C7-C8-C9
3	C	313	MPG	C4-C5-C6-C7
3	B	309	MPG	C5-C6-C7-C8
2	B	301	LFA	C3-C4-C5-C6
2	A	309	LFA	C2-C3-C4-C5
2	B	304	LFA	C1-C2-C3-C4
3	C	313	MPG	O3-C21-CXD-CX3
2	C	307	LFA	C3-C4-C5-C6
2	B	307	LFA	C1-C2-C3-C4
2	C	311	LFA	C4-C5-C6-C7
2	C	307	LFA	C2-C3-C4-C5


There are no ring outliers.




11 monomers are involved in 21 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	303	LFA	3	0
2	C	311	LFA	1	0
2	C	312	LFA	1	0
3	B	309	MPG	1	0
2	A	311	LFA	1	0
2	B	307	LFA	2	0
2	A	313	LFA	1	0
2	A	312	LFA	1	0
3	C	313	MPG	6	0
2	B	308	LFA	1	0
3	A	314	MPG	4	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient





equivalents in the CSD to analyse the geometry.


































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	228/269 (84%)	0.28	20 (8%) 10 11	20, 30, 60, 86	0
1	B	223/269 (82%)	0.26	16 (7%) 15 17	20, 30, 57, 81	0
1	C	227/269 (84%)	0.42	22 (9%) 7 9	20, 32, 63, 96	0
All	All	678/807 (84%)	0.32	58 (8%) 10 12	20, 31, 62, 96	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	163	MET	8.1
1	A	163	MET	7.4
1	C	160	ALA	6.9
1	B	4	ILE	6.8
1	C	162	SER	6.7
1	C	163	MET	6.5
1	A	162	SER	6.4
1	C	158	SER	5.9
1	A	165	PRO	5.8
1	C	155	GLY	5.8
1	C	154	PHE	5.7
1	B	165	PRO	5.6
1	A	164	ARG	5.4
1	B	162	SER	5.4
1	C	161	GLU	5.3
1	A	232	GLU	5.2
1	B	164	ARG	5.2
1	B	166	GLU	5.2
1	A	160	ALA	5.1
1	A	158	SER	4.9
1	C	159	LYS	4.7
1	A	159	LYS	4.6
1	B	231	GLY	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161	GLU	4.3
1	C	165	PRO	4.3
1	B	5	THR	4.3
1	A	156	PHE	4.1
1	C	164	ARG	4.1
1	B	230	PHE	4.1
1	A	166	GLU	4.0
1	A	231	GLY	3.8
1	A	157	THR	3.8
1	C	5	THR	3.6
1	C	4	ILE	3.3
1	C	74	GLU	3.2
1	B	35	SER	3.2
1	B	232	GLU	3.0
1	B	33	GLY	2.9
1	B	154	PHE	2.9
1	A	227	ARG	2.8
1	A	33	GLY	2.7
1	A	167	VAL	2.7
1	B	167	VAL	2.6
1	C	156	PHE	2.5
1	C	231	GLY	2.4
1	C	167	VAL	2.4
1	C	70	PRO	2.4
1	B	155	GLY	2.3
1	C	72	GLY	2.3
1	B	102	ASP	2.2
1	C	230	PHE	2.2
1	A	35	SER	2.2
1	A	154	PHE	2.2
1	A	5	THR	2.1
1	A	74	GLU	2.1
1	C	166	GLU	2.1
1	C	157	THR	2.0
1	C	71	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	LYR	A	216	29/30	0.91	0.12	20,25,29,30	0
1	LYR	B	216	29/30	0.91	0.13	20,25,30,31	0
1	LYR	C	216	29/30	0.91	0.14	23,25,29,32	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	LFA	C	310	6/20	0.52	0.21	45,51,56,56	0
2	LFA	B	308	8/20	0.61	0.21	49,50,60,62	0
2	LFA	C	311	14/20	0.65	0.18	44,54,60,61	0
2	LFA	C	301	7/20	0.68	0.28	52,54,56,57	0
2	LFA	A	311	10/20	0.70	0.21	55,59,63,66	0
2	LFA	A	307	7/20	0.71	0.19	36,39,43,46	0
2	LFA	C	308	6/20	0.71	0.22	41,43,46,48	0
2	LFA	C	306	6/20	0.73	0.17	53,54,57,59	0
2	LFA	A	310	6/20	0.76	0.19	49,53,57,58	0
2	LFA	B	307	10/20	0.76	0.16	48,55,59,61	0
2	LFA	A	308	7/20	0.77	0.17	45,48,51,51	0
2	LFA	B	303	7/20	0.77	0.17	40,46,57,59	0
2	LFA	A	305	7/20	0.77	0.15	51,53,58,61	0
2	LFA	A	312	8/20	0.78	0.20	51,58,59,59	0
2	LFA	C	307	6/20	0.80	0.21	34,43,47,53	0
2	LFA	C	304	10/20	0.82	0.12	44,47,57,59	0
2	LFA	B	306	6/20	0.82	0.17	45,48,49,58	0
2	LFA	B	304	6/20	0.83	0.14	53,55,60,63	0
2	LFA	A	301	7/20	0.84	0.19	39,43,47,47	0
2	LFA	C	302	7/20	0.84	0.22	35,41,54,54	0
2	LFA	C	312	5/20	0.84	0.17	50,51,55,61	0
3	MPG	C	313	24/25	0.84	0.17	41,50,59,69	0
2	LFA	B	301	7/20	0.85	0.16	36,43,46,53	0
2	LFA	A	306	7/20	0.85	0.15	39,43,53,56	0
2	LFA	A	304	10/20	0.86	0.20	36,42,47,48	0
2	LFA	C	309	6/20	0.86	0.20	58,59,61,64	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MPG	B	309	24/25	0.86	0.14	39,46,54,67	0
2	LFA	B	305	6/20	0.86	0.14	42,44,47,48	0
2	LFA	C	305	7/20	0.88	0.13	40,45,50,52	0
2	LFA	C	303	11/20	0.89	0.23	44,45,53,54	0
3	MPG	A	314	24/25	0.89	0.13	37,49,57,60	0
2	LFA	A	303	11/20	0.89	0.26	44,46,49,52	0
2	LFA	A	309	6/20	0.89	0.11	42,46,50,51	0
2	LFA	A	313	10/20	0.90	0.14	51,53,59,64	0
2	LFA	A	302	5/20	0.91	0.22	46,49,52,54	0
2	LFA	B	302	6/20	0.93	0.16	56,57,59,66	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LFA C 310:

2mF_o-DF_c (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around LFA B 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA C 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 306:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 312:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA C 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MPG C 313:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MPG B 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MPG A 314:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 313:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFA B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.