



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 07:47 PM EDT

PDB ID : 1J72  
Title : Crystal Structure of Mutant Macrophage Capping Protein (Cap G) with Actin-severing Activity in the Ca<sup>2+</sup>-Free Form  
Authors : Vorobiev, S.M.; Southwick, F.S.; Storokopytov, B.; Almo, S.C.  
Deposited on : 2001-05-15  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	347	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Macrophage capping protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	0	0	0
			2506	1592	439	466	9			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	83	GLN	-	SEE REMARK 999	UNP P40121
A	84	LEU	-	SEE REMARK 999	UNP P40121
A	85	ASP	-	SEE REMARK 999	UNP P40121
A	86	ASP	-	SEE REMARK 999	UNP P40121
A	87	TYR	-	SEE REMARK 999	UNP P40121
A	88	LEU	-	SEE REMARK 999	UNP P40121
A	89	GLY	-	SEE REMARK 999	UNP P40121
A	90	GLY	-	SEE REMARK 999	UNP P40121
A	124	GLY	-	SEE REMARK 999	UNP P40121
A	125	PHE	-	SEE REMARK 999	UNP P40121
A	126	LYS	-	SEE REMARK 999	UNP P40121
A	127	HIS	-	SEE REMARK 999	UNP P40121
A	128	VAL	-	SEE REMARK 999	UNP P40121
A	129	VAL	-	SEE REMARK 999	UNP P40121
A	130	PRO	-	SEE REMARK 999	UNP P40121
A	131	ASN	-	SEE REMARK 999	UNP P40121
A	132	GLU	-	SEE REMARK 999	UNP P40121
A	133	VAL	-	SEE REMARK 999	UNP P40121
A	134	VAL	-	SEE REMARK 999	UNP P40121
A	135	VAL	-	SEE REMARK 999	UNP P40121
A	136	GLN	-	SEE REMARK 999	UNP P40121
A	137	ARG	-	SEE REMARK 999	UNP P40121

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	82	Total	O	0	0
			82	82		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: Macrophage capping protein



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	206.62Å 206.62Å 56.17Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.96 – 2.50	Depositor
% Data completeness (in resolution range)	91.2 (14.96-2.50)	Depositor
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.243 , 0.299	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2588	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.82	1/2563 (0.0%)	0.95	8/3488 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	344	LYS	CB-CG	-5.44	1.37	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	346	TRP	CA-CB-CG	-9.83	95.03	113.70
1	A	167	LEU	CA-CB-CG	7.55	132.66	115.30
1	A	345	ASP	C-N-CA	-6.17	106.26	121.70
1	A	344	LYS	CA-C-N	-5.54	105.00	117.20
1	A	11	PRO	C-N-CA	-5.38	108.26	121.70
1	A	290	GLY	N-CA-C	5.34	126.44	113.10
1	A	11	PRO	O-C-N	5.20	131.03	122.70
1	A	197	ARG	NE-CZ-NH1	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2506	0	2349	172	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	82	0	0	4	0
All	All	2588	0	2349	172	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:VAL:HG11	1:A:106:PHE:HE1	1.18	1.05
1:A:269:SER:HB3	1:A:270:PRO:HD3	1.39	1.02
1:A:298:ARG:H	1:A:332:GLN:HE21	1.08	0.99
1:A:190:ARG:HD2	2:A:869:HOH:O	1.65	0.96
1:A:152:ARG:HH11	1:A:152:ARG:HG2	1.31	0.95
1:A:342:PHE:O	1:A:343:PHE:O	1.83	0.95
1:A:344:LYS:O	1:A:346:TRP:N	1.99	0.94
1:A:290:GLY:O	1:A:325:THR:HG23	1.68	0.93
1:A:298:ARG:H	1:A:332:GLN:NE2	1.72	0.87
1:A:152:ARG:HG2	1:A:152:ARG:NH1	1.88	0.87
1:A:63:LEU:HD11	1:A:77:CYS:SG	2.15	0.86
1:A:111:PRO:HG2	1:A:112:ARG:H	1.41	0.86
1:A:246:GLN:HG2	1:A:247:ALA:N	1.93	0.84
1:A:50:VAL:HG11	1:A:106:PHE:CE1	2.09	0.82
1:A:246:GLN:HG2	1:A:247:ALA:H	1.44	0.82
1:A:253:VAL:HG12	1:A:260:MET:CE	2.09	0.81
1:A:138:LEU:CD1	1:A:167:LEU:HD22	2.10	0.81
1:A:13:PRO:HG2	1:A:24:TRP:HE1	1.45	0.79
1:A:253:VAL:HG12	1:A:260:MET:HE1	1.65	0.79
1:A:155:ASN:HD22	1:A:156:TRP:N	1.86	0.73
1:A:61:LEU:HD21	1:A:84:LEU:HD23	1.71	0.72
1:A:269:SER:HB3	1:A:270:PRO:CD	2.18	0.72
1:A:344:LYS:C	1:A:346:TRP:H	1.94	0.69
1:A:246:GLN:CG	1:A:247:ALA:H	2.05	0.68
1:A:21:LEU:HD12	1:A:52:HIS:HB2	1.74	0.68
1:A:61:LEU:CD2	1:A:84:LEU:HD23	2.25	0.67
1:A:344:LYS:C	1:A:346:TRP:N	2.47	0.67
1:A:50:VAL:HG13	1:A:62:HIS:HB2	1.77	0.66
1:A:342:PHE:C	1:A:343:PHE:O	2.33	0.66
1:A:216:PRO:HD2	1:A:219:MET:HE3	1.80	0.64
1:A:192:LEU:O	1:A:195:ALA:HB3	1.98	0.64
1:A:301:ASN:HD22	1:A:301:ASN:C	2.00	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:ARG:HH11	1:A:152:ARG:CG	2.09	0.63
1:A:253:VAL:CG1	1:A:260:MET:CE	2.77	0.62
1:A:330:LEU:HD22	1:A:335:GLU:HA	1.81	0.62
1:A:49:LEU:HD23	1:A:63:LEU:HD12	1.81	0.62
1:A:346:TRP:O	1:A:347:LYS:HB3	1.99	0.62
1:A:345:ASP:O	1:A:347:LYS:N	2.33	0.62
1:A:55:PRO:C	1:A:57:GLU:H	2.03	0.61
1:A:105:LEU:O	1:A:108:SER:OG	2.16	0.61
1:A:53:ASN:O	1:A:55:PRO:HD3	2.02	0.60
1:A:301:ASN:ND2	1:A:304:GLU:H	1.99	0.60
1:A:53:ASN:HB3	1:A:59:SER:OG	2.01	0.60
1:A:337:PRO:HB3	1:A:347:LYS:NZ	2.17	0.59
1:A:154:LEU:HD12	1:A:263:THR:HG23	1.84	0.59
1:A:91:ARG:HB2	1:A:92:PRO:HD3	1.85	0.58
1:A:138:LEU:HD13	1:A:167:LEU:HD22	1.86	0.58
1:A:87:TYR:CD2	1:A:87:TYR:O	2.57	0.57
1:A:60:HIS:HD2	1:A:95:HIS:CE1	2.22	0.57
1:A:85:ASP:OD1	1:A:94:GLN:NE2	2.37	0.57
1:A:25:ARG:O	1:A:32:VAL:HG12	2.04	0.57
1:A:138:LEU:HB2	1:A:154:LEU:CD2	2.33	0.57
1:A:160:ASN:ND2	1:A:162:GLY:H	2.03	0.57
1:A:284:LEU:HD12	1:A:284:LEU:C	2.24	0.57
1:A:63:LEU:CD1	1:A:77:CYS:SG	2.92	0.57
1:A:85:ASP:OD2	1:A:90:GLY:HA2	2.05	0.57
1:A:255:ASP:HA	1:A:259:GLN:O	2.04	0.57
1:A:329:ILE:HD12	1:A:329:ILE:N	2.20	0.56
1:A:253:VAL:CG1	1:A:260:MET:HE1	2.33	0.56
1:A:70:SER:O	1:A:74:GLN:HG3	2.06	0.56
1:A:12:PHE:C	1:A:14:GLY:H	2.10	0.55
1:A:71:ARG:O	1:A:74:GLN:HB2	2.07	0.55
1:A:246:GLN:CG	1:A:247:ALA:N	2.63	0.55
1:A:301:ASN:C	1:A:301:ASN:ND2	2.60	0.55
1:A:306:GLN:HB2	2:A:881:HOH:O	2.07	0.55
1:A:138:LEU:HB2	1:A:154:LEU:HD23	1.89	0.55
1:A:98:VAL:HG23	1:A:101:ASN:HB3	1.89	0.55
1:A:155:ASN:HD22	1:A:155:ASN:C	2.09	0.55
1:A:36:GLN:O	1:A:39:GLN:HG3	2.07	0.54
1:A:230:LYS:HA	2:A:891:HOH:O	2.09	0.53
1:A:111:PRO:CG	1:A:112:ARG:H	2.16	0.52
1:A:38:ASN:O	1:A:41:VAL:HG22	2.10	0.52
1:A:64:TRP:C	1:A:65:ILE:HD13	2.30	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:VAL:HG21	1:A:77:CYS:SG	2.50	0.52
1:A:346:TRP:O	1:A:347:LYS:CB	2.57	0.52
1:A:61:LEU:O	1:A:94:GLN:HA	2.09	0.52
1:A:62:HIS:CD2	1:A:109:TYR:HE1	2.27	0.52
1:A:78:ALA:O	1:A:81:ALA:HB3	2.10	0.51
1:A:41:VAL:O	1:A:41:VAL:CG2	2.59	0.51
1:A:12:PHE:CZ	1:A:80:LEU:HD12	2.45	0.51
1:A:49:LEU:HD11	1:A:80:LEU:HB3	1.92	0.51
1:A:138:LEU:HD12	1:A:167:LEU:HD22	1.91	0.51
1:A:283:VAL:HG21	1:A:311:VAL:CG2	2.41	0.50
1:A:330:LEU:HD21	1:A:336:SER:HB3	1.93	0.50
1:A:176:TRP:NE1	1:A:215:GLU:OE1	2.41	0.50
1:A:12:PHE:O	1:A:14:GLY:N	2.45	0.50
1:A:41:VAL:O	1:A:41:VAL:HG23	2.12	0.50
1:A:147:ILE:HG13	1:A:147:ILE:O	2.10	0.50
1:A:147:ILE:HG22	1:A:188:LYS:HD3	1.93	0.50
1:A:294:ILE:HD12	1:A:309:LEU:HD23	1.93	0.50
1:A:98:VAL:CG2	1:A:101:ASN:HB3	2.42	0.50
1:A:53:ASN:C	1:A:55:PRO:HD3	2.33	0.49
1:A:104:ASP:OD2	1:A:104:ASP:N	2.45	0.49
1:A:346:TRP:HD1	1:A:347:LYS:N	2.09	0.49
1:A:54:GLY:O	1:A:57:GLU:N	2.46	0.49
1:A:330:LEU:HD22	1:A:336:SER:H	1.77	0.49
1:A:211:THR:HG23	1:A:214:GLU:HG3	1.95	0.49
1:A:178:GLY:HA2	1:A:212:ASP:HB2	1.95	0.48
1:A:97:GLU:OE2	1:A:106:PHE:HB2	2.13	0.48
1:A:111:PRO:HG2	1:A:112:ARG:N	2.20	0.48
1:A:49:LEU:HD23	1:A:63:LEU:CD1	2.44	0.47
1:A:49:LEU:CD2	1:A:63:LEU:CD1	2.93	0.47
1:A:65:ILE:HD13	1:A:65:ILE:N	2.29	0.47
1:A:331:PRO:HG2	1:A:334:ARG:HB2	1.96	0.47
1:A:70:SER:OG	1:A:73:GLU:CB	2.62	0.47
1:A:159:PHE:HA	1:A:165:PHE:CZ	2.48	0.47
1:A:27:GLU:HB3	1:A:28:LYS:H	1.55	0.47
1:A:71:ARG:C	1:A:71:ARG:HD3	2.35	0.47
1:A:342:PHE:N	1:A:342:PHE:CD1	2.83	0.47
1:A:124:GLY:O	1:A:126:LYS:HG2	2.15	0.47
1:A:301:ASN:HD21	1:A:304:GLU:H	1.63	0.47
1:A:338:ILE:HG23	1:A:339:PHE:N	2.30	0.47
1:A:88:LEU:HD12	1:A:92:PRO:HG2	1.97	0.46
1:A:288:LEU:HD12	1:A:288:LEU:HA	1.73	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:ILE:HD12	1:A:209:ILE:N	2.30	0.46
1:A:53:ASN:CB	1:A:59:SER:OG	2.63	0.46
1:A:23:VAL:HG12	1:A:34:VAL:CG2	2.46	0.46
1:A:320:GLN:HA	1:A:320:GLN:OE1	2.15	0.46
1:A:54:GLY:O	1:A:57:GLU:CB	2.63	0.46
1:A:12:PHE:C	1:A:14:GLY:N	2.70	0.46
1:A:61:LEU:CD1	1:A:84:LEU:HD23	2.46	0.45
1:A:51:LEU:HB2	1:A:61:LEU:HD13	1.97	0.45
1:A:82:VAL:O	1:A:86:ASP:HB2	2.16	0.45
1:A:182:ASN:HB3	1:A:184:LEU:H	1.82	0.45
1:A:23:VAL:HG12	1:A:34:VAL:HG21	1.97	0.45
1:A:53:ASN:HD22	1:A:53:ASN:H	1.63	0.45
1:A:155:ASN:ND2	1:A:157:ASP:H	2.15	0.45
1:A:286:ASN:HB3	1:A:291:LYS:O	2.17	0.45
1:A:61:LEU:HD11	1:A:84:LEU:HD23	1.98	0.45
1:A:111:PRO:O	1:A:112:ARG:C	2.54	0.45
1:A:81:ALA:O	1:A:84:LEU:HB3	2.17	0.44
1:A:209:ILE:HD12	1:A:209:ILE:H	1.82	0.44
1:A:306:GLN:HG3	2:A:882:HOH:O	2.17	0.44
1:A:60:HIS:CD2	1:A:95:HIS:CE1	3.05	0.44
1:A:171:GLN:O	1:A:205:ALA:HA	2.18	0.44
1:A:346:TRP:CD1	1:A:347:LYS:N	2.85	0.44
1:A:60:HIS:CD2	1:A:95:HIS:HE1	2.36	0.44
1:A:154:LEU:HD23	1:A:154:LEU:HA	1.87	0.44
1:A:298:ARG:N	1:A:332:GLN:NE2	2.54	0.43
1:A:277:ILE:HG22	1:A:279:ASP:H	1.83	0.43
1:A:329:ILE:N	1:A:329:ILE:CD1	2.81	0.43
1:A:53:ASN:O	1:A:55:PRO:CD	2.66	0.43
1:A:238:LEU:C	1:A:240:ALA:H	2.21	0.43
1:A:63:LEU:HD12	1:A:63:LEU:HA	1.88	0.43
1:A:111:PRO:CG	1:A:112:ARG:N	2.81	0.43
1:A:346:TRP:HD1	1:A:347:LYS:H	1.67	0.43
1:A:190:ARG:HE	1:A:190:ARG:HB3	1.62	0.43
1:A:316:ILE:HA	1:A:321:TYR:HD1	1.84	0.43
1:A:150:THR:HG22	1:A:152:ARG:HH12	1.84	0.43
1:A:48:TYR:HB2	1:A:64:TRP:HB3	2.01	0.43
1:A:80:LEU:HD13	1:A:80:LEU:HA	1.80	0.42
1:A:250:LEU:HD11	1:A:282:PHE:HB3	2.00	0.42
1:A:82:VAL:O	1:A:83:GLN:C	2.56	0.42
1:A:330:LEU:CD2	1:A:336:SER:H	2.32	0.42
1:A:333:GLY:H	1:A:335:GLU:CD	2.22	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:ARG:HD2	1:A:46:ASP:OD2	2.20	0.42
1:A:161:THR:O	1:A:178:GLY:HA3	2.20	0.41
1:A:301:ASN:HD22	1:A:302:GLU:N	2.18	0.41
1:A:102:GLU:HG2	1:A:106:PHE:CD2	2.55	0.41
1:A:139:TYR:HB3	1:A:149:ALA:HB1	2.01	0.41
1:A:16:VAL:HG13	1:A:51:LEU:HD23	2.02	0.41
1:A:83:GLN:CA	1:A:83:GLN:HE21	2.34	0.41
1:A:23:VAL:HG22	1:A:50:VAL:HG23	2.02	0.41
1:A:42:PHE:HB3	1:A:64:TRP:CZ3	2.55	0.41
1:A:302:GLU:OE2	1:A:302:GLU:HA	2.21	0.40
1:A:55:PRO:C	1:A:57:GLU:N	2.70	0.40
1:A:114:LEU:HD13	1:A:116:TYR:HE2	1.85	0.40
1:A:118:GLU:O	1:A:119:GLY:C	2.60	0.40
1:A:301:ASN:HD22	1:A:303:LYS:N	2.20	0.40
1:A:330:LEU:HD22	1:A:336:SER:N	2.36	0.40
1:A:219:MET:HE2	1:A:219:MET:HB2	1.82	0.40
1:A:71:ARG:O	1:A:74:GLN:CB	2.70	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:GLY:O	1:A:148:ARG:NH1[12_565]	1.99	0.21

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	335/347 (96%)	262 (78%)	53 (16%)	20 (6%)	<b>1</b> <b>1</b>

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	55	PRO
1	A	102	GLU
1	A	196	ILE
1	A	231	GLU
1	A	235	GLU
1	A	247	ALA
1	A	343	PHE
1	A	344	LYS
1	A	345	ASP
1	A	234	PRO
1	A	28	LYS
1	A	198	ASP
1	A	256	ALA
1	A	317	SER
1	A	201	ARG
1	A	13	PRO
1	A	27	GLU
1	A	111	PRO
1	A	227	PRO
1	A	269	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/289 (84%)	224 (92%)	20 (8%)	11	22

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	GLU
1	A	53	ASN
1	A	55	PRO
1	A	71	ARG
1	A	80	LEU
1	A	83	GLN
1	A	95	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	96	ARG
1	A	101	ASN
1	A	104	ASP
1	A	146	ASN
1	A	152	ARG
1	A	155	ASN
1	A	167	LEU
1	A	197	ARG
1	A	211	THR
1	A	219	MET
1	A	277	ILE
1	A	284	LEU
1	A	301	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	60	HIS
1	A	83	GLN
1	A	101	ASN
1	A	131	ASN
1	A	155	ASN
1	A	160	ASN
1	A	171	GLN
1	A	182	ASN
1	A	261	ASN
1	A	286	ASN
1	A	301	ASN
1	A	332	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.